AN ROINN SLÁINTE

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No.

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA 1951

COMPILED BY THE CENTRAL STATISTICS OFFICE
FROM DATA SUPPLIED BY AN T-ÁRD CHLÁRAITHEOIR

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,
or through any Bookseller.

1955

Price : Ten Shillings.

(Pr. 1958.)

CONTENTS

PART I—TEXT AND DIAGRAMS

	Page
GENERAL SUMMARY :	
Marriages, Births, Deaths and Population	vi
MARRIAGES :	
Number and rate	viii
Mode of celebration	ix
Age at marriage	x
BIRTHS :	
Number and rate	xi
Rates by counties, etc.	xii
Illegitimate births	xiv
Sex ratio at birth	xv
Multiple births	xv
DEATHS :	
Number and rate	xvi
Rates by counties	xviii
Causes of death :	
General observations	xx
Principal causes	xxi
Infectious diseases	xxv
Tuberculosis	xxv
Cancer	xxix
Heart diseases	xxxiii
Respiratory diseases	xxxiii
Pregnancy, childbirth and the puerperium	xxxvi
Accidents, poisonings and violence	xxxvi
Infant mortality	xxxvi
Uncertified deaths	xxxvi
Inquests and post-mortems	xxxvi
Diagram I. Birth, death and marriage rates, 1938–1951.	vii
,, II. Standardised death rate from all causes, 1951, by counties	xix
,, III. Tuberculosis and cancer mortality, 1938–1951	xxvii
,, IV. Infant and neo-natal mortality, 1938–1951	xxxiv

PART II—TABLES

Contents	Area	Title	Page
Population ...	State ...	Table 1. Estimated population in thousands at the middle of each year, 1851 to 1951	2
Population by age	State ...	Table 2. Total population by sex and age in 1951 ...	3
Population ...	Counties	Table 3. Population by sex in each county and county borough in 1951	4
Marriages, births, deaths, 1864-1951	State ...	Table 4. Marriages, births and deaths registered and natural increase (excess of births over deaths), 1864-1951	5
Marriage, birth, death rates, 1864-1951.	State ...	Table 5. Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1951 ...	6
Marriages, births, deaths, 1940-1951	State ...	Table 6. Marriages, births and deaths registered during each of the years 1941-51 with the average annual rates for the ten years 1941-1950 and the rates for 1951 per 1,000 of the population ...	7
Deaths by cause, 1921-50	State ...	Table 7. Average annual number of deaths from principal causes, 1921-1950, with rates per 100,000 population	8
Deaths by principal causes, 1951, with rates	State and Six Counties	Table 8. Deaths from principal causes in Ireland and the Six Counties, 1951, with rates per 100,000 population	9
Deaths by age, 1864-1951	State ...	Table 9. Average annual numbers of deaths of males and females, classified by age, registered during the years 1864-1950, and in 1951	10
Death rates by age, 1864-1951	State ...	Table 10. Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950, and in 1951	11
Marriages, births, deaths, 1951	Counties	Table 11. Marriages, births, and deaths, registered during 1951, in each county and county borough ...	12
Marriages, births, illegitimate births, deaths, 1951	Counties	Table 12. Marriages, births and deaths, classified by sex, registered during 1951, showing illegitimate births and deaths from some principal causes separately, in each county and county borough ...	14
Marriage, birth and death rates, 1951	Counties	Table 13. Marriage, birth and death rates in 1951 in each county and county borough, showing also the proportion of illegitimate births and the death rates for some of the principal diseases ...	15
Births, illegitimate births, deaths, 1951	Principal towns, Agg. U.D's. and Agg. R.D's.	Table 14. Births and deaths, classified by sex, registered during 1951, showing illegitimate births and deaths from some of the principal causes separately, in the principal towns and in aggregate urban and aggregate rural districts ...	16
Birth, illegitimate birth and death rates, 1951	Principal towns, Agg. U.D's. and Agg. R.D's.	Table 15. Birth and death rates in 1951 in the principal towns and in aggregate urban and aggregate rural districts showing also the proportion of illegitimate births and the death rates for some of the principal diseases	17
Marriages, 1951 ...	Counties	Table 16. Marriages registered in each county and county borough during 1951	18

Contents	Area	Title	Page
Deaths by age, 1951	Agg. U.D's. and Agg. R.D's.	Table 17. Deaths in 1951 at each year of age in the aggregate urban districts and in the aggregate rural districts	20
Deaths by age, 1951	Counties	Table 18. Deaths, classified by sex and age during 1951, for each county and county borough	24
Deaths by cause and age, 1951	State ...	Table 19. Deaths in 1951, classified by cause (International Detailed List 6th Revision, 1948), and by sex and age	28
Deaths by cause, sex and age, 1951	Agg. U.D's. and Agg. R.D's.	Table 20. Deaths in 1951 in aggregate urban districts and in aggregate rural districts, classified by cause (International Abbreviated List) and by sex and age	70
Deaths by cause, age, place of occurrence, certification, 1951	Counties	Table 21. Deaths in 1951, classified by cause (International Abbreviated List) and by sex and showing (i) age ; (ii) place of occurrence ; and (iii) the number of uncertified deaths for each county and county borough	76
Deaths by cause, 1951, births, population.	Principal towns, Agg. U.D's. and Agg. R.D's.	Table 22. Deaths in 1951, classified by cause (International Abbreviated List) and by sex for each urban district and for the aggregate rural districts in each province and showing the numbers of deaths at ages under 1, 1 to 64 years and 65 years and over and the number of births and the population	230
Infant mortality, 1951	State ...	Table 23. Infant mortality—Total deaths under 1 year of age in 1951, classified by sex, age and cause (Detailed International List)	258
Infant mortality, 1951	Principal towns, Agg. U.D's. and Agg. R.D's.	Table 24. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1951, classified by sex and cause, for the principal towns, other urban districts and rural districts	270
Infant mortality (illegitimate), 1951	State ...	Table 25. Infant mortality—Deaths of illegitimate children under 1 year of age, classified by sex, age and cause	271
Infant mortality, 1951	Counties	Table 26. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1951, classified by sex and cause for each county and county borough ...	272
Infectious diseases	U.D's. and R.D's.	Table 27. Summary of cases of infectious diseases notified to the Department of Health during the year 1951	278

REPORT OF AN tÁRD-CHLÁRAITHEOIR FOR THE YEAR 1951

Do'n Aire Sláinte.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasaí, Básanna agus Pósanna cláraithe sa bhliain, 1951.

P. Ó CINNÉIDE,
Árd-Chláraitheoir.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1951 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1951 is exclusive of non-residents.

GENERAL SUMMARY

Marriages :—There were 16,017 marriages registered during the year 1951 compared with 16,018 in 1950. The marriage rate per 1,000 population was 5·4. This rate has been comparatively stable since 1947. It is, however, abnormally low when comparison is made with other countries. The average annual marriage rate in 1941–50 was 5·6 per 1,000 population.

Births :—The number of births registered during 1951 was 62,878 and the birth rate was 21·2 per 1,000 population. There has been a small decline in the birth rate each year since 1947. The average annual rate for 1941–50 was 21·9 per 1,000 population.

The number of illegitimate births registered was 1,588 which is 2·5 per cent. of all births. This proportion is considerably lower than that of 3·5 per cent. for the years 1941–50.

Deaths :—The number of deaths registered during 1951 was 42,382 and the death rate was 14·3 per 1,000 population. This rate is 2·2 above that for 1948 which, however, was the lowest rate recorded up to that year. The average annual rate for the period 1941–50 was 14·0 per 1,000 population.

Of the deaths registered in 1951, 26·2 per cent. were stated to be due to heart disease, 10·0 to malignant neoplasms, 7·1 to vascular lesions affecting the central nervous system, 5·7 to influenza and 5·1 to tuberculosis (all forms).

The number of deaths from tuberculosis was 2,162 and the rate was 0·73 per 1,000 population. This is the lowest rate recorded up to 1951. There has been a considerable decline in this rate since 1947 when the rate was 1·24 per 1,000 population.

There were 4,275 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for " cancer " in the 1949 and earlier Reports. The upward tendency in the number of deaths from cancer has continued. The rate in 1951 was 1·44 per 1,000 population compared with 1·38 in 1950.

A severe influenza epidemic occurred during the first quarter of 1951. The number of deaths from influenza for the whole year was 2,399 which is the highest figure recorded since 1937. The rate was 0·8 per 1,000 population.

BIRTH, MARRIAGE AND DEATH RATES, 1938 - 1951.



During 1951 the deaths of 2,876 infants under 1 year were registered, equivalent to a rate of 46 per 1,000 live births which is the same as the rate in 1950.

The total number of deaths from accidents and other external causes in 1951 was 996, of which road transport accidents account for 235 deaths.

Issue of Authority for Registration :—Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of an tÁrd-Chláraitheoir. The actual number of births registered on the authority of an tÁrd-Chláraitheoir in 1951 was 1,248 and the number of deaths registered was 173. Throughout the tables in this Report these births and deaths have been excluded.

Population :—The population at the 8th April, 1951, was 2,960,593.

MARRIAGES

There were 16,017 marriages registered during the year 1951. This figure is 568 less than the average for the decennial period 1941–50.

The annual rate per 1,000 population for the year 1951 was 5·41 compared with 5·40 in 1950. The rate for the decennial period ended with 1950 was 5·60 per 1,000 population. Table I shows the marriage rate for Ireland, the Six Counties, England and Wales and Scotland for each of the years 1938–51.

TABLE I.

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938–1951

Years	Ireland*	Six Counties	England and Wales	Scotland
1938	5·1	6·7	8·8	7·8
1939	5·2	7·1	10·6	9·2
1940	5·1	7·6	11·3	10·7
1941	5·0	9·3	9·4	9·5
1942	5·9	9·0	8·9	9·5
1943	5·9	7·8	7·2	7·6
1944	5·7	7·2	7·1	7·2
1945	5·9	7·9	9·3	9·5
1946	5·9	7·4	9·0	8·9
1947	5·5	7·1	9·3	8·6
1948	5·4	6·9	9·0	8·5
1949	5·4	6·8	8·5	8·1
1950	5·4	6·6	8·2	7·8
1951	5·4	6·8	8·2	8·1

*Exclusive of the Six Counties.

The marriage rate in Ireland is very low when comparison is made with England and Wales, Scotland and the Six Counties. The rate in 1951 is only two-thirds that in England and Wales. The rate in this country has been practically stable since 1947 but in the other areas shown there have been significant declines since 1947. From 1942 to 1946 the marriage rate was about 5·9 per 1,000 population. Although it has fallen somewhat since 1947 it is still higher than the rates in the decade preceding World War II.

TABLE II.

MARRIAGES REGISTERED IN 1951 AND IN EACH OF THE PREVIOUS TEN YEARS ACCORDING TO THE MODES OF CELEBRATION; WITH THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Years	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1941	668	160	66	55	2	9	960	14,061	15,021	5·03	4·86	5·02
1942	720	153	64	57	3	7	1,004	16,466	17,470	5·95	5·12	5·90
1943	677	152	49	52	3	9	942	16,386	17,328	5·96	4·84	5·88
1944	645	128	49	63	2	3	890	15,882	16,772	5·78	4·58	5·70
1945	632	124	51	57	4	8	876	16,425	17,301	5·96	4·50	5·86
1946	639	108	36	31	1	5	820	16,705	17,525	5·98	4·85	5·91
1947	623	160	58	54	6	10	911	15,379	16,290	5·49	5·38	5·49
1948	559	127	68	50	2	16	822	15,293	16,115	5·41	4·81	5·38
1949	578	105	60	48	2	11	804	15,205	16,009	5·39	4·73	5·36
1950	671	145	64	70	3	16	969	15,049	16,018	5·38	5·70	5·40
Yearly average 1941–50 ...	641	136	57	54	3	9	900	15,685	16,585	5·63	4·94	5·60
1951	570	131	50	63	2	6	822	15,195	16,017	5·44	4·85	5·41

Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during 1951 amounted to 15,195 (equal to 95·0 per cent. of the total) and other marriages numbered 822. In the year 1951 the number of marriages other than Catholic recorded include 570 according to the rites and ceremonies of the Protestant Episcopalian Church, 131 in Presbyterian Meeting Houses, 50 in registered buildings belonging to various other religious denominations, 63 by civil contract in the registrars' offices, 2 according to the usage of the Society of Friends and 6 according to Jewish rites.

At the Census of 1946 Catholics represented 94·3 per cent. of the population, Protestant Episcopalians 4·2 per cent., Presbyterians 0·8 per cent., Methodists 0·3 per cent. and Other Denominations 0·4 per cent.

The number of Catholic marriages recorded during 1951 corresponds to a rate of 5·44 per 1,000 of the estimated Catholic population, a rate which is 0·19 below the average rate for the preceding ten years and the rate for all other marriages is 4·85 per 1,000 of all persons other than Catholics in the population or 0·09 below the average.

Corresponding rates for each year from 1941 to 1951 are shown in Table II.

Age at Marriage

The schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary only that each party should be described as " of full age " or " minor " as the case may be with the result that a complete record of the ages of the persons married is not available.

TABLE III.

PROPORTION OF PERSONS MARRIED NOT OF FULL AGE DURING THE YEARS 1941–51.

Year	Total Marriages	Persons not of Full Age	
		Of 100 men married	Of 100 women married
1941	15,021	1·84	7·96
1942	17,470	1·99	8·51
1943	17,328	1·56	7·48
1944	16,772	2·07	8·49
1945	17,301	1·51	7·69
1946	17,525	1·13	6·39
1947	16,290	1·50	7·03
1948	16,115	1·97	8·51
1949	16,009	2·09	7·35
1950	16,018	1·23	6·74
1951	16,017	1·82	8·54

Table III shows the proportion of persons married not of full age during the years 1941–51. The proportion of husbands who were stated to have married under age in 1951 was 1·82 per cent. ; in the case of wives the proportion was 8·54 per cent,

BIRTHS

The information on births contained in this Report relates to live births only. All the figures relate to the year of registration and no figures are compiled for the year of occurrence. Up to the year 1942 the figures published for the numbers of births included all births registered, irrespective of the period between date of birth and date of registration. From 1943 the published figures exclude late registrations (births registered more than one year after the date of birth).

The downward trend in the number of births and in the birth rate, which was first evident in 1948, continued in 1951. The total number of births registered (excluding late registrations) was 62,878 compared with 63,565 in 1950. The birth rate per 1,000 population declined from 21·4 in 1950 to 21·2 in 1951. The following table shows the number of births and the birth rate for each year since 1938, together with the birth rate in the Six Counties, England and Wales and Scotland during the same period.

TABLE IV.

NUMBER OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1938–1951.

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of births (thousands)	Birth rate per 1,000 population	Birth rate per 1,000 population		
1938	56·9	19·4	20·0	15·1	17·7
1939	56·1	19·1	19·5	14·9	17·4
1940	56·6	19·1	19·6	14·6	17·1
1941	56·8	19·0	20·8	14·2	17·9
1942	66·1	22·3	22·8	15·8	18·1
1943	64·4	21·9	24·2	16·2	18·4
1944	65·4	22·2	23·5	17·7	18·5
1945	66·9	22·7	22·0	15·9	16·9
1946	67·9	22·9	22·6	19·2	20·3
1947	69·0	23·2	23·3	20·5	22·0
1948	65·9	22·0	21·9	17·8	19·4
1949	64·2	21·5	21·4	16·7	18·5
1950	63·6	21·4	21·0	15·9	17·9
1951	62·9	21·2	20·7	15·5	17·7

*Exclusive of the Six Counties.

There was a fairly sharp increase in the birth rate from about 19 per thousand in the years 1938 to 1941 to 22·3 per 1,000 population in 1942. A slight decline occurred in 1943 and, thereafter, there was a continuous rise each year up to 1947 when the rate of 23·2 was recorded. This was the highest rate recorded for any individual year since 1884. On account of the introduction of rationing in 1941, there was a reduction in the time interval between birth and registration with the result that more births were registered in 1942 than would otherwise have been the case. The rate shown for 1942 must, therefore, be considered as somewhat overstated in comparison with the other rates. Since 1947 there has been a decline each year in the birth rate but the 1951 rate of 21·2 per 1,000 population is still considerably higher than the pre-war average of 19·5 in the years 1929–1938.

The war-time and post-war increase in the birth rate also occurred in the Six Counties, England and Wales and Scotland as the table above shows. In England and Wales and in Scotland the highest birth rate in the period also occurred in 1947 and there has also been a decline each year since 1947 in these countries and in the Six Counties.

Birth Rate by Area

Table V shows the crude birth rates in the provinces and in the aggregate urban and aggregate rural districts in 1938 and for each year since 1945.

TABLE V.

BIRTH RATES PER 1,000 POPULATION IN THE PROVINCES AND IN THE RURAL DISTRICTS.

Area	1938	1945	1946	1947	1948	1949	1950	1951
Dublin Co. Borough and County	23·8	23·6	25·0	25·5	24·9	24·2	22·6	22·8
Rest of Leinster ...	18·9	23·9	24·3	24·8	23·4	22·9	22·1	22·3
Munster	18·0	22·1	22·4	22·7	21·6	21·0	21·0	20·8
Connacht	17·4	20·6	20·7	20·9	20·0	19·4	20·2	19·4
Ulster (part of) ...	17·3	21·3	21·5	21·4	20·4	19·7	20·1	19·2
TOTAL	19·4	22·7	22·9	23·2	22·0	21·5	21·4	21·2
All co. boroughs and urban districts	22·7	24·4	25·1	25·9	24·7	23·8	21·9	21·7
All rural districts ...	17·8	21·8	21·9	22·0	21·1	20·7	21·1	21·0

EXPRESSED AS A PERCENTAGE OF THE BIRTH RATE IN THE STATE.

Dublin Co. Borough and County	123	104	109	110	113	113	106	108
Rest of Leinster ...	97	105	106	107	106	107	103	105
Munster	93	97	98	98	98	98	98	98
Connacht	90	91	90	90	91	90	94	92
Ulster (part of) ...	89	94	94	92	93	92	94	91
TOTAL	100	100	100	100	100	100	100	100
All co. boroughs and urban districts	117	107	110	112	112	111	102	102
All rural districts ...	92	96	96	95	96	96	99	99

The interesting feature of this table is the tendency towards uniformity in the provincial and in the urban and rural rates. In 1938 the difference between the highest birth rate (23·8 per 1,000 population in Dublin County and County Borough) and the lowest rate (17·3 per 1,000 population in Ulster (part of)) was 6·5 ; in 1951, however, the corresponding difference was only 3·6. In 1951 the birth rate in Dublin County and County Borough was 1·0 per 1,000 below that of 1938 while the rates in the rest of Leinster and in the other provinces were higher than in 1938. The large increase in the birth rate during World War II was practically confined to that part of the country outside Dublin County and County Borough. In 1951 the difference between the urban and rural rate was only 0·7 compared with 4·9 in 1938.

The crude birth rates for the counties and county boroughs are shown in Table 13. They range from 16·1 per 1,000 population in Leitrim to 27·2 in Dublin County (excluding Dún Laoghaire Borough).

Table VI shows crude birth rates per 1,000 population and per 1,000 women aged 15–44 together with the legitimate births per 1,000 married women aged 15–44 years,

TABLE VI.

NUMBER OF BIRTHS IN 1951 PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15–44 AND NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES AGED 15–44 IN EACH COUNTY AND COUNTY BOROUGH.

County or County Boro'	Total births per 1,000 population	Total births per 1,000 women aged 15–44	Legitimate births per 1,000 married women 15–44 years	
			Crude	Standardised*
Carlow	23·6	129·3	276·9	271·1
Dublin Co. Boro'	22·1	89·0	233·6	228·0
Dún Laoghaire Boro' ...	19·6	77·6	204·8	207·5
Dublin Co. (Rem.) ...	27·2	119·2	236·3	218·1
Kildare	24·4	134·7	254·5	237·2
Kilkenny	21·8	123·0	266·3	266·6
Laoighis	20·7	117·9	257·0	254·9
Longford	20·5	116·5	255·9	259·7
Louth	22·9	110·0	248·5	237·1
Meath	21·9	119·4	252·0	247·7
Offaly	21·5	120·8	257·3	246·0
Westmeath	23·7	130·5	277·9	261·2
Wexford	21·6	117·5	243·1	241·2
Wicklow	22·5	112·1	234·7	227·4
LEINSTER	22·6	104·4	242·2	234·7
Clare	19·8	116·3	256·2	268·0
Cork Co. Boro'	22·1	94·0	241·0	237·4
Cork County	19·5	100·1	232·6	245·4
Kerry	19·0	105·8	239·8	261·9
Limerick Co. Boro' ...	21·5	92·3	214·2	202·2
Limerick County	24·3	136·6	287·4	296·9
Tipperary, N.R.	22·5	120·1	270·1	273·3
Tipperary, S.R.	22·2	123·5	262·5	258·3
Waterford Co. Boro' ...	21·8	98·0	240·2	231·6
Waterford County	19·9	110·8	233·9	233·2
MUNSTER	20·8	107·9	245·6	252·2
Galway	21·0	116·6	272·3	281·0
Leitrim	16·1	98·8	221·6	241·1
Mayo	19·8	112·1	255·7	269·3
Roscommon	17·2	100·5	233·5	247·5
Sligo	18·8	102·9	235·6	243·4
CONNACHT	19·4	109·7	252·8	264·7
Cavan	18·3	107·7	240·5	248·2
Donegal	19·6	107·5	243·4	248·5
Monaghan	19·4	103·4	248·9	254·4
ULSTER (part of) ...	19·2	106·6	243·8	249·7
TOTAL	21·2	106·4	244·9	244·9

*The standardisation was indirect. Figures for the number of births per married woman in each quinquennial age group from 15 years to 45 years were found from data relating to births in Dublin County Borough in 1941–45. For any particular county this fixed set of fertility rates was multiplied by the married women in the county in the corresponding age groups in 1951. The sum of the resulting products (the " expected " births) was divided by the number of married women aged 15–44 to derive an " expected " fertility rate. This " expected " rate was divided by the Irish crude rate in 1951 to obtain a " standardising ratio " which was then transferred to base Ireland=1. By multiplying the crude fertility rate for any particular county by its corresponding standardising ratio the standardised fertility rate was obtained.

The crude birth rate is higher in the county boroughs and in the more urbanised counties of Leinster and Munster than it is in the counties of the west and north west. On account, however, of the large volume of migration of young women to town areas the total births per 1,000 women aged 15–44 is lower in the county boroughs than in Connacht and Ulster. Birth rates depend on the proportions of women at the reproductive ages, their age distribution and the proportion married, as well as on the fertility of married women. In the last two columns of the table the crude and standardised fertility rates of married women are shown. Standardisation eliminates the effect of variation in the fertility rates on account of different age distributions of the married women in the counties. The standardised fertility rates are lower in the county boroughs and in Dún Laoghaire Borough than in the counties of Connacht and Ulster. The reason that the birth rates per 1,000 population are higher in the county boroughs is that the younger women migrate to these areas from the west and north west, as already observed.

Illegitimate Births

There were 1,588 illegitimate births registered in 1951. This represents a proportion of 2·5 per cent. of all births registered. The proportion of illegitimate births rose from 3·5 per cent. in 1941 to 3·9 per cent. in the years 1944–46. Between 1946 and 1951 there was a decline each year in the proportion. The percentage of illegitimate births in each of the provinces is shown in Table VII.

TABLE VII.

ILLEGITIMATE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS 1941–1951 IN EACH PROVINCE

Year	Total	Dublin Co. Boro' and County	Rest of Leinster	Munster	Connacht	Ulster (part of)
1941	3·5	2·6	4·8	3·6	2·3	4·4
1942	3·7	2·5	5·0	3·8	2·5	4·6
1943	3·8	3·0	5·0	4·2	2·3	4·2
1944	3·9	3·0	5·2	4·0	2·4	5·0
1945	3·9	3·0	5·3	4·1	2·4	4·7
1946	3·9	2·8	5·2	4·2	2·6	4·5
1947	3·4	2·8	4·4	3·5	2·2	4·3
1948	3·3	2·5	4·3	3·7	1·7	4·0
1949	3·1	2·4	4·2	3·2	1·9	4·0
1950	2·6	2·0	3·5	2·8	1·5	2·9
Average 1941–50	3·5	2·7	4·7	3·7	2·2	4·4
1951	2·5	1·9	3·6	2·5	1·5	3·6

The highest percentages occur in Leinster (excluding Dublin County and County Borough) and in Ulster (part of) while the lowest percentages occur in Connacht. The highest percentages in 1951 were in the following counties: Waterford Co. (5·2), Kilkenny (4·6), Wexford (4·4), Meath (4·3), Laoighis and Limerick Co. (4·1).

Proportion of Males to Females

The number of male births registered in 1951 was 32,303 and the number of females was 30,575. The sex ratio was 1,057 males per 1,000 females compared with 1,071 in 1950. The sex ratio for each year since 1941 is shown in Table VIII and legitimate and illegitimate births are distinguished.

TABLE VIII.

NUMBER OF MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1941–51.

Year	Legitimate	Illegitimate	Total
1941	1059	1040	1059
1942	1056	1158	1059
1943	1070	1008	1068
1944	1059	1028	1058
1945	1057	1014	1056
1946	1070	1092	1071
1947	1071	1089	1071
1948	1064	1076	1064
1949	1050	1101	1051
1950	1074	965	1071
Average 1941–50 ...	1063	1057	1063
1951	1055	1103	1057

Since 1941 the sex ratio for all births has varied from 1051 to 1071. As is to be expected on account of the smaller numbers of illegitimate births the variation is wider for these than for legitimate births; the lowest figure is 965 and the highest 1158. The variability in the ratio from year to year in both the legitimate and illegitimate classes may be attributed to chance.

Multiple Births

The number of infants born alive in multiple births registered during 1951 was 1,799 consisting of 892 pairs of twins and 5 sets of triplets as compared with 1,763 (862 pairs of twins and 13 sets of triplets) for the previous year. The numbers of multiple births as a percentage of total births for each year since 1941 are shown in Table IX, distinguishing legitimate and illegitimate births.

TABLE IX.

MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1941–51.

Year	Legitimate Births	Illegitimate Births	Year	Legitimate Births	Illegitimate Births
1941 ...	2·2	1·6	1946 ...	2·3	1·7
			1947 ...	2·8	2·3
1942 ...	2·4	2·8	1948 ...	2·6	2·0
			1949 ...	2·9	1·5
1943 ...	2·6	2·2	1950 ...	2·8	2·5
1944 ...	2·7	2·6	Average 1941–50 ...	2·6	2·1
1945 ...	2·8	1·6			
			1951 ...	2·9	1·9

The percentage of multiple births has been higher for legitimate births than for illegitimate births in each year since 1941, except in 1942.

Late Registrations

As stated on Page 1, the figures for numbers of births exclude late registrations, *i.e.*, births registered more than 1 year after occurrence. A considerable number of such births is registered every year. The number in 1951 was 1,248. The inclusion of these births would change the birth rate from 21·2 to 21·7 per 1,000 population.

DEATHS

The number of deaths registered during the year 1951 was 42,382, the males numbering 22,476 and the females 19,906. The total is 4,641 more than the number for 1950 and 932 more than the average for the decennial period 1941–50.

The death rate in 1951 was 14·3 per thousand population, 1·6 above that for 1950. This rate is 2·2 above that for 1948, which, however, was the lowest annual rate ever recorded. The average rate for the period 1941–50 was 140 per thousand population.

Table X shows the number of deaths in the country for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales and Scotland.

TABLE X.

DEATH RATE PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938–1950.

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of Deaths (thousands)	Death rate per 1,000 population	Death rate per 1,000 population		
1938 ...	40·0	13·6	13·7	11·6	12·6
1939 ...	41·7	14·2	13·5	12·1	12·9
1940 ...	41·9	14·2	14·6	14·4	14·9
1941 ...	43·8	14·6	15·2	13·5	14·7
1942 ...	41·6	14·1	13·3	12·3	13·3
1943 ...	43·5	14·8	13·4	13·0	14·0
1944 ...	45·1	15·3	12·8	12·7	13·6
1945 ...	42·8	14·5	12·3	12·6	13·2
1946 ...	41·5	14·0	12·5	12·0	13·1
1947 ...	44·1	14·8	12·6	12·3	12·9
1948 ...	36·4	12·1	11·2	11·0	11·8
1949 ...	38·1	12·7	11·5	11·8	12·3
1950 ...	37·7	12·7	11·6	11·6	12·4
1951 ...	42·4	14·3	12·8	12·5	12·9

*Exclusive of the Six Counties.

For each year after 1941 the death rate in this country is the highest in the table. In 1951 the crude death rate was over 10 per cent. higher than the death rates in the Six Counties, England and Wales and Scotland.

The decrease in the death rate since 1947 has resulted in a large improvement in the expectation of life at birth in 1951 compared with earlier periods. The 1951 official life tables have not been compiled at the time of writing and for comparative purposes the expectations of life at birth in 1951 have been compiled by an abridged method of computation. These rates compare with corresponding rates in 1941 and 1946 as follows :—

Expectations of life at birth.

Year	Males	Females
1941	59·0	61·0
1946	60·5	62·4
1951	63·7	66·6

Between 1946 and 1951 the male expectation increased by 3·2 years compared with 1·5 years in the preceding 5 years. The increase for females was 4·2 years compared with 1·4 years in the earlier period.

In Tables 13 and 15 death rates are given for each of the provinces, counties, county boroughs, principal towns and aggregate urban and aggregate rural districts. Care must be taken in drawing inferences from the differences in death rates in the different areas of the country. Since the rates of mortality are higher in the older sections of any population it is obvious that the crude death rate for all ages in a population may be affected markedly by the age distribution of the population. If the proportion of elderly persons is higher in a particular section of the population

than it is in the general population then the death rate in this section will be higher than it is in the general population even though health conditions are the same in this section of the population. In order to compare death rates by areas it is necessary, therefore, to standardise the death rates for age. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to deduce the standardised rate for the county. Differences arising from variations in the age distributions of the population in the counties are eliminated by using standardised rates. Table XI shows the crude and standardised rates for each county and county borough.

TABLE XI.

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH, 1951.

County or County Borough	Crude rate per 1,000 population	Standardised rate per 1,000 population
Carlow	14·84	15·27
Dublin Co. Borough	11·87	15·00
Dún Laoghaire Borough ...	12·08	12·92
Dublin County (Remainder) ...	9·65	13·26
Kildare	12·75	15·42
Kilkenny	15·13	14·69
Laoighis	15·32	14·27
Longford	17·16	15·07
Louth	13·51	14·68
Meath	14·34	14·89
Offaly	14·35	14·60
Westmeath	14·82	14·52
Wexford	15·78	15·20
Wicklow	13·26	13·99
LEINSTER	12·97	14·71
Clare	15·62	13·08
Cork Co. Borough	13·81	15·33
Cork County	15·45	14·16
Kerry	16·03	14·30
Limerick Co. Borough	12·51	16·06
Limerick County	15·41	14·66
Tipperary, N.R.	15·84	15·28
Tipperary, S.R.	14·52	14·18
Waterford Co. Borough ...	14·12	15·91
Waterford County	17·27	15·79
MUNSTER	15·24	14·51
Galway	13·70	12·79
Leitrim	18·03	14·25
Mayo	15·11	11·97
Roscommon	16·95	13·23
Sligo	16·71	13·90
CONNACHT	15·36	12·90
Cavan	18·20	15·95
Donegal	15·47	13·37
Monaghan	15·63	15·03
ULSTER (part of)	16·22	14·41
TOTAL	14·32	14·32

Standardised Death Rate (per 1,000 population) from all causes, 1951.



In certain areas the standardised rates are quite different from the crude rates. Leinster which has the lowest crude death rate has the highest standardised rate among the provinces and Connacht which has the second highest crude rate has the lowest standardised rate. Standardisation raises the rates in the county boroughs and in Counties Carlow, Dublin, Kildare, Louth, Meath, Offaly and Wicklow and lowers them everywhere else. The crude rate varies from 9·65 per 1,000 population in Dublin County (excluding Dún Laoghaire Borough) to 18·20 in Cavan. The standardised rates are more uniform, the range of variation being from 11·97 in Mayo to 16·06 in Limerick County Borough.

For valid comparisons between the death rates in different counties and county boroughs, it is, of course, the standardised rates which should be used. These show that, in general, having allowed for differences in age constitution of the population, death rates are lowest west of the Shannon and in the Counties of Wicklow and Dublin (excluding the County Borough). They are highest in the County Boroughs of Limerick, Waterford and Cork and in the Counties of Cavan, Waterford and Kildare.

Causes of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organization. The Sixth Revision was used for the first time in classifying deaths by cause in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

In Table 19 which shows causes of death by age for the whole country the classification of cause of death used is the Detailed International List. The Abbreviated International List is used to classify deaths in Tables 20, 21 and 22. Certain causes in the Abbreviated List are, however, subdivided further and these are shown by small letters placed after the abbreviated list number. For example B40 is divided into B40a (complications of pregnancy and childbirth), B40b (puerperal sepsis) and B40c (other complications of the puerperium). For infant mortality a special list of causes has been adopted and these are used in Tables 23 to 26.

Table XII shows the numbers of deaths and death rates from some of the principal causes in 1935–37, 1945–47 and for each year since 1948.

For comparability the classification used in this table is based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, and, therefore, the numbers of deaths and death rates in certain causes for years prior to 1950 do not agree with the figures published in the annual reports for those years.

Compared with 1935–37 the 1951 figures show marked declines in the numbers of deaths from tuberculosis, diphtheria and other infective and parasitic diseases. In 1951 there were 2,162 deaths from tuberculosis compared with an annual average of 3,629 in 1935–37 and there were only 8 deaths from diphtheria compared with an annual average of 339 in 1935–37. The death rate from all forms of tuberculosis which was 122·2 per 100,000 population in 1935–37 was only 73·0 in 1951 and the death rate from diphtheria, which was 11·4 per 100,000 population in 1935–37 fell to 0·3 in 1951. In each of the years 1949–51 the number of deaths from diphtheria did not exceed 10 in number.

Over the period shown in the table the death rates from cancer and other malignant neoplasms, vascular lesions affecting the central nervous system, diseases of the heart and other diseases of the circulatory system, have shown an upward tendency. The 1951 death rate for each of these causes is larger than the average of the corresponding rates in 1935–37.

TABLE XII.

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935–37, 1945–47, 1948, 1949, 1950 AND 1951.

CAUSE OF DEATH	PERIOD					
	1935–37	1945–47	1948	1949	1950	1951
	ANNUAL AVERAGE		NUMBERS			
Tuberculosis of respiratory system ...	2,851	2,731	2,452	2,142	1,876	1,712
Tuberculosis, other forms	778	863	651	570	504	450
Diphtheria	339	144	30	10	5	8
Other infective and parasitic diseases ...	929	569	516	451	324	371
Cancer and other malignant neoplasms ...	3,601	3,980	4,074	4,161	4,099	4,275
Vascular lesions affecting central nervous system	2,350	2,810	2,656	2,842	2,661	3,025
Diseases of the heart	7,509	10,459	9,564	10,016	10,463	11,117
Other diseases of the circulatory system ...	907	948	923	1,063	1,424	1,712
Influenza	1,473	575	201	280	325	2,399
Other diseases of the respiratory system ...	5,253	3,473	2,589	2,696	2,531	3,250
Senility	6,176	6,229	4,762	5,591	4,734	4,982
Other diseases	9,924	9,069	7,017	7,261	7,890	8,085
Accidents and other external causes ...	982	910	922	979	905	996
ALL CAUSES	43,072	42,760	36,357	38,062	37,741	42,382
	RATES PER 100,000 POPULATION					
Tuberculosis of respiratory system ...	96·0	92·4	81·8	71·7	63·2	57·8
Tuberculosis, other forms	26·2	29·2	21·7	19·1	17·0	15·2
Diphtheria	11·4	4·9	1·0	0·3	0·2	0·3
Other infective and parasitic diseases ...	31·3	19·2	17·2	15·1	10·9	12·5
Cancer and other malignant neoplasms ...	121·3	134·7	135·9	139·2	138·1	144·4
Vascular lesions affecting central nervous system	79·2	95·1	88·6	95·0	89·6	102·2
Diseases of the heart	253·0	353·9	319·0	335·0	352·4	375·5
Other diseases of the circulatory system ...	30·6	32·1	30·8	35·6	48·0	57·8
Influenza	49·6	19·5	6·7	9·4	10·9	81·0
Other diseases of the respiratory system ...	177·0	117·5	86·4	90·2	85·2	109·8
Senility	208·0	210·8	158·8	187·1	159·4	168·3
Other diseases	334·3	306·9	234·0	242·9	265·8	273·1
Accidents and other external causes ...	33·1	30·8	30·8	32·8	30·5	33·6
ALL CAUSES	1451·0	1447·0	1212·7	1273·4	1271·2	1431·5

The death rate from influenza shows no definite trend and on account of a severe influenza epidemic which occurred in 1951, the 1951 figure is higher than that for any single year since 1937. There was a large decrease in the death rate from other respiratory diseases between 1935–37 and 1948 and an increase occurred between 1948 and 1951. There were increases in the death rates from senility and other diseases between 1948 and 1951, but the 1951 figures are considerably lower than those of 1935–37 for which period the average death rate from all causes was much the same as in 1951. There was no appreciable variation in the death rate from accidents and other external causes over the whole period.

TABLE XIII

INTERNATIONAL COMPARISONS OF CRUDE DEATH RATES PER 100,000 POPULATION FROM PRINCIPAL GROUPS OF CAUSES, 1951

COUNTRY	All Causes	Tuberculosis (all forms) B1, B2	Other Infective and Parasitic Diseases B3–B17	Malignant Neoplasms including Neoplasms of Lymphatic and Haematopoietic Tissues B18	Vascular Lesions affecting Central Nervous System B22	Diseases of the Heart B25, B26, B27	Influenza, Pneumonia, Bronchitis B30, B31, B32	Congenital Malformations and Diseases peculiar to Early Infancy B41, B42, B43, B44	Senility without mention of Psychosis, ill-defined and unknown Causes B45	All other Diseases	External Causes BE47, BE48, BE49, BE50
Ireland*	1,431·5	73·0	12·8	149·4	102·2	375·5	178·1	63·0	206·6	237·3	33·6
France	1,322·7	59·8	15·5	172·6	141·1	222·4	103·2	47·1	268·3	227·2	65·7
Scotland	1,286·2	42·6	10·6	192·4	178·4	404·2	112·3	45·5	46·2	203·5	50·6
Six Counties	1,284·3	45·0	11·6	152·9	144·4	368·3	167·1	58·3	80·9	215·4	40·4
England and Wales ...	1,254·3	31·5	10·0	196·5	156·3	366·9	171·9	35·1	22·2	219·1	45·1
Portugal	1,225·6	131·1	27·0	60·8	115·2	156·5	119·7	73·6	135·4	361·4	45·0
Switzerland	1,051·8	36·0	10·9	192·1	124·9	265·6	60·0	42·1	27·3	214·1	78·6
Norway	841·6	23·8	13·7	158·4	118·9	162·9	50·1	31·1	74·9	154·6	53·1
Netherlands	755·6	16·1	12·2	149·3	86·3	159·9	52·9	47·7	44·6	149·8	36·6

* Exclusive of the Six Counties.

Source: United Nations Demographic Year Book, 1953.
1951 Annual Reports of the Registrars-General of England and Wales, Scotland and Northern Ireland.

Table XIII shows international comparisons of the death rates from certain causes in 1951.

The death rate from all causes in Ireland is the highest of those countries shown in the table and is nearly twice that of the Netherlands which has the lowest rate. Ireland has the second highest death rate from tuberculosis, the rate being exceeded only by that of Portugal ; the Irish rate is four and a half times that of the Netherlands, three times that of Norway and twice that of Switzerland. Ireland has the third lowest death rate from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues ; the rate is practically the same as in the Netherlands which occupies the second lowest place in the table. The Irish rate is highest in the group influenza, pneumonia, bronchitis and it is second highest in the groups (i) diseases of the heart, (ii) congenital malformations and diseases peculiar to early infancy and (iii) senility and ill-defined and unknown causes. This country has the lowest rate in the group external causes and the second lowest rate in vascular lesions affecting the central nervous system. Care must be exercised in drawing inferences from international comparisons of death rates by cause as they are affected by the different practices adopted in the different countries in the completion of medical certificates and the selection of the underlying cause of death. Although there is now in use an international form of medical certificate and international rules for the selection of the underlying cause of death are observed in most countries, it will be some time before these rules are uniformly interpreted.

The proportion of deaths in 1951 from the principal causes in certain age groups is shown in Table XIV.

TABLE XIV

PROPORTION OF DEATHS FROM THE PRINCIPAL CAUSES IN CERTAIN AGE GROUPS, 1951.

1948 Abbreviated List No.	Cause of Death	All Ages	Under 1	1–	5–	15–	25–	35–	45–	55–	65–	75*
	All Causes ...	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
B 4	Typhoid fever	·	·	2	·	·	·	·	·	·	·	·
B 10	Meningococcal infections ...	1	2	17	5	1	1	1	·	·	·	·
B 7a	Scarlet fever	·	·	3	15	1	·	·	·	·	·	·
B 9	Whooping cough	2	24	58	3	1	·	·	·	·	·	·
B 8	Diphtheria	·	·	5	8	·	1	·	·	·	·	·
B 1	Tuberculosis of respiratory system	40	2	12	35	356	370	228	110	47	12	2
B 2	Tuberculosis, other forms ...	11	14	132	146	126	56	32	12	4	1	·
B 6	Dysentery	·	·	·	·	·	·	1	·	·	·	·
B 30	Influenza	57	16	25	35	23	15	30	31	51	66	72
B 14	Measles	1	3	26	10	·	·	1	·	·	·	·
B 17a B 17b	Acute infectious encephalitis, including late effects ...	·	·	5	5	·	·	4	1	·	·	·
B 18a	Malignant neoplasms ...	100	·	19	25	22	60	133	200	189	134	59
B 18b, B 19	Other neoplasms	7	1	26	50	32	26	17	20	12	5	2
B 20	Diabetes mellitus	6	·	·	8	7	8	8	11	7	8	4
B 22	Vascular lesions affecting the central nervous system ...	71	3	5	8	12	22	36	72	96	95	73
B 25, B 26 & B 27	Diseases of the heart ...	262	2	11	57	50	102	148	221	286	345	297
B 24, B 28, B 29 & B 46a	Other diseases of the circulatory system	40	·	6	40	18	22	26	41	50	51	43
B 32	Bronchitis	34	13	28	10	8	13	15	30	42	44	36
B 31	Pneumonia	34	119	182	50	19	20	17	23	26	29	22
B 46b	Other diseases of the respiratory system	9	15	11	20	7	6	12	10	9	9	7
B 33	Ulcer of stomach and duodenum	7	·	·	·	7	9	26	16	11	7	3
B 36b, B 36c, B 36d & B 43a	Diarrhoea and enteritis ...	6	58	39	15	4	1	4	5	2	2	1
B 34	Appendicitis	2	·	14	20	11	4	3	3	1	1	·
B 35	Intestinal obstruction and hernia	5	6	6	18	12	4	9	3	7	6	4
B 37	Cirrhosis of the liver ...	1	·	·	·	·	2	3	3	3	2	1
B 46c	Other diseases of liver, gall-bladder and pancreas ...	3	·	5	3	3	2	3	3	7	3	2
B 46d & B 36a	Other diseases of the digestive system	4	13	17	7	6	4	5	6	5	3	2
B 38	Nephritis	15	1	5	18	26	25	29	29	20	18	11
B 40b	Puerperal sepsis	·	·	·	·	·	·	1	·	·	·	·
B 40a & B 40c	Other diseases of childbirth ...	2	·	·	·	12	31	38	1	·	·	·
B 41, B 42, B 43b, B 43c & B 44	Congenital malformation, birth injuries, etc. ...	43	613	40	38	18	4	5	1	·	·	·
B 45a	Senility	118	·	·	·	·	·	·	·	1	41	275
BE 49	Suicide	2	·	·	·	8	10	6	8	3	1	·
BE 47, BE48, BE50	Other violence	22	20	88	148	94	79	52	23	17	14	13
B 46d	Other causes	95	75	213	203	116	103	107	117	104	103	71

It will be observed that diseases of the heart caused the largest proportions of deaths, namely 262 in each 1,000 deaths. The next in order are senility (118), malignant neoplasms (100), vascular lesions affecting central nervous system (71) and tuberculosis (all forms) (51). At ages under 1 year congenital malformations and diseases of early infancy accounted for 613 out of every 1,000 deaths, while pneumonia caused a further 119 deaths and 58 were due to diarrhoea and enteritis. At ages 1–4 years pneumonia caused 182 per 1,000 deaths and tuberculosis 144 per 1,000 deaths. The proportion of deaths caused by tuberculosis increases considerably in the early adult age groups. At ages 5–14 years 181 out of every 1,000 deaths were caused by this disease. At ages 15–24 the proportion was 482 per 1,000 deaths and at ages 25–34 it was 426 per 1,000 deaths. At ages 35–44 years tuberculosis was still the most important single cause of death, the proportion of deaths being 260 per 1,000 deaths. Between ages 45 and 75 years the chief causes of death were diseases of the heart and malignant neoplasms, while at ages over 75 years diseases of the heart and senility each accounted for nearly three-tenths of the deaths at these ages.

Infective Diseases

In 1951 there were 2,541 deaths caused by infective and parasitic diseases. Tuberculosis caused 2,162 of these deaths. The number caused by typhoid and paratyphoid fevers was 4, scarlet fever caused 10 deaths, diphtheria 8 deaths, whooping cough caused 108 deaths and 32 deaths were due to measles. Acute poliomyelitis (including late effects) caused 17 deaths and acute encephalitis (including late effects) caused 16 deaths.

Tuberculosis

Table XV shows the death rates from all forms of tuberculosis in Ireland and neighbouring countries since 1938.

TABLE XV

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS IN IRELAND AND NEIGHBOURING COUNTRIES, 1938–1951

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1·09	0·92	0·64	0·69
1939	1·13	0·84	0·63	0·70
1940	1·25	0·98	0·70	0·82
1941	1·24	1·04	0·73	0·83
1942	1·47	0·97	0·66	0·80
1943	1·46	0·91	0·67	0·79
1944	1·30	0·89	0·63	0·82
1945	1·25	0·80	0·56	0·79
1946	1·14	0·83	0·53	0·79
1947	1·24	0·72	0·56	0·79
1948	1·04	0·69	0·51	0·76
1949	0·91	0·59	0·46	0·67
1950	0·80	0·48	0·36	0·54
1951	0·73	0·45	0·32	0·43

*Exclusive of the Six Counties.

The death rate in this country, which was 1·09 per thousand population in 1938, increased during the war years to 1·47 in 1942 since when, with the exception of the year 1947, there has been a downward trend. The improvement between 1938 and 1951 has been less spectacular here than in the Six Counties and England and Wales where the 1938 rates have been halved. The 1951 rate in this country is more than twice that in England and Wales and is also considerably higher than the rates in the Six Counties and in Scotland.

Table XVI shows the number of deaths and death rates from tuberculosis of the respiratory system and from all other forms of tuberculosis per thousand population for each year since 1938.

TABLE XVI

NUMBERS OF DEATHS AND DEATH RATE PER 1,000 POPULATION FROM TUBERCULOSIS OF RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS

Year	Tuberculosis of respiratory system		Other forms of tuberculosis	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
1938	2,498	0·85	718	0·24
1939	2,617	0·89	687	0·23
1940	2,907	0·98	778	0·26
1941	2,882	0·96	829	0·28
1942	3,512	1·19	835	0·28
1943	3,398	1·15	908	0·31
1944	2,935	1·00	904	0·31
1945	2,777	0·94	917	0·31
1946	2,585	0·87	805	0·27
1947	2,831	0·95	869	0·29
1948	2,452	0·82	651	0·22
1949	2,142	0·72	570	0·19
1950	1,876	0·63	504	0·17
1951	1,712	0·58	450	0·15

In 1951 there were 2,162 deaths from tuberculosis, of which 1,712 were caused by tuberculosis of the respiratory system and 450 by all other forms of tuberculosis. The decrease between 1938 and 1951 in the rate for tuberculosis of the respiratory system was 32 per cent. and for all other forms of tuberculosis it was 38 per cent.

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS AND CANCER 1938 - 1951



Table XVII shows the number of deaths and death rate from tuberculosis in each year since 1947, classified by sex and age group.

TABLE XVII

DEATHS FROM TUBERCULOSIS AND DEATH RATES PER 1,000 OF THE POPULATION AT THE SAME AGE, DURING EACH OF THE YEARS 1947–1951.

Years	All ages	Under 5 yrs.	5–	10–	15–	20–	25–	35–	45–	55–	65–	75 and up
	DEATHS OF MALES											
1947 ...	1,904	147	47	44	128	189	422	335	273	215	89	15
1948 ...	1,639	102	43	39	100	183	368	297	244	176	76	11
1949 ...	1,405	74	40	22	81	155	281	226	241	176	93	16
1950 ...	1,278	78	26	15	45	104	259	233	232	172	91	23
1951 ...	1,190	77	14	21	60	94	201	223	217	183	80	20
	DEATHS OF FEMALES											
1947 ...	1,796	102	47	69	215	300	425	269	167	106	85	11
1948 ...	1,464	80	24	40	164	232	385	228	156	98	48	9
1949 ...	1,307	81	34	42	100	202	351	199	139	81	66	12
1950 ...	1,102	54	24	35	103	142	278	207	110	83	53	13
1951 ...	972	62	13	24	74	121	227	180	121	74	62	14
	DEATHS OF MALES AND FEMALES											
1947 ...	3,700	249	94	113	343	489	847	604	440	321	174	26
1948 ...	3,103	182	67	79	264	415	753	525	400	274	124	20
1949 ...	2,712	155	74	64	181	357	632	425	380	257	159	28
1950 ...	2,380	132	50	50	148	246	537	440	342	255	144	36
1951 ...	2,162	139	27	45	134	215	428	403	338	257	142	34
	MALES—RATE PER 1,000 POPULATION											
1947 ...	1·27	0·97	0·35	0·33	1·00	1·59	2·02	1·83	1·73	1·68	0·82	0·32
1948 ...	1·08	0·67	0·31	0·29	0·77	1·53	1·75	1·61	1·53	1·36	0·69	0·23
1949 ...	0·93	0·49	0·29	0·16	0·63	1·30	1·34	1·23	1·52	1·36	0·85	0·34
1950 ...	0·85	0·51	0·19	0·11	0·35	0·87	1·23	1·27	1·46	1·33	0·83	0·48
1951 ...	0·79	0·48	0·10	0·16	0·48	0·89	1·03	1·14	1·31	1·45	0·77	0·39
	FEMALES—RATE PER 1,000 POPULATION											
1947 ...	1·22	0·70	0·36	0·53	1·73	2·64	2·06	1·52	1·08	0·83	0·79	0·21
1948 ...	0·99	0·55	0·18	0·31	1·31	2·02	1·85	1·28	1·00	0·76	0·45	0·17
1949 ...	0·88	0·56	0·26	0·32	0·80	1·76	1·69	1·12	0·89	0·63	0·62	0·23
1950 ...	0·76	0·37	0·18	0·27	0·83	1·26	1·36	1·18	0·72	0·66	0·50	0·25
1951 ...	0·67	0·41	0·09	0·19	0·64	1·25	1·17	0·97	0·76	0·59	0·59	0·25
	MALES AND FEMALES—RATE PER 1,000 POPULATION											
1947 ...	1·25	0·84	0·35	0·43	1·36	2·10	2·04	1·68	1·41	1·26	0·81	0·26
1948 ...	1·04	0·61	0·25	0·30	1·04	1·77	1·80	1·45	1·27	1·06	0·57	0·20
1949 ...	0·91	0·52	0·28	0·24	0·71	1·53	1·51	1·18	1·21	1·00	0·73	0·28
1950 ...	0·80	0·45	0·19	0·19	0·59	1·06	1·29	1·23	1·10	1·00	0·67	0·36
1951 ...	0·73	0·44	0·10	0·17	0·56	1·06	1·10	1·06	1·04	1·02	0·68	0·31

For males the 1951 death rate of 0·79 per 1,000 population compares with a rate of 1·27 in 1947 and for females the 1951 rate is 0·67 as against 1·22 in 1947. The greatest reductions have been made at ages 5–9 years in which group the 1951 male rate is less than one-third of its value in 1947 and the female rate is only one-quarter of its 1947 value. For males the 1951 rates are less than half those for 1947 at ages under 5 years and 10–19 years while in the case of females a similar reduction has been made at ages 10–24 years. As age increases the proportionate decline decreases until at ages over 65 years there is little change in the rates when 1947 is compared with later years.

Cancer

Up to 1949 cancer deaths have been taken as Nos. 045–055 of the Fifth Revision of the International List of Causes of Death. As already observed since 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140–205 of the International Statistical Classification, 1948, but that for comparability with the past, Nos. 140–205 (excluding Nos. 201 (Hodgkin's disease) and 204 (leukaemia and aleukaemia) should also be shown.

In 1951 there were 4,424 deaths from malignant neoplasms (Nos. 140–199) and from neoplasms of lymphatic and haematopoietic tissues (Nos. 200–205). Of this number 54 deaths were caused by Hodgkin's disease and 95 by leukaemia and aleukaemia.

Table XVIII shows the death rate from cancer in Ireland and neighbouring countries since 1938.

TABLE XVIII

DEATHS FROM CANCER IN IRELAND AND NEIGHBOURING COUNTRIES PER 1,000 POPULATION, 1938–1951

Year	Ireland*	Six Counties	England and Wales	Scotland
1938	1·26	1·32	1·67	1·62
1939	1·27	1·33	1·66	1·61
1940	1·28	1·36	1·72	1·70
1941	1·27	1·37	1·78	1·69
1942	1·37	1·41	1·83	1·71
1943	1·37	1·45	1·90	1·73
1944	1·42	1·41	1·90	1·86
1945	1·34	1·44	1·74	1·92
1946	1·36	1·42	1·77	1·80
1947	1·33	1·47	1·81	1·77
1948	1·36	1·45	1·86	1·81
1949	1·39	1·45	1·87	1·85
1950	1·38	1·53	1·89	1·88
1951	1·44	1·48	1·90	1·86

*Exclusive of the Six Counties.

The general increase in the cancer death rate in each area since 1938 will be noted. The rate in Ireland (exclusive of the Six Counties) is the lowest, but this fact can be attributed to some extent at least to the high proportion of uncertified deaths at the older ages in this country. Most of these deaths are described as due to senility and it is almost certain that a considerable proportion of them is caused by cancer. The figures should be accepted with caution as it is not certain that they are comparable over time and between the different areas.

Table XIX shows the death rate from cancer in certain age groups for each year since 1938.

TABLE XIX

DEATHS FROM CANCER, CLASSIFIED BY AGE, PER 100,000 POPULATION AT THE SAME AGES 1938–1951

Years	Age Group							
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	Total
	Males							
1938	1·9	11·2	39·2	164·4	455·0	714·5	644·2	131·5
1939	1·5	11·7	38·1	144·3	432·3	764·5	660·3	130·7
1940	3·5	12·1	36·7	150·7	401·5	750·5	727·8	130·7
1941	1·4	10·0	40·1	135·8	376·7	810·4	776·3	130·7
1942	4·4	12·7	51·1	152·9	395·9	905·2	847·2	145·5
1943	3·0	11·2	43·7	137·8	428·3	820·1	856·7	144·3
1944	2·6	9·9	45·4	151·2	447·5	821·0	929·6	149·3
1945	3·9	15·3	39·9	131·1	367·5	783·9	953·0	138·8
1946	2·1	10·2	37·8	133·7	358·8	820·7	988·2	140·3
1947	3·4	8·8	47·2	143·0	366·7	746·2	1,014·2	138·7
1948	2·1	11·5	34·7	154·1	384·5	730·9	1,185·0	143·4
1949	2·8	9·0	51·1	150·6	363·9	775·5	1,095·9	146·5
1950	3·6	10·0	44·1	140·7	379·0	754·4	1,071·9	144·0
1951	3·9	16·8	49·4	168·2	398·0	812·5	1,048·8	153·9
	Females							
1938	3·1	11·0	69·4	204·7	389·4	568·4	435·1	120·4
1939	1·9	17·9	62·5	210·2	392·8	563·6	539·5	123·9
1940	3·2	16·7	64·2	177·1	410·3	596·8	497·1	124·3
1941	1·5	13·9	60·7	195·5	400·2	567·6	537·1	122·3
1942	2·0	18·5	78·7	202·9	365·0	613·4	597·9	128·0
1943	2·2	17·7	81·6	192·1	397·3	590·4	604·2	130·0
1944	2·2	15·3	77·6	202·9	416·6	582·5	688·1	134·2
1945	2·9	19·8	64·9	203·6	365·3	587·1	587·7	126·1
1946	3·7	16·2	72·8	218·4	374·2	601·1	621·0	131·3
1947	2·0	13·3	59·2	204·1	386·9	588·2	637·0	127·8
1948	2·9	16·9	57·6	195·6	339·6	613·9	722·5	128·3
1949	2·5	16·9	72·0	172·4	369·2	594·6	731·6	131·8
1950	3·3	17·6	63·8	178·5	354·0	588·0	780·2	131·9
1951	2·9	15·0	60·6	177·8	375·0	596·8	746·2	134·5

The most notable feature of this table is the large increase in the death rate at ages 75 years and over since 1938. It is almost certain that this increase is connected with the fall in the number of uncertified deaths (most of which occur at the old ages) from 16·0 per cent. in 1938 to 12·2 per cent. in 1951, and to improved certification.

Table XX shows deaths from malignant neoplasms classified by site of disease and from neoplasms of lymphatic and haematopoietic tissues, classified by age group.

TABLE XX.

DEATHS FROM MALIGNANT NEOPLASMS, CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES, BY CERTAIN AGE-GROUPS, 1951.

1948 International List Nos.	SITE	Number of Deaths—Males								Number of Deaths—Females							
		0–24	25–	35–	45–	55–	65–	75–	Total	0–24	25–	35–	45–	55–	65–	75–	Total
	Malignant neoplasm of:																
140	Lip	·	·	1	·	7	13	14	35	·	·	1	·	·	2	6	9
141	Tongue	·	1	·	·	8	19	13	41	·	·	1	·	3	2	4	10
142	Salivary gland	·	·	·	·	1	3	1	5	·	·	·	·	·	1	·	1
143–144	Mouth	·	1	·	4	2	11	8	26	·	·	·	1	·	4	9	14
145–148	Pharynx	·	·	4	6	6	22	25	63	·	·	1	3	11	5	3	23
140–148	**Buccal cavity and pharynx ... ...**	**·**	**2**	**5**	**10**	**24**	**68**	**61**	**170**	**·**	**·**	**3**	**4**	**14**	**14**	**22**	**57**
150	Oesophagus	·	·	4	6	29	33	23	95	·	·	3	9	18	14	17	61
150–152	Stomach and small intestine	1	5	19	66	125	222	124	562	·	4	13	50	95	170	98	430
153	Large intestine (excl. rectum)	2	1	8	21	57	116	77	282	·	3	4	28	67	95	74	271
154	Rectum	·	1	4	24	39	79	49	196	·	·	2	16	18	30	33	99
155–156	Liver	1	1	7	16	22	41	18	106	1	·	4	10	29	39	20	103
157	Pancreas	·	·	5	13	18	30	17	83	·	1	1	5	17	21	9	54
158	Peritoneum	1	2	1	1	1	2	·	8	2	1	3	4	1	4	2	17
159	Other digestive organs	·	·	1	1	·	·	·	2	·	·	·	·	2	1	1	4
150–159	**Digestive organs and peritoneum ... ...**	**5**	**10**	**49**	**148**	**291**	**523**	**308**	**1,334**	**3**	**9**	**30**	**122**	**247**	**374**	**254**	**1,039**
161	Larynx	·	·	·	4	9	23	8	44	·	·	2	4	2	4	3	15
162	Trachea, bronchus, lung (primary)	·	1	11	24	32	23	5	96	·	2	2	5	7	13	3	32
163	Lung, bronchus (unspecified)	1	3	8	33	40	25	7	117	2	2	3	5	10	17	2	41
160, 164, 165	Other parts of respiratory system	·	1	2	7	6	3	5	24	·	·	·	2	2	4	4	12
160–165	**Respiratory system ... ...**	**1**	**5**	**21**	**68**	**87**	**74**	**25**	**281**	**2**	**4**	**7**	**16**	**21**	**38**	**12**	**100**
170	Breast	·	·	·	1	3	1	·	5	·	7	49	64	73	79	40	312
171–174	Uterus	·	·	·	·	·	·	·	·	1	5	10	37	46	33	17	149
175	Ovary, Fallopian tube, etc.	·	·	·	·	·	·	·	·	1	3	2	10	18	22	3	59
177	Prostate	·	·	2	6	27	72	56	163	·	·	·	·	·	·	·	·
180	Kidney	5	1	1	8	6	2	·	23	·	·	·	2	4	·	1	7
181	Bladder and other urinary organs	·	·	1	6	13	14	9	43	·	·	1	2	3	7	6	19
176, 178–179	Other genito-urinary organs	·	3	4	3	1	3	4	18	·	·	·	·	3	6	5	14
170–181	**Breast and genito-urinary organs ... ...**	**5**	**4**	**8**	**24**	**50**	**92**	**69**	**252**	**2**	**15**	**62**	**115**	**147**	**147**	**72**	**560**
190–191	Skin	2	1	4	5	6	27	25	70	2	·	·	2	2	8	21	35
193	Brain and nervous system	6	3	4	10	8	4	1	36	1	·	3	5	6	·	1	16
196	Bone (incl. jaw bone)	1	·	·	4	6	13	11	35	4	·	2	4	6	5	9	30
192, 194–195, 197–199	Other and unspecified sites	3	7	4	6	23	33	42	118	1	·	5	13	23	34	31	107
190–199	**Other and unspecified sites ... ...**	**12**	**11**	**12**	**25**	**43**	**77**	**79**	**259**	**8**	**·**	**10**	**24**	**37**	**47**	**62**	**188**
201	Hodgkin's disease	4	5	5	9	12	3	4	42	3	1	1	2	3	2	·	12
204	Leukaemia and aleukaemia	23	5	3	8	10	14	1	64	8	3	4	4	4	6	2	31
200, 203, 205	Other lymphatic and haematopoietic tissues ...	3	1	2	3	8	5	1	23	3	1	·	1	1	3	3	12
200–205	**Lymphatic and haematopoietic tissues ...**	**30**	**11**	**10**	**20**	**30**	**22**	**6**	**129**	**14**	**5**	**5**	**7**	**8**	**11**	**5**	**55**
	Total	**53**	**43**	**105**	**295**	**525**	**856**	**548**	**2,425**	**29**	**33**	**117**	**288**	**474**	**631**	**427**	**1,999**

INFANT AND NEO-NATAL MORTALITY, 1938 - 1951.



TABLE XXIII

INFANT MORTALITY BY AGE AND CAUSE, 1951

Detailed International List No.	Causes of Death	Deaths of Infants under One Year at Ages										
		Under 24 hours	1–7 days	7–14 days	14–21 days	21–27 days	Total under 4 weeks	4 weeks and under 2 mths.	2–3 months	3–6 months	6–12 months	Total under 1 year
	All Causes	461	637	226	131	113	1,568	326	226	413	343	2,876
050	Scarlet fever	.	.	.	.	.	.	.	1	.	.	1
056	Whooping cough	.	.	.	.	1	1	6	10	22	28	67
057	Meningococcal infections ...	.	.	.	1	.	1	.	.	1	5	7
010	Tuberculosis of meninges and nervous system	.	.	.	.	.	.	1	2	4	21	28
011	Tuberculosis of intestines and peritoneum and mesenteric glands	.	.	.	.	.	.	.	.	1	3	4
002, 003, 008, 012–019	Other tuberculous diseases ...	.	.	.	.	.	.	1	1	4	7	13
020	Syphilis	1	.	.	.	.	1	1	.	2	.	4
480, 481	Influenza	.	4	.	1	5	10	8	5	9	14	46
085	Measles	.	.	.	.	.	.	.	.	.	11	11
340	Meningitis	.	1	1	1	2	5	2	2	5	11	25
780–782	Convulsions	6	8	6	6	4	30	16	10	17	6	79
500, 501, 502	Bronchitis	.	2	.	2	2	6	4	2	14	10	36
490–493, 763	Pneumonia	5	22	21	14	14	76	68	55	118	102	419
571, 764	Diarrhoea and gastro-enteritis ...	.	2	5	12	9	28	44	29	36	30	167
750–759	Congenital malformations ...	54	86	44	24	23	231	52	22	41	22	368
774, 776	Premature birth	140	187	45	20	10	402	12	5	7	.	426
760, 761	Injury at birth	65	83	17	3	1	169	1	2	2	1	175
762, 766–773	Other diseases peculiar to first year of life	171	222	74	29	32	528	71	44	56	19	718
E924, E925	Mechanical suffocation ...	1	1	2	2	1	7	2	2	9	1	21
E800, E923	Other accidents (including lack of care)	14	4	1	1	1	21	3	2	8	3	37
Residue	Other causes	4	15	10	15	8	52	34	33	56	49	224

The death rate per 1,000 population increased with age at death from 0·04 at ages 15–34 years to 15·51 per 1,000 population at ages 85 years and over. At ages over 65 years the rates for females are somewhat higher than those for males.

Pregnancy, Childbirth and Puerperium

The number of deaths in this group of causes in 1951 was 103 compared with 99 in 1950. The death rate was 1·64 per 1,000 births.

Accidents, Poisonings and Violence

The number of deaths from external causes in 1951 was 996 compared with 905 in 1950. Deaths from road transport accidents numbered 235 in 1951 compared with 200 in 1950. In 1951 there were 85 deaths from fire, explosions or burns and 121 deaths from accidental drowning. There were 77 suicides and 478 deaths were caused by other external causes including accidental falls.

Infant Mortality

During the year 1951 the deaths of 2,876 infants under 1 year of age were registered compared with 2,922 in the preceding year. The figure for 1951 is equivalent to a rate of 46 per 1,000 live births registered which is the same as that for 1950. The infant mortality rates in neighbouring countries in 1951 were as follows :—England and Wales (30), Scotland (37), and the Six Counties (41). There is still room, therefore, for considerable improvement in the Irish rate. Table XXIII shows the deaths under 1 year of age in 1951 classified by cause of death and age at death.

At ages under 4 weeks the main causes of death are congenital malformation, premature birth, injury at birth and other diseases peculiar to the first year of life. At ages 4 weeks to one year the most important single cause of death is pneumonia, but large numbers of deaths are also caused by gastro-enteritis and other diseases peculiar to the first year of life.

Details of causes of death at ages under 4 weeks and at 4 weeks and under 1 year for counties, county boroughs and groups of principal towns are shown in Tables 25 and 26.

Uncertified Causes

The number of cases in 1951 in which the cause of death was not stated to have been certified by a medical practitioner was 5,170 which is 12·2 per cent. of the total deaths registered. The proportion for 1950 was 11·3 per cent.

Inquests and Post-Mortems

The number of deaths registered on certificates issued by coroners, as the result of inquests or post-mortem examinations during 1951 was 1,483 compared with 1,340 for 1950.

TABLES

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR, 1851 TO 1951.

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1919	3,102	1,598	1,504
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1920	3,103	1,598	1,505
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1921	3,096	1,599	1,497
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1922	3,022	1,529	1,493
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1923	3,014	1,526	1,488
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1924	3,005	1,521	1,484
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1925	2,985	1,512	1,473
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1926	2,971	1,507	1,464
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1927	2,957	1,502	1,455
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1928	2,944	1,498	1,446
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1929	2,937	1,496	1,441
1862	4,377	2,158	2,219	1896	3,314	1,653	1,661	1930	2,927	1,493	1,434
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1931	2,933	1,497	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1932	2,949	1,505	1,444
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1933	2,962	1,512	1,450
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1934	2,971	1,518	1,453
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1935	2,971	1,520	1,451
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1936	2,967	1,520	1,447
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1937	2,948	1,510	1,438
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1938	2,937	1,505	1,432
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1939	2,934	1,503	1,431
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1940	2,958	1,515	1,443
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1941	2,993	1,533	1,460
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1942	2,963	1,499	1,464
1875	3,951	1,940	2,011	1909	3,142	1,589	1,553	1943	2,946	1,490	1,456
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1944	2,944	1,487	1,457
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1945	2,952	1,490	1,462
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1946	2,957	1,496	1,461
1879	3,939	1,944	1,995	1913	3,103	1,572	1,531	1947	2,974	1,505	1,469
1880	3,891	1,920	1,971	1914	3,092	1,568	1,524	1948	2,985	1,512	1,473
1881	3,847	1,901	1,946	1915	3,068	1,546	1,522	1949	2,981	1,513	1,468
1882	3,808	1,882	1,926	1916	3,068	1,549	1,519	1950	2,969	1,510	1,459
1883	3,745	1,853	1,892	1917	3,065	1,551	1,514	1951	2,961	1,507	1,454
1884	3,703	1,834	1,869	1918	3,066	1,553	1,513				

TABLE 2.—TOTAL POPULATION BY SEX AND AGE IN 1951.

AGE	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	MALES	FEMALES	PERSONS	MALES	FEMALES	PERSONS
Under 1	32,630	30,927	63,557	2·17	2·13	2·15
1	32,083	30,719	62,802	2·13	2·11	2·12
2	31,932	30,494	62,426	2·12	2·10	2·11
3	31,982	30,457	62,439	2·12	2·09	2·11
4	31,604	30,004	61,608	2·10	2·06	2·08
5–9	143,490	137,553	281,043	9·53	9·46	9·49
10–14	132,726	128,209	260,935	8·82	8·82	8·81
15–19	125,742	115,440	241,182	8·35	7·94	8·15
20–24	105,380	96,792	202,172	6·99	6·65	6·83
25–29	99,595	98,826	198,421	6·61	6·80	6·70
30–34	96,441	95,125	191,566	6·40	6·54	6·47
35–39	102,278	98,638	200,916	6·79	6·78	6·79
40–44	94,006	86,320	180,326	6·24	5·94	6·09
45–49	82,374	78,541	160,915	5·47	5·40	5·44
50–54	82,922	80,064	162,986	5·50	5·51	5·51
55–59	65,028	63,820	128,848	4·32	4·39	4·35
60–64	61,346	60,714	122,060	4·07	4·18	4·12
65–69	54,145	53,403	107,548	3·59	3·67	3·63
70–74	49,121	50,995	100,116	3·26	3·51	3·38
75–79	31,642	32,913	64,555	2·10	2·26	2·18
80–84	14,649	16,238	30,887	0·97	1·12	1·04
85–89	4,285	5,882	10,167	0·28	0·40	0·34
90–94	973	1,542	2,515	0·06	0·11	0·09
95–99	205	368	573	0·01	0·03	0·02
100 and over	18	12	30	0·00	0·00	0·00
TOTAL	1,506,597	1,453,996	2,960,593	100·00	100·00	100·00

TABLE 3.—POPULATION BY SEX IN EACH COUNTY AND COUNTY BOROUGH IN 1951.

COUNTY	1951 POPULATION		
	MALES	FEMALES	PERSONS
Carlow	17,848	16,314	34,162
Dublin County Borough	244,006	278,177	522,183
Dun Laoghaire Borough	20,843	27,077	47,920
Dublin County (remainder)	61,277	61,642	122,919
Kildare	36,364	30,073	66,437
Kilkenny	34,687	30,548	65,235
Laoighis	26,154	22,276	48,430
Longford	18,388	16,165	34,553
Louth	34,886	33,885	68,771
Meath	34,980	31,357	66,337
Offaly	28,306	24,238	52,544
Westmeath	28,737	25,726	54,463
Wexford	45,945	44,087	90,032
Wicklow	31,587	31,003	62,590
Clare	43,473	37,856	81,329
Cork County	136,150	130,567	266,717
Cork County Borough	34,715	39,852	74,567
Kerry	66,507	60,137	126,644
Limerick County	47,588	42,831	90,419
Limerick County Borough	24,103	26,717	50,820
Tipperary, N.R.	29,989	27,020	57,009
Tipperary, S.R.	39,877	36,427	76,304
Waterford County	24,478	21,892	46,370
Waterford County Borough	13,485	15,206	28,691
Galway	85,141	75,063	160,204
Leitrim	22,374	18,835	41,209
Mayo	73,345	68,522	141,867
Roscommon	36,626	31,476	68,102
Sligo	31,469	29,044	60,513
Cavan	36,187	30,190	66,377
Donegal	67,964	63,566	131,530
Monaghan	29,118	26,227	55,345
TOTAL	1,506,597	1,453,996	2,960,593

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864–1951.

PERIOD	MARRIAGES	BIRTHS							DEATHS			Natural Increase
		TOTAL (Including Illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864—70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931—40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—50	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,099	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
Average 1941—1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864–1951.

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural Increase per 1,000 of Population
				ILLEGITIMATE					
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	Per 1,000 Population	Per Cent. of Total Births	Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births	
1864–70	5·10	25·79	25·17	0·62	2·42	1,056	16·23	95·61	9·56
1871–80	4·54	26·31	25·88	0·43	1·63	1,056	18·06	96·80	8·25
1881–90	4·02	22·88	22·45	0·43	1·89	1,059	17·56	93·06	5·32
1891–1900	4·46	22·20	21·76	0·44	1·99	1,055	17·70	99·42	4·50
1901–10	4·84	22·54	22·08	0·46	2·06	1,056	16·91	91·37	5·63
1911–20	5·11	21·50	20·99	0·51	2·41	1,059	16·64	84·06	4·86
1921–30	4·76	20·21	19·64	0·57	2·83	1,053	14·45	69·90	5·76
1931–40	4·86	19·34	18·70	0·64	3·31	1,052	14·17	68·41	5·17
1941–50	5·59	21·90	21·13	0·77	3·51	1,063	13·97	65·80	7·94
1941	5·02	18·97	18·31	0·66	3·48	1,059	14·63	73·53	4·34
1942	5·90	22·31	21·50	0·82	3·66	1,059	14·05	69·44	8·26
1943	5·88	21·85	21·02	0·83	3·80	1,068	14·76	82·63	7·09
1944	5·70	22·22	21·35	0·87	3·92	1,058	15·33	79·45	6·89
1945	5·86	22·65	21·76	0·89	3·93	1,056	14·49	70·88	8·16
1946	5·91	22·91	22·02	0·89	3·89	1,071	13·98	64·63	8·93
1947	5·49	23·23	22·44	0·79	3·40	1,071	14·84	67·95	8·39
1948	5·38	22·00	21·28	0·72	3·28	1,064	12·13	50·25	9·87
1949	5·36	21·46	20·79	0·67	3·13	1,051	12·73	53·23	8·72
1950	5·40	21·41	20·86	0·55	2·56	1,071	12·71	45·97	8·70
Average—1941–50	5·59	21·90	21·13	0·77	3·51	1,063	13·97	65·80	7·94
1951	5·41	21·24	20·70	0·54	2·53	1,057	14·32	45·74	6·92

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941–51 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941–50 AND THE RATES FOR 1951 PER 1,000 OF THE POPULATION.

YEAR	MARRIAGES															BIRTHS					DEATHS				
	CATHOLIC					ALL OTHERS					TOTAL														
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741
Average for Ten Years 1941–50	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010	12,974	10,555	8,427	9,494	41,450
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
Equivalent Annual Rate per 1,000 Population Average 1941–50	5·3	5·4	6·6	5·0	5·6	3·9	5·8	7·4	4·2	5·3	5·2	5·5	6·7	5·0	5·6	21·7	23·6	22·3	20·1	21·9	17·5	14·2	11·4	12·8	14·0
1951	4·7	5·2	7·4	4·5	5·4	3·3	4·9	6·9	4·3	4·9	4·6	5·2	7·3	4·5	5·4	21·2	22·9	22·0	18·8	21·2	22·5	13·8	10·2	10·7	14·3

TABLE 7.—AVERAGE ANNUAL NUMBER OF DEATHS FROM PRINCIPAL CAUSES, 1921–1950, WITH RATES PER 100,000 POPULATION.

Nos.	Causes of Death	Annual Average Number of Deaths			Annual Average Rate Per 100,000 Population		
		1921–30	1931–40	1941–50	1921–30	1931–40	1941–50
	All Causes	**43,203**	**41,841**	**41,450**	**1446·9**	**1411·2**	**1397·5**
1	Typhoid Fever (including Paratyphoid)	108	64	32	3·6	2·2	1·1
2	Cerebro-spinal Meningitis	17	30	33	0·6	1·1	1·1
3	Scarlet Fever	78	88	15	2·6	3·0	0·5
4	Whooping Cough	365	215	189	12·3	7·3	6·4
5	Diphtheria	282	321	151	9·4	10·8	5·1
6	Tuberculosis of Respiratory System	3,437	2,797	2,739	115·0	94·3	92·3
7	All Other Forms of Tuberculosis	920	773	779	30·8	26·1	26·2
8	Dysentery	11	2	4	0·3	0·1	0·1
9	Influenza	1,221	1,265	554	40·9	42·6	18·7
10	Measles	253	173	69	8·5	5·8	2·3
11	Acute Infectious Encephalitis	40	27	17	1·3	0·9	0·6
12	Typhus	10	4	2	0·3	0·1	0·1
13	Cancer	2,933	3,529	4,034	98·4	119·0	136·0
14	Diabetes Mellitus	227	260	234	7·6	8·8	7·9
15	Intra-cranial Lesions of Vascular Origin	2,077	2,392	2,782	69·6	80·7	93·8
16	Diseases of the Heart	4,981	7,273	9,897	167·1	245·2	333·7
17	Other Diseases of the Circulatory System	439	734	839	14·7	24·7	28·3
18	Bronchitis	2,750	2,182	1,331	92·0	73·6	44·9
19	Pneumonia	2,476	2,420	1,643	83·0	81·6	55·4
20	Other Diseases of the Respiratory System	722	688	610	24·2	23·2	20·6
21	Ulcer of Stomach or Duodenum	274	327	260	9·2	11·0	8·8
22	Diarrhoea and Enteritis under 2 years	592	584	813	19·8	19·7	27·4
23	Appendicitis	169	189	110	5·7	6·4	3·7
24	Cirrhosis of the Liver	95	72	55	3·2	2·4	1·9
25	Diseases of the Liver and Biliary Passages	138	162	148	4·6	5·5	5·0
26	Other Diseases of the Digestive System	1,172	909	654	39·2	30·7	22·0
27	Nephritis	1,132	1,195	1,033	38·0	40·3	34·8
28	Puerperal Infection	101	71	29	3·4	2·4	1·0
29	Other Diseases of Childbirth	190	170	110	6·4	5·7	3·7
30	Congenital Debility, etc.	1,788	1,852	2,213	59·9	62·5	74·6
31	Senility	8,300	6,135	5,921	277·8	206·9	199·6
32	Suicide	89	98	77	3·0	3·3	2·6
33	Other Violence	1,023	881	858	34·1	29·7	28·9
34	Other Causes	4,793	3,959	3,215	160·4	133·6	108·4

TABLE 8.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1951, WITH RATES PER 100,000 POPULATION.

Note.—The classification of cause of death in this Table is based on the Abbreviated International List, 1948.

CAUSE OF DEATH	Ireland†		Six Counties	
	No.	Rate	No.	Rate
Tuberculosis of Respiratory System	1,712	57·83	495	36·1
Tuberculosis, Other Forms	450	15·20	122	8·9
Syphilis and its Sequelae	48	1·62	42	3·1
Typhoid Fever	3	0·10	2	0·1
Cholera	—	—	—	—
Dysentery, All Forms	1	0·03	6	0·4
Scarlet Fever	10	0·34	2	0·1
Streptococcal Sore Throat	8	0·27	1	0·1
Diphtheria	8	0·27	2	0·1
Whooping Cough	108	3·65	18	1·3
Meningococcal Infections	25	0·84	11	0·8
Plague	—	—	—	—
Acute Poliomyelitis	15	0·51	10	0·7
Acute infectious Encephalitis	11	0·37	7	0·5
Smallpox	—	—	—	—
Measles	32	1·08	9	0·7
Typhus and Other Rickettsial Diseases	—	—	—	—
Malaria	4	0·14	—	—
All other Diseases classified as Infective and Parasitic	106	3·58	50	3·6
Malignant Neoplasms	4,240	143·21	2,015	146·8
Neoplasms of Lymphatic and Haematopoietic Tissues	184	6·21	85	6·2
Benign and Unspecified Neoplasms	120	4·05	51	3·7
Diabetes Mellitus	248	8·38	88	6·4
Anaemias	292	9·86	83	6·0
Vascular Lesions affecting Central Nervous System	3,025	102·18	1,983	144·4
Nonmeningococcal Meningitis	92	3·11	14	1·0
Rheumatic Fever	81	2·74	40	2·9
Chronic Rheumatic Heart Disease	407	13·75	208	15·2
Arteriosclerotic and Degenerative Heart Disease	9,344	315·62	4,254	310·0
Other Diseases of the Heart	1,366	46·14	592	43·1
Hypertension with Heart Disease	502	16·96	453	33·0
Hypertension without mention of Heart	472	15·94	160	11·7
Other Circulatory Diseases	657	22·19	309	22·5
Influenza	2,399	81·03	883	64·3
Pneumonia	1,421	48·00	768	56·0
Bronchitis	1,452	49·04	642	46·8
Other Respiratory Diseases	377	12·73	180	13·1
Gastritis and Duodenitis	45	1·52	11	0·8
Ulcer of Stomach and Duodenum	279	9·42	108	7·9
Other Digestive Diseases excluding Diseases of Liver and Gall Bladder	138	4·66	*	*
Appendicitis	65	2·20	25	1·8
Intestinal Obstruction and Hernia	226	7·63	88	6·4
Enteritis and Colitis except Diarrhoea of Newborn	244	8·24	128	9·3
Cirrhosis of Liver	59	1·99	32	2·3
Nephritis and Nephrosis	652	22·02	217	15·8
Hyperplasia of Prostate	282	9·53	145	10·6
Complications of Pregnancy and Childbirth	84	2·84		
Puerperal Sepsis	1	0·03	31	2·3
Other Complications of the Puerperium	18	0·61		
Congenital Malformations	443	14·96	215	15·7
Birth Injuries, Postnatal Asphyxia and Atelectasis	368	12·43	241	17·6
Diarrhoea of Newborn	28	0·95	47	3·4
Other Infections of Newborn	82	2·77		
Other Diseases peculiar to Early Infancy and Immaturity Unqualified	945	31·92	296	21·6
Senility without mention of Psychosis	4,982	168·28	939	68·4
Ill-defined and Unknown Causes	1,135	38·34	172	12·5
All Other Diseases	2,090	70·59	794	57·9
Motor Vehicle Accidents	171	5·78	159	11·6
All Other Accidents	734	24·79	332	24·2
Suicide and Self-inflicted Injury	77	2·60	56	4·1
Homicide and Operations of War	14	0·47	7	0·5
All Causes	42,382	1431·54	17,628	1284·3

† Exclusive of the Six Counties.

* Included in "All Other Diseases."

TABLE 9.—AVERAGE ANNUAL NUMBERS OF DEATHS OF MALES AND FEMALES CLASSIFIED BY AGE, REGISTERED DURING THE YEARS 1864–1950, AND IN 1951.

PERIOD	All Ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85–94	95 and Over
	MALES.													
Average—														
1864—70	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871—80	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881—90	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891—1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901—10	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911—20	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921—30	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931—40	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941—50	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
	FEMALES.													
Average—														
1864—70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871—80	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881—90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891—1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901—10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911—20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921—30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931—40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941—50	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
	PERSONS.													
Average—														
1864—70	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871—80	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881—90	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891—1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901—10	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911—20	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921—30	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931—40	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941—50	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240

* For the period 1864–70 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871–80 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 10.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE PER 1,000 CORRESPONDING POPULATION, 1864–1950, AND IN 1951.

PERIOD	All Ages	Under 5 Years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
	MALES												
1864–70	16·49	36·85	5·53	3·00	4·22	7·07	8·24	9·55	14·86	25·55	60·25	125·94	239·09
1871–80	18·55	39·78	5·26	3·05	5·08	7·32	8·88	10·76	15·38	29·21	66·54	144·84	295·18
1881–90	17·71	36·33	4·55	2·91	4·62	7·31	9·05	10·44	15·56	28·84	65·40	136·47	279·81
1891–1900	17·65	37·57	3·97	2·70	4·47	7·16	9·00	10·32	15·12	28·03	60·82	137·46	298·23
1901–10	16·90	34·68	3·51	2·44	4·12	6·32	8·44	9·48	14·40	28·73	50·27	111·41	283·22
1911–20	16·73	30·81	3·35	2·45	4·31	6·32	7·72	9·60	13·99	25·45	46·20	116·64	254·29
1921–30	14·39	23·58	2·58	1·77	3·21	4·92	5·33	7·08	11·44	24·50	48·08	107·81	217·55
1931–40	14·21	21·19	2·19	1·50	2·61	3·81	4·48	6·02	10·94	25·34	57·22	105·78	174·77
1941–50	14·45	20·74	1·53	1·05	2·18	3·13	3·56	5·02	9·75	21·33	52·20	126·93	216·07
1951	14·92	12·67	0·93	0·60	1·33	1·98	2·65	4·13	9·60	22·69	56·50	143·09	294·47
	FEMALES												
1864–70	15·77	33·33	5·66	3·36	4·05	5·58	7·56	9·10	12·88	24·38	62·03	121·93	228·66
1871–80	17·61	36·12	5·56	3·67	5·19	6·08	8·06	9·65	13·33	27·63	66·20	142·88	275·52
1881–90	17·30	32·66	4·95	3·75	5·30	6·54	8·65	10·01	13·77	28·21	66·95	135·21	259·63
1891–1900	17·62	33·39	4·34	3·71	5·46	6·60	8·41	9·91	13·96	28·16	65·09	142·12	281·89
1901–10	16·79	30·61	3·97	3·42	5·07	5·98	7·80	9·38	13·75	28·99	48·04	107·57	265·12
1911–20	16·64	26·99	3·81	3·16	4·84	5·96	7·24	9·42	12·92	24·90	43·53	109·46	220·24
1921–30 ...	14·52	20·08	2·67	2·13	3·71	4·84	5·61	7·45	11·24	24·08	45·18	98·58	190·62
1931–40	14·12	17·83	2·21	1·69	2·90	4·11	5·07	6·32	10·35	23·87	51·78	95·90	171·54
1941–50	13·47	16·72	1·37	1·15	2·38	3·48	4·03	5·02	8·61	18·39	45·25	110·41	196·15
1951	13·69	9·76	0·69	0·71	1·25	2·11	2·51	4·00	7·48	17·89	47·92	126·75	257·30
	PERSONS												
1864–70	16·23	35·11	5·59	3·17	4·13	6·30	7·89	9·31	13·82	24·94	61·15	123·76	233·44
1871–80	18·06	37·97	5·41	3·35	5·13	6·69	8·45	10·18	14·31	28·38	66·37	143·83	284·60
1881–90	17·56	34·52	4·75	3·32	4·96	6·93	8·85	10·21	14·64	28·52	66·19	135·84	269·29
1891–1900	17·70	35·51	4·15	3·20	4·96	6·89	8·71	10·11	14·51	28·10	62·96	139·82	289·88
1901–10	16·91	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79
1911–20	16·64	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00
1921–30	14·45	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72
1931–40	14·17	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56
1941–50	13·97	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26
1951	14·32	11·25	0·81	0·65	1·29	2·04	2·58	4·07	8·56	20·31	52·19	134·68	272·64

TABLE 11.—MARRIAGES, BIRTHS AND DEATHS REGISTERED

Provinces, Administrative Counties and County Boroughs	Area in Statute Acres	Population according to Census of Population 1951	Total No. of marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)			
				Total No. Registered	Transferred from Area	Transferred to Area	Net Number
TOTAL	**17,024,092**	**2,960,593**	**16,017**	**62,878**			**62,878**
LEINSTER	4,851,453	1,336,576	8,602	30,491	603	285	30,173
MUNSTER	5,962,045	898,870	4,305	18,761	251	180	18,690
CONNACHT	4,230,826	471,895	1,969	8,981	64	234	9,151
ULSTER (part of) ...	1,979,768	253,252	1,141	4,645	36	255	4,864
PROVINCE OF							
Carlow	221,485	34,162	174	699	19	125	805
Dublin Co. Borough ...	21,907	522,183	4,505	15,963	4,530	85	11,518
Dun Laoghaire Borough	4,179	47,920	383	419	80	600	939
Dublin Co. (remainder) ...	201,757	122,919	703	1,125	94	2,309	3,340
Kildare	418,644	66,437	278	1,201	15	438	1,624
Kilkenny	509,470	65,235	327	1,335	50	138	1,423
Laoighis	424,892	48,430	201	916	28	115	1,003
Longford	257,936	34,553	130	653	35	92	710
Louth	202,806	68,771	418	1,935	419	61	1,577
Meath	577,824	66,337	277	938	5	523	1,456
Offaly	493,636	52,544	216	1,045	28	112	1,129
Westmeath	435,606	54,463	296	1,346	162	108	1,292
Wexford	581,061	90,032	382	1,891	31	86	1,946
Wicklow	500,250	62,590	312	1,025	14	400	1,411
PROVINCE OF							
Clare	787,704	81,329	332	1,465	11	157	1,611
Cork Co.	1,840,897	266,717	949	4,105	285	1,389	5,209
Cork Co. Borough	2,511	74,567	764	2,892	1,432	189	1,649
Kerry	1,161,706	126,644	539	2,355	23	74	2,406
Limerick Co.	658,948	90,419	389	1,709	28	516	2,197
Limerick Co. Borough ...	4,706	50,820	388	1,599	530	23	1,092
Tipperary, N.R. ...	493,258	57,009	249	1,360	155	78	1,283
Tipperary, S.R. ...	558,034	76,304	323	1,741	117	72	1,696
Waterford Co.	452,311	46,370	231	696	18	244	922
Waterford Co. Borough ...	1,970	28,691	141	839	229	15	625
PROVINCE OF							
Galway	1,467,665	160,204	654	3,447	153	77	3,371
Leitrim	376,764	41,209	175	608	7	64	665
Mayo	1,333,940	141,867	586	2,678	17	147	2,808
Roscommon	608,540	68,102	306	1,143	40	67	1,170
Sligo	443,917	60,513	248	1,105	26	58	1,137
PROVINCE OF							
Cavan	467,162	66,377	293	1,044	11	179	1,212
Donegal	1,193,621	131,530	584	2,552	16	45	2,581
Monaghan	318,985	55,345	264	1,049	55	77	1,071

DURING 1951, IN EACH COUNTY AND COUNTY BOROUGH.

ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths Net Number	Provinces, Administrative Counties and County Boroughs
Total No. Registered	Transferred from Area	Transferred to Area	Net Number	Total No. Registered	Transferred from Area	Transferred to Area	Net Number		
1,588			**1,588**	**42,382**			**42,382**	**20,496**	**TOTAL**
847	118	82	811	17,620	346	57	17,331	12,842	LEINSTER
515	87	38	466	13,599	49	147	13,697	4,993	MUNSTER
91	7	51	135	7,147	23	122	7,246	1,905	CONNACHT
135	—	41	176	4,016	15	107	4,108	756	ULSTER (part of)
LEINSTER									
14	—	14	28	485	30	52	507	298	Carlow
350	161	48	237	7,238	1,229	189	6,198	5,320	Dublin Co. Borough
2	1	17	18	443	58	194	579	360	Dun Laoghaire Borough
105	85	22	42	990	292	488	1,186	2,154	Dublin Co. (remainder)
25	2	30	53	766	8	89	847	777	Kildare
40	1	27	66	954	25	58	987	436	Kilkenny
13	1	29	41	744	36	34	742	261	Laoighis
9	3	7	13	547	3	49	593	117	Longford
33	2	5	36	918	24	35	929	648	Louth
18	—	44	62	877	15	89	951	505	Meath
21	2	21	40	705	9	58	754	375	Offaly
122	98	13	37	854	86	39	807	485	Westmeath
53	—	32	85	1,399	18	40	1,421	525	Wexford
42	6	17	53	700	11	141	830	581	Wicklow
MUNSTER									
21	—	18	39	1,231	4	43	1,270	341	Clare
173	68	10	115	4,147	347	321	4,121	1,088	Cork Co.
9	3	14	20	1,036	336	330	1,030	619	Cork Co. Borough
31	—	16	47	1,988	2	44	2,030	376	Kerry
71	9	28	90	1,481	232	144	1,393	804	Limerick Co.
9	5	10	14	560	150	226	636	456	Limerick Co. Borough
130	99	7	38	864	17	56	903	380	Tipperary, N.R.
28	1	16	43	1,116	41	33	1,108	588	Tipperary, S.R.
24	2	26	48	668	31	164	801	121	Waterford Co.
19	10	3	12	508	125	22	405	220	Waterford Co. Borough
CONNACHT.									
57	13	16	60	2,222	68	40	2,194	1,177	Galway
3	—	6	9	694	3	52	743	—78*	Leitrim
7	—	22	29	2,103	13	54	2,144	664	Mayo
5	1	13	17	1,105	36	85	1,154	16	Roscommon
19	5	6	20	1,023	26	14	1,011	126	Sligo
ULSTER (PART OF)									
25	—	18	43	1,114	1	95	1,208	4	Cavan
86	—	13	99	2,027	12	20	2,035	546	Donegal
24	—	10	34	875	42	32	865	206	Monaghan

* — Denotes excess of deaths over births.

TABLE 12.—MARRIAGES, BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1951, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH.

PROVINCES AND COUNTIES	Marriages	BIRTHS						DEATHS						
		Total (including illegitimate)			Illegitimate			Total			Under 1 year of age	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
TOTAL ...	**16,017**	**32,303**	**30,575**	**62,878**	**833**	**755**	**1,588**	**22,476**	**19,906**	**42,382**	**2,876**	**329**	**2,162**	**4,240**
Carlow ...	174	427	378	805	12	16	28	281	226	507	40	4	30	55
Dublin Co. Boro'	4,505	5,911	5,607	11,518	136	101	237	3,054	3,144	6,198	566	45	436	743
Dun Laoghaire Boro' ...	383	470	469	939	11	7	18	270	309	579	42	2	24	71
Dublin Co. (remainder) ...	703	1,728	1,612	3,340	18	24	42	631	555	1,186	165	19	78	140
Kildare ...	278	848	776	1,624	26	27	53	489	358	847	81	13	55	101
Kilkenny ...	327	692	731	1,423	30	36	66	531	456	987	98	10	44	98
Laoighis ...	201	518	485	1,003	24	17	41	425	317	742	49	8	26	59
Longford ...	130	394	316	710	5	8	13	320	273	593	41	9	20	54
Louth ...	418	811	766	1,577	18	18	36	498	431	929	70	2	75	109
Meath	277	760	696	1,456	34	28	62	526	425	951	62	2	45	101
Offaly	216	549	580	1,129	18	22	40	434	320	754	51	7	34	73
Westmeath ...	296	672	620	1,292	22	15	37	447	360	807	48	4	46	90
Wexford ...	382	1,024	922	1,946	45	40	85	750	671	1,421	74	18	72	140
Wicklow ...	312	743	668	1,411	27	26	53	437	393	830	81	8	37	93
LEINSTER ...	8,602	15,547	14,626	30,173	426	385	811	9,093	8,238	17,331	1,468	151	1,022	1,927
Clare	332	824	787	1,611	21	18	39	700	570	1,270	45	9	47	91
Cork Co. ...	949	2,674	2,535	5,209	55	60	115	2,191	1,930	4,121	224	15	193	409
Cork Co. Boro'	764	866	783	1,649	12	8	20	522	508	1,030	64	6	55	127
Kerry ...	539	1,215	1,191	2,406	27	20	47	1,079	951	2,030	148	8	111	158
Limerick Co. ...	389	1,111	1,086	2,197	41	49	90	730	663	1,393	106	22	59	115
Limerick Co. Boro'	388	562	530	1,092	7	7	14	308	328	636	39	9	50	74
Tipperary, N.R.	249	657	626	1,283	20	18	38	527	376	903	61	6	42	86
Tipperary, S.R.	323	877	819	1,696	26	17	43	596	512	1,108	88	14	54	110
Waterford Co. ...	231	454	468	922	29	19	48	424	377	801	53	2	29	88
Waterford Co. Boro' ...	141	316	309	625	4	8	12	228	177	405	31	4	38	55
MUNSTER ...	4,305	9,556	9,134	18,690	242	224	466	7,305	6,392	13,697	859	95	678	1,313
Galway ...	654	1,740	1,631	3,371	30	30	60	1,185	1,009	2,194	129	19	104	212
Leitrim ...	175	352	313	665	7	2	9	396	347	743	14	4	23	40
Mayo	586	1,401	1,407	2,808	22	7	29	1,162	982	2,144	94	4	91	194
Roscommon ...	306	633	537	1,170	6	11	17	621	533	1,154	42	7	38	103
Sligo	248	552	585	1,137	9	11	20	518	493	1,011	48	4	39	103
CONNACHT ...	1,969	4,678	4,473	9,151	74	61	135	3,882	3,364	7,246	327	38	295	652
Cavan	293	638	574	1,212	21	22	43	656	552	1,208	49	13	53	114
Donegal ...	584	1,348	1,233	2,581	52	47	99	1,093	942	2,035	113	18	80	161
Monaghan ...	264	536	535	1,071	18	16	34	447	418	865	60	14	34	73
ULSTER (part of)	1,141	2,522	2,342	4,864	91	85	176	2,196	1,912	4,108	222	45	167	348

* Includes Typhoid Fever, Scarlet Fever, Whooping Cough, Diphtheria, Dysentery, Measles, Enteritis and Colitis (under 1 year), and Diarrhoea of Newborn.

TABLE 13.—MARRIAGE, BIRTH AND DEATH RATES IN 1951 IN EACH COUNTY AND COUNTY BOROUGH, SHOWING ALSO THE PROPORTION OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

PROVINCES AND COUNTIES	Marriages per 1,000 Population	Births		Death Rate Per 1,000 Population				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Pop.	Illegitimate % of total Births	All Causes	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms	
TOTAL	**5·41**	**21·24**	**2·53**	**14·32**	**0·11**	**0·73**	**1·43**	**45·74**
Carlow	5·09	23·56	3·48	14·84	0·12	0·88	1·61	49·69
Dublin Co. Borough ...	8·63	22·06	2·06	11·87	0·09	0·83	1·42	49·14
Dun Laoghaire Borough ...	7·99	19·60	1·92	12·08	0·04	0·50	1·48	44·73
Dublin Co. (remainder) ...	5·72	27·17	1·26	9·65	0·15	0·63	1·14	49·40
Kildare	4·18	24·44	3·26	12·75	0·20	0·83	1·52	49·88
Kilkenny	5·01	21·81	4·64	15·13	0·15	0·67	1·50	68·87
Laoighis	4·15	20·71	4·09	15·32	0·17	0·54	1·22	48·85
Longford	3·76	20·55	1·83	17·16	0·26	0·58	1·56	57·75
Louth	6·08	22·93	2·28	13·51	0·03	1·09	1·58	44·39
Meath	4·18	21·95	4·26	14·34	0·03	0·68	1·52	42·58
Offaly	4·11	21·49	3·54	14·35	0·13	0·65	1·39	45·17
Westmeath	5·43	23·72	2·86	14·82	0·07	0·84	1·65	37·15
Wexford	4·24	21·61	4·37	15·78	0·20	0·80	1·56	38·03
Wicklow	4·98	22·54	3·76	13·26	0·13	0·59	1·49	57·41
LEINSTER	6·44	22·57	2·69	12·97	0·11	0·76	1·44	48·65
Clare	4·08	19·81	2·42	15·62	0·11	0·58	1·12	27·93
Cork Co.	3·56	19·53	2·21	15·45	0·06	0·72	1·53	43·00
Cork Co. Borough	10·25	22·11	1·21	13·81	0·08	0·74	1·70	38·81
Kerry	4·26	19·00	1·95	16·03	0·06	0·88	1·25	61·51
Limerick Co.	4·30	24·30	4·10	15·41	0·24	0·65	1·27	48·25
Limerick Co. Borough ...	7·63	21·49	1·28	12·51	0·18	0·98	1·46	35·71
Tipperary, N.R.	4·37	22·51	2·96	15·84	0·11	0·74	1·51	47·54
Tipperary, S.R.	4·23	22·23	2·54	14·52	0·18	0·71	1·44	51·89
Waterford Co.	4·98	19·88	5·21	17·27	0·04	0·63	1·90	57·48
Waterford Co. Borough ...	4·91	21·78	1·92	14·12	0·14	1·32	1·92	49·60
MUNSTER	4·79	20·79	2·49	15·24	0·11	0·75	1·46	45·96
Galway	4·08	21·04	1·78	13·70	0·12	0·65	1·32	38·27
Leitrim	4·25	16·14	1·35	18·03	0·10	0·56	0·97	21·05
Mayo	4·13	19·79	1·03	15·11	0·03	0·64	1·37	33·48
Roscommon	4·49	17·18	1·45	16·95	0·10	0·56	1·51	35·90
Sligo	4·10	18·79	1·76	16·71	0·07	0·64	1·70	42·22
CONNACHT	4·17	19·39	1·48	15·36	0·08	0·63	1·38	35·73
Cavan	4·41	18·26	3·55	18·20	0·20	0·80	1·72	40·43
Donegal	4·44	19·62	3·84	15·47	0·14	0·61	1·22	43·78
Monaghan	4·77	19·35	3·17	15·63	0·25	0·61	1·32	56·02
ULSTER (part of) ...	4·51	19·21	3·62	16·22	0·18	0·66	1·37	45·64

* See note on page 14.

TABLE 14.—BIRTHS AND DEATHS, CLASSIFIED BY SEX, REGISTERED DURING 1951, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME OF THE PRINCIPAL CAUSES SEPARATELY, IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS.

AREA	BIRTHS						DEATHS					
	Total (including Illegitimate)			Illegitimate			Total			Under 1 year of Age	Tuberculosis	Malignant Neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Dublin Co. Borough and Dun Laoghaire Borough ...	6,381	6,076	12,457	147	108	255	3,324	3,453	6,777	608	460	814
Remaining Co. Boroughs ...	1,744	1,622	3,366	23	23	46	1,058	1,013	2,071	134	143	256
Galway Boroughs ...	222	212	434	2	3	5	94	129	223	19	12	33
Dundalk U.D. ...	220	203	423	1	3	4	130	95	225	16	26	32
Drogheda ,, ...	202	215	417	6	3	9	116	96	212	24	17	23
Sligo ,, ...	136	151	287	4	4	8	77	89	166	15	13	17
Wexford ,, ...	122	123	245	3	4	7	89	73	162	16	8	21
Kilkenny ,, ...	136	142	278	2	4	6	77	69	146	25	8	15
Bray ,, ...	142	127	269	2	1	3	78	65	143	9	13	21
Tralee ,, ...	112	99	211	·	1	1	82	75	157	15	8	14
Clonmel ,, ...	148	130	278	·	2	2	51	50	101	15	6	10
Total above Principal Towns	9,565	9,100	18,665	190	156	346	5,176	5,207	10,383	896	714	1,256
All Other Urban Districts ...	1,988	1,921	3,909	30	35	65	1,290	1,247	2,537	198	189	261
All Boroughs and Urban Districts ...	11,553	11,021	22,574	220	191	411	6,466	6,454	12,920	1,094	903	1,517
All Rural Districts	20,750	19,554	40,304	613	564	1,177	16,010	13,452	29,462	1,782	1,259	2,723
All Co. Boroughs and Urban Districts:—												
LEINSTER ...	7,971	7,598	15,569	173	141	314	4,246	4,300	8,546	780	607	1,014
MUNSTER ...	2,828	2,670	5,498	35	39	74	1,794	1,715	3,509	247	235	400
CONNACHT ...	524	526	1,050	10	7	17	294	310	604	53	46	78
ULSTER (part of)	230	227	457	2	4	6	132	129	261	14	15	25
All Rural Districts:—												
LEINSTER ...	7,576	7,028	14,604	253	244	497	4,847	3,938	8,785	688	415	913
MUNSTER ...	6,728	6,464	13,192	207	185	392	5,511	4,677	10,188	612	443	913
CONNACHT ...	4,154	3,947	8,101	64	54	118	3,588	3,054	6,642	274	249	574
ULSTER (part of)	2,292	2,115	4,407	89	81	170	2,064	1,783	3,847	208	152	323
TOTAL ...	**32,303**	**30,575**	**62,878**	**833**	**755**	**1,588**	**22,476**	**19,906**	**42,382**	**2,876**	**2,162**	**4,240**

Note.—Principal Towns referred to in the Report are Dublin County Borough, Dun Laoghaire Borough, Cork County Borough, Limerick County Borough, Waterford County Borough, Galway Borough and the Urban Districts of Dundalk, Drogheda, Sligo, Wexford, Kilkenny, Bray, Tralee and Clonmel.

TABLE 15.—BIRTH AND DEATH RATES IN 1951 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS SHOWING ALSO THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

AREA	Births		Death Rate per 1,000 population			Deaths under 1 year per 1,000 Births
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms	
Dublin Co. Borough and Dun Laoghaire Borough	21·85	2·05	11·89	0·81	1·43	48·81
Remaining Co. Boroughs	21·85	1·37	13·44	0·93	1·66	39·81
Galway Borough	20·36	1·15	10·46	0·56	1·55	43·78
Dundalk U.D.	21·50	0·95	11·43	1·32	1·63	37·83
Drogheda U.D.	24·85	2·16	12·63	1·01	1·37	57·55
Sligo U.D.	21·21	2·79	12·27	0·96	1·26	52·26
Wexford U.D.	20·45	2·86	13·52	0·67	1·75	65·31
Kilkenny U.D.	26·30	2·16	13·81	0·76	1·42	89·93
Bray U.D.	22·30	1·12	11·86	1·08	1·74	33·46
Tralee U.D.	19·10	0·47	14·21	0·72	1·27	71·09
Clonmel U.D.	26·55	0·72	9·65	0·57	0·96	53·96
Total above Principal Towns* ...	21·92	1·85	12·19	0·84	1·47	48·00
All Other Urban Districts	20·67	1·66	13·41	1·00	1·38	50·65
All Boroughs and Urban Districts ...	21·69	1·82	12·41	0·87	1·46	48·46
All Rural Districts	20·99	2·92	15·35	0·66	1·42	44·21
All Co. Boroughs and Urban Districts.						
LEINSTER	22·06	2·02	12·11	0·86	1·44	50·10
MUNSTER	21·37	1·35	13·64	0·91	1·55	44·93
CONNACHT	19·07	1·62	10·97	0·84	1·42	50·48
ULSTER (part of)	20·16	1·31	11·51	0·66	1·10	30·63
All Rural Districts.						
LEINSTER	23·15	3·40	13·93	0·66	1·45	47·11
MUNSTER	20·56	2·97	15·88	0·69	1·42	46·39
CONNACHT	19·43	1·46	15·93	0·60	1·38	33·82
ULSTER (part of)	19·11	3·86	16·68	0·66	1·40	47·20
Total	**21·24**	**2·53**	**14·32**	**0·73**	**1·43**	**45·74**

* See footnote to Table 14.

TABLE 16.—MARRIAGES REGISTERED IN EACH

PROVINCES AND COUNTIES	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Protestant Episcopalian	In Registered Presbyterian Meeting Houses	In Registered Buildings	In the Registrar's Office	Society of Friends	Jews
TOTAL ...	**16,017**	**15,195**	**822**	**570**	**131**	**50**	**63**	**2**	**6**
LEINSTER	8,602	8,119	483	356	35	30	54	2	6
MUNSTER	4,305	4,202	103	83	4	9	7	.	.
CONNACHT ...	1,969	1,931	38	32	2	3	1	.	.
ULSTER (part of) ...	1,141	943	198	99	90	8	1	.	.
PROVINCE OF									
Carlow	174	171	3	3	.	.	.	.	.
Dublin Co. Borough	4,505	4,270	235	135	20	23	49	2	6
Dun Laoghaire Borough ...	383	334	49	47	2	.	.	.	.
Dublin Co. (remainder) ...	703	663	40	38	2	.	.	.	.
Kildare	278	262	16	15	.	1	.	.	.
Kilkenny	327	320	7	7	.	.	.	.	.
Laoighis	201	179	22	19	1	2	.	.	.
Longford	130	117	13	10	3	.	.	.	.
Louth	418	406	12	8	4	.	.	.	.
Meath	277	269	8	7	1	.	.	.	.
Offaly	216	205	11	9	.	2	.	.	.
Westmeath ...	296	294	2	2	.	.	.	.	.
Wexford	382	359	23	23	.	.	.	.	.
Wicklow	312	270	42	33	2	2	5	.	.
PROVINCE OF									
Clare	332	328	4	3	.	.	1	.	.
Cork Co.	949	906	43	40	1	1	1	.	.
Cork Co. Borough ...	764	741	23	16	2	.	5	.	.
Kerry	539	534	5	4	.	1	.	.	.
Limerick Co. ...	389	383	6	3	.	3	.	.	.
Limerick Co. Borough	388	385	3	1	.	2	.	.	.
Tipperary, N.R. ...	249	240	9	7	.	2	.	.	.
Tipperary, S.R. ...	323	319	4	4	.	.	.	.	.
Waterford Co. ...	231	227	4	4	.	.	.	.	.
Waterford Co. Borough ...	141	139	2	1	1	.	.	.	.
PROVINCE OF									
Galway	654	648	6	6	.	.	.	.	.
Leitrim	175	168	7	4	1	1	1	.	.
Mayo	586	578	8	8	.	.	.	.	.
Roscommon ...	306	303	3	3	.	.	.	.	.
Sligo	248	234	14	11	1	2	.	.	.
PROVINCE OF									
Cavan	293	248	45	36	5	4	.	.	.
Donegal	584	479	105	38	63	4	.	.	.
Monaghan ...	264	216	48	25	22	.	1	.	.

COUNTY AND COUNTY BOROUGH DURING 1951.

Total Marriages Registered in the Quarter ending the last day of				MARRIAGES						PROVINCES AND COUNTIES
				Contracted between				Persons not of Full Age		
March	June	Sept.	Dec.	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
3,389	**3,857**	**5,437**	**3,334**	**15,275**	**219**	**423**	**100**	**292**	**1,368**	**TOTAL**
1,639	1,898	3,292	1,773	8,161	123	260	58	173	810	LEINSTER
980	1,109	1,307	909	4,114	59	107	25	82	346	MUNSTER
559	522	472	416	1,914	21	27	7	19	126	CONNACHT
211	328	366	236	1,086	16	29	10	18	86	ULSTER (part of)
LEINSTER										
24	47	59	44	159	4	11	.	5	28	Carlow
904	949	1,799	853	4,289	59	120	37	96	354	Dublin Co. Borough.
65	92	152	74	357	6	17	3	7	30	Dun Laoghaire Borough
123	138	297	145	667	13	20	3	14	58	Dublin Co. (remainder)
52	64	95	67	252	7	16	3	6	38	Kildare
75	64	120	68	317	4	5	1	2	18	Kilkenny
41	43	69	48	191	4	4	2	3	26	Laoighis
25	40	30	35	125	.	3	2	3	11	Longford
78	99	151	90	396	5	15	2	11	56	Louth
33	76	113	55	263	7	6	1	3	34	Meath
35	55	75	51	209	4	3	.	5	26	Offaly
65	58	85	88	281	4	10	1	3	31	Westmeath
82	89	138	73	361	3	17	1	9	59	Wexford
37	84	109	82	294	3	13	2	6	41	Wicklow
MUNSTER										
77	94	92	69	317	6	8	1	2	21	Clare
194	215	316	224	913	16	17	3	11	75	Cork Co.
169	204	261	130	726	11	18	9	21	52	Cork Co. Borough
176	157	100	106	520	6	11	2	6	27	Kerry
80	115	113	81	372	3	12	2	11	29	Limerick Co.
60	106	137	85	376	2	8	2	9	43	Limerick Co. Borough
69	72	65	43	236	3	8	2	5	17	Tipperary, N.R.
78	76	89	80	305	4	11	3	6	38	Tipperary, S.R.
51	43	72	65	217	7	7	.	1	20	Waterford Co.
26	27	62	26	132	1	7	1	10	24	Waterford Co. Borough
CONNACHT										
162	170	196	126	637	10	6	1	4	44	Galway
31	55	49	40	170	2	2	1	.	4	Leitrim
206	164	98	118	573	4	7	2	4	34	Mayo
94	69	67	76	292	4	7	3	4	25	Roscommon
66	64	62	56	242	1	5	.	7	19	Sligo
ULSTER (PART OF)										
52	73	100	68	278	8	6	1	2	19	Cavan
114	157	197	116	558	5	16	5	14	47	Donegal
45	98	69	52	250	3	7	4	2	20	Monaghan

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Age	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Under 1 year ...	**636**	**458**	**1,094**	**1,043**	**739**	**1,782**	**1,679**	**1,197**	**2,876**
1 ...	68	56	124	89	88	177	157	144	301
2 ...	30	23	53	65	46	111	95	69	164
3 ...	19	21	40	34	33	67	53	54	107
4 ...	22	7	29	24	19	43	46	26	72
1—4 years ...	**139**	**107**	**246**	**212**	**186**	**398**	**351**	**293**	**644**
5 ...	9	7	16	20	23	43	29	30	59
6 ...	9	4	13	26	15	41	35	19	54
7 ...	9	7	16	15	10	25	24	17	41
8 ...	9	7	16	14	7	21	23	14	37
9 ...	7	7	14	15	8	23	22	15	37
5—9 years ...	**43**	**32**	**75**	**90**	**63**	**153**	**133**	**95**	**228**
10 ...	4	7	11	14	5	19	18	12	30
11 ...	5	9	14	14	9	23	19	18	37
12 ...	7	4	11	7	13	20	14	17	31
13 ...	5	5	10	7	10	17	12	15	27
14 ...	5	13	18	11	16	27	16	29	45
10—14 years ...	**26**	**38**	**64**	**53**	**53**	**106**	**79**	**91**	**170**
15 ...	7	4	11	19	15	34	26	19	45
16 ...	7	13	20	10	20	30	17	33	50
17 ...	15	8	23	24	15	39	39	23	62
18 ...	11	13	24	23	20	43	34	33	67
19 ...	25	13	38	26	23	49	51	36	87
15—19 years ...	**65**	**51**	**116**	**102**	**93**	**195**	**167**	**144**	**311**
20 ...	14	11	25	30	25	55	44	36	80
21 ...	21	13	34	26	26	52	47	39	86
22 ...	16	18	34	16	34	50	32	52	84
23 ...	14	9	23	36	32	68	50	41	91
24 ...	10	18	28	26	18	44	36	36	72
20—24 years ...	**75**	**69**	**144**	**134**	**135**	**269**	**209**	**204**	**413**
25 ...	17	13	30	30	33	63	47	46	93
26 ...	15	12	27	43	33	76	58	45	103
27 ...	7	9	16	42	28	70	49	37	86
28 ...	19	23	42	28	33	61	47	56	103
29 ...	14	24	38	37	32	69	51	56	107
25—29 years ...	**72**	**81**	**153**	**180**	**159**	**339**	**252**	**240**	**492**

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Age	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
30 ...	20	22	42	39	39	78	59	61	120
31 ...	19	13	32	34	26	60	53	39	92
32 ...	18	25	43	30	27	57	48	52	100
33 ...	19	14	33	33	30	63	52	44	96
34 ...	18	22	40	38	28	66	56	50	106
30—34 years ...	**94**	**96**	**190**	**174**	**150**	**324**	**268**	**246**	**514**
35 ...	23	23	46	41	36	77	64	59	123
36 ...	23	27	50	52	45	97	75	72	147
37 ...	31	21	52	38	55	93	69	76	145
38 ...	22	35	57	60	62	122	82	97	179
39 ...	33	29	62	47	43	90	80	72	152
35—39 years ...	**132**	**135**	**267**	**238**	**241**	**479**	**370**	**376**	**746**
40 ...	35	31	66	80	45	125	115	76	191
41 ...	28	21	49	48	39	87	76	60	136
42 ...	34	28	62	65	56	121	99	84	183
43 ...	33	27	60	44	42	86	77	69	146
44 ...	32	32	64	42	43	85	74	75	149
40—44 years ...	**162**	**139**	**301**	**279**	**225**	**504**	**441**	**364**	**805**
45 ...	44	28	72	74	56	130	118	84	202
46 ...	49	30	79	61	60	121	110	90	200
47 ...	50	32	82	58	40	98	108	72	180
48 ...	59	40	99	86	54	140	145	94	239
49 ...	60	42	102	73	41	114	133	83	216
45—49 years ...	**262**	**172**	**434**	**352**	**251**	**603**	**614**	**423**	**1,037**
50 ...	87	61	148	157	103	260	244	164	408
51 ...	73	51	124	96	86	182	169	137	306
52 ...	83	56	139	100	84	184	183	140	323
53 ...	61	63	124	108	96	204	169	159	328
54 ...	90	63	153	118	101	219	208	164	372
50—54 years ...	**394**	**294**	**688**	**579**	**470**	**1,049**	**973**	**764**	**1,737**
55 ...	100	72	172	121	95	216	221	167	388
56 ...	109	64	173	134	111	245	243	175	418
57 ...	70	66	136	147	82	229	217	148	365
58 ...	100	79	179	131	134	265	231	213	444
59 ...	103	68	171	137	103	240	240	171	411
55—59 years ...	**482**	**349**	**831**	**670**	**525**	**1,195**	**1,152**	**874**	**2,026**

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Age	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
60 ...	159	117	276	236	217	453	395	334	729
61 ...	100	68	168	150	106	256	250	174	424
62 ...	129	94	223	207	148	355	336	242	578
63 ...	142	107	249	210	158	368	352	265	617
64 ...	143	125	268	239	214	453	382	339	721
60—64 years ...	**673**	**511**	**1,184**	**1,042**	**843**	**1,885**	**1,715**	**1,354**	**3,069**
65 ...	160	154	314	330	264	594	490	418	908
66 ...	125	112	237	224	186	410	349	298	647
67 ...	145	131	276	262	198	460	407	329	736
68 ...	177	197	374	361	280	641	538	477	1,015
69 ...	167	119	286	384	286	670	551	405	956
65—69 years ...	**774**	**713**	**1,487**	**1,561**	**1,214**	**2,775**	**2,335**	**1,927**	**4,262**
70 ...	217	246	463	452	374	826	669	620	1,289
71 ...	174	159	333	385	347	732	559	506	1,065
72 ...	186	214	400	559	446	1,005	745	660	1,405
73 ...	156	172	328	547	427	974	703	599	1,302
74 ...	223	208	431	601	483	1,084	824	691	1,515
70—74 years ...	**956**	**999**	**1,955**	**2,544**	**2,077**	**4,621**	**3,500**	**3,076**	**6,576**
75 ...	183	208	391	655	545	1,200	838	753	1,591
76 ...	185	219	404	620	495	1,115	805	714	1,519
77 ...	133	206	339	564	480	1,044	697	686	1,383
78 ...	151	206	357	635	511	1,146	786	717	1,503
79 ...	116	165	281	510	407	917	626	572	1,198
75—79 years ...	**768**	**1,004**	**1,772**	**2,984**	**2,438**	**5,422**	**3,752**	**3,442**	**7,194**
80 ...	134	213	347	661	582	1,243	795	795	1,590
81 ...	103	131	234	453	382	835	556	513	1,069
82 ...	102	133	235	450	390	840	552	523	1,075
83 ...	73	125	198	403	348	751	476	473	949
84 ...	66	129	195	427	355	782	493	484	977
80—84 years ...	**478**	**731**	**1,209**	**2,394**	**2,057**	**4,451**	**2,872**	**2,788**	**5,660**
85 ...	55	74	129	311	288	599	366	362	728
86 ...	52	103	155	265	232	497	317	335	652
87 ...	25	61	86	176	210	386	201	271	472
88 ...	24	48	72	131	168	299	155	216	371
89 ...	28	59	87	107	132	239	135	191	326
85—89 years ...	**184**	**345**	**529**	**990**	**1,030**	**2,020**	**1,174**	**1,375**	**2,549**

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Age	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
90 ...	14	46	60	115	140	255	129	186	315
91 ...	6	18	24	66	73	139	72	91	163
92 ...	10	22	32	56	73	129	66	95	161
93 ...	5	14	19	30	45	75	35	59	94
94 ...	4	10	14	39	47	86	43	57	100
90—94 years ...	**39**	**110**	**149**	**306**	**378**	**684**	**345**	**488**	**833**
95 ...	3	2	5	31	32	63	34	34	68
96 ...	5	5	10	17	27	44	22	32	54
97 ...	1	6	7	11	17	28	12	23	35
98 ...	1	4	5	14	26	40	15	30	45
99 ...	1	3	4	2	8	10	3	11	14
95—99 years ...	**11**	**20**	**31**	**75**	**110**	**185**	**86**	**130**	**216**
100 ...	.	.	.	5	4	9	5	4	9
101 ...	.	.	.	2	2	4	2	2	4
102 ...	.	.	.	1	6	7	1	6	7
103 ...	1	.	1	.	.	.	1	.	1
104 ...	.	.	.	.	1	1	.	1	1
105 ...	.	.	.	.	.	.	.	.	.
106 ...	.	.	.	.	1	1	.	1	1
107 ...	.	.	.	.	.	.	.	.	.
108 ...	.	.	.	.	1	1	.	1	1
100 and over ...	**1**	.	**1**	**8**	**15**	**23**	**9**	**15**	**24**
TOTAL ...	**6,466**	**6,454**	**12,920**	**16,010**	**13,452**	**29,462**	**22,476**	**19,906**	**42,382**

TABLE 18.—DEATHS, CLASSIFIED BY SEX AND AGE,

AREA		Total Deaths	AGE AT								
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5–9	10–14	15–19
TOTAL	**Males** ...	**22,476**	**1,679**	**157**	**95**	**53**	**46**	**2,030**	**133**	**79**	**167**
	Females ...	**19,906**	**1,197**	**144**	**69**	**54**	**26**	**1,490**	**95**	**91**	**144**
	Persons ...	**42,382**	**2,876**	**301**	**164**	**107**	**72**	**3,520**	**228**	**170**	**311**
LEINSTER	Males ...	9,093	852	77	38	34	18	1,019	54	32	75
	Females ...	8,238	616	65	28	25	17	751	50	46	66
	Persons ...	17,331	1,468	142	66	59	35	1,770	104	78	141
MUNSTER	Males ...	7,305	505	47	38	14	17	621	43	35	49
	Females ...	6,392	354	40	28	15	6	443	25	24	46
	Persons ...	13,697	859	87	66	29	23	1,064	68	59	95
CONNACHT	Males ...	3,882	190	20	12	3	5	230	17	10	28
	Females ...	3,364	137	25	4	8	1	175	13	13	21
	Persons ...	7,246	327	45	16	11	6	405	30	23	49
ULSTER (part of)	Males ...	2,196	132	13	7	2	6	160	19	2	15
	Females ...	1,912	90	14	9	6	2	121	7	8	11
	Persons ...	4,108	222	27	16	8	8	281	26	10	26
LEINSTER:											
CARLOW	Males ...	281	22	·	·	1	1	24	3	1	4
	Females ...	226	18	·	·	·	·	18	·	2	4
	Persons ...	507	40	·	·	1	1	42	3	3	8
DUBLIN CO. (excluding Dún Laoghaire Borough)	Males ...	631	93	11	1	9	·	114	11	3	6
	Females ...	555	72	4	4	6	4	90	8	4	7
	Persons ...	1,186	165	15	5	15	4	204	19	7	13
DUBLIN CO. BOROUGH	Males ...	3,054	323	31	13	10	6	383	12	13	23
	Females ...	3,144	243	23	8	7	6	287	20	21	27
	Persons ...	6,198	566	54	21	17	12	670	32	34	50
DUN LAOGHAIRE BOROUGH	Males ...	270	26	·	1	·	2	29	·	1	4
	Females ...	309	16	·	·	·	·	16	·	3	·
	Persons ...	579	42	·	1	·	2	45	·	4	4
KILDARE	Males ...	489	44	7	3	1	1	56	3	3	5
	Females ...	358	37	4	1	·	2	44	2	·	5
	Persons ...	847	81	11	4	1	3	100	5	3	10
KILKENNY	Males ...	531	54	6	4	1	·	65	2	1	4
	Females ...	456	44	5	2	·	·	51	4	3	1
	Persons ...	987	98	11	6	1	·	116	6	4	5
LAOIGHIS	Males ...	425	33	2	3	·	·	38	2	·	2
	Females ...	317	16	2	·	·	·	18	4	·	2
	Persons ...	742	49	4	3	·	·	56	6	·	4
LONGFORD	Males ...	320	30	3	2	·	·	35	·	·	1
	Females ...	273	11	2	3	·	·	16	·	2	·
	Persons ...	593	41	5	5	·	·	51	·	2	1
LOUTH	Males ...	498	38	1	1	5	1	46	5	2	9
	Females ...	431	32	2	·	3	·	37	1	2	3
	Persons ...	929	70	3	1	8	1	83	6	4	12
MEATH	Males ...	526	38	1	2	1	2	44	4	1	1
	Females ...	425	24	2	1	·	·	27	4	3	1
	Persons ...	951	62	3	3	1	2	71	8	4	2
OFFALY	Males ...	434	26	3	2	1	2	34	3	3	4
	Females ...	320	25	3	3	5	1	37	1	·	2
	Persons ...	754	51	6	5	6	3	71	4	3	6
WESTMEATH	Males ...	447	31	4	·	1	1	37	4	2	2
	Females ...	360	17	7	·	1	1	26	·	1	5
	Persons ...	807	48	11	·	2	2	63	4	3	7
WEXFORD	Males ...	750	54	8	5	3	1	71	5	1	7
	Females ...	671	20	7	3	2	3	35	4	4	7
	Persons ...	1,421	74	15	8	5	4	106	9	5	14
WICKLOW	Males ...	437	40	·	1	1	1	43	·	1	3
	Females ...	393	41	4	3	1	·	49	2	1	2
	Persons ...	830	81	4	4	2	1	92	2	2	5

DURING 1951, FOR EACH COUNTY AND COUNTY BOROUGH.

EATH

0–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85–89	90–94	95–99	100 and over
209	**252**	**268**	**370**	**441**	**614**	**973**	**1,152**	**1,715**	**2,335**	**3,500**	**3,752**	**2,872**	**1,174**	**345**	**86**	**9**
204	**240**	**246**	**376**	**364**	**423**	**764**	**874**	**1,354**	**1,927**	**3,076**	**3,442**	**2,788**	**1,375**	**488**	**130**	**15**
413	**492**	**514**	**746**	**805**	**1,037**	**1,737**	**2,026**	**3,069**	**4,262**	**6,576**	**7,194**	**5,660**	**2,549**	**833**	**216**	**24**
92	119	130	179	210	309	459	570	757	1,007	1,389	1,341	885	363	83	19	1
81	107	125	168	162	204	328	425	592	876	1,272	1,307	962	513	158	40	5
173	226	255	347	372	513	787	995	1,349	1,883	2,661	2,648	1,847	876	241	59	6
72	79	68	108	139	184	293	360	595	738	1,164	1,272	967	372	126	18	2
66	76	66	116	119	131	256	259	434	598	1,003	1,157	894	455	178	43	3
138	155	134	224	258	315	549	619	1,029	1,336	2,167	2,429	1,861	827	304	61	5
27	40	44	55	57	73	137	146	232	349	605	721	672	308	90	37	4
39	34	31	61	47	56	115	120	190	274	480	641	621	293	103	33	4
66	74	75	116	104	129	252	266	422	623	1,085	1,362	1,293	601	193	70	8
18	14	26	28	35	48	84	76	131	241	342	418	348	131	46	12	2
18	23	24	31	36	32	65	70	138	179	321	337	311	114	49	14	3
36	37	50	59	71	80	149	146	269	420	663	755	659	245	95	26	5
2	3	2	3	6	8	9	20	14	23	54	54	35	12	4	·	·
2	4	1	4	4	9	15	14	13	24	37	37	22	10	5	·	1
4	7	3	7	10	17	24	34	27	47	91	91	57	22	9	·	1
4	13	11	19	16	34	30	25	46	57	83	72	58	25	4	·	·
7	13	10	10	12	14	21	26	36	53	76	67	51	36	11	2	1
11	26	21	29	28	48	51	51	82	110	159	139	109	61	15	2	1
33	42	49	66	93	133	219	265	336	365	390	345	195	75	14	3	·
30	43	50	78	74	81	139	183	247	365	457	474	335	168	54	11	·
63	85	99	144	167	214	358	448	583	730	847	819	530	243	68	14	·
3	1	3	4	2	9	12	18	25	33	38	48	24	13	2	1	·
1	·	6	6	5	9	13	13	19	33	44	46	50	38	5	2	·
4	1	9	10	7	18	25	31	44	66	82	94	74	51	7	3	·
9	10	6	8	12	18	20	31	35	45	76	65	63	20	4	·	·
2	7	3	6	6	7	12	10	26	37	66	56	40	21	5	3	·
11	17	9	14	18	25	32	41	61	82	142	121	103	41	9	3	·
4	9	8	8	10	12	19	26	37	55	88	96	60	23	3	1	·
3	9	8	9	7	8	14	24	25	49	80	72	53	30	5	1	·
7	18	16	17	17	20	33	50	62	104	168	168	113	53	8	2	·
1	4	7	7	8	13	12	21	26	47	73	70	61	26	6	1	·
5	·	7	6	4	5	12	16	21	32	54	54	43	23	9	2	·
6	4	14	13	12	18	24	37	47	79	127	124	104	49	15	3	·
1	·	4	6	2	6	7	15	21	33	64	56	43	20	3	3	·
1	1	2	5	5	6	5	11	23	16	40	62	41	25	9	2	1
2	1	6	11	7	12	12	26	44	49	104	118	84	45	12	5	1
7	11	12	10	7	18	21	17	35	59	81	74	47	26	7	3	1
8	3	7	4	7	19	16	17	30	46	79	73	48	20	6	4	1
15	14	19	14	14	37	37	34	65	105	160	147	95	46	13	7	2
4	3	5	17	12	8	24	25	31	64	96	92	66	25	3	1	·
4	10	8	2	4	11	14	18	30	37	73	70	69	24	11	4	1
8	13	13	19	16	19	38	43	61	101	169	162	135	49	14	5	1
4	4	6	5	10	5	11	20	35	53	73	67	58	25	11	3	·
1	4	5	8	4	4	15	16	20	30	53	58	30	19	10	3	·
5	8	11	13	14	9	26	36	55	83	126	125	88	44	21	6	·
3	8	3	7	7	17	19	26	29	42	81	86	51	14	7	2	·
3	2	3	8	8	4	21	22	31	36	54	55	47	26	6	2	·
6	10	6	15	15	21	40	48	60	78	135	141	98	40	13	4	·
10	6	7	11	16	17	35	37	52	85	116	141	83	42	8	·	·
12	7	10	15	15	20	21	34	39	72	103	135	83	44	9	2	·
22	13	17	26	31	37	56	71	91	157	219	276	166	86	17	2	·
7	5	7	8	9	11	21	24	35	46	76	75	41	17	7	1	·
2	4	5	7	7	7	10	21	32	46	56	48	50	29	13	2	·
9	9	12	15	16	18	31	45	67	92	132	123	91	46	20	3	·

TABLE 18 (*contd.*)—DEATHS, CLASSIFIED BY SEX AND AGE,

AREA		TOTAL DEATHS	AGE AT								
			Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5–9	10–14	15–19
MUNSTER:											
CLARE	Males ...	700	35	2	2	·	2	41	3	5	2
	Females ...	570	10	2	·	·	·	12	3	2	3
	Persons ...	1,270	45	4	2	·	2	53	6	7	5
CORK CO.	Males ...	2,191	127	11	11	3	4	156	14	9	14
	Females ...	1,930	97	4	6	5	4	116	8	7	18
	Persons ...	4,121	224	15	17	8	8	272	22	16	32
CORK CO. BOROUGH	Males ...	522	43	5	4	1	1	54	2	·	6
	Females ...	508	21	5	1	3	·	30	3	2	4
	Persons ...	1,030	64	10	5	4	1	84	5	2	10
KERRY	Males ...	1,079	82	8	8	·	2	100	1	3	6
	Females ...	951	66	5	3	1	·	75	3	1	6
	Persons ...	2,030	148	13	11	1	2	175	4	4	12
LIMERICK CO.	Males ...	730	61	3	6	4	1	75	5	8	2
	Females ...	663	45	7	3	3	·	58	4	1	1
	Persons ...	1,393	106	10	9	7	1	133	9	9	3
LIMERICK CO. BOROUGH	Males ...	308	23	4	3	4	4	38	2	1	3
	Females ...	328	16	2	4	2	·	24	1	2	2
	Persons ...	636	39	6	7	6	4	62	3	3	5
TIPPERARY, N.R.	Males ...	527	39	3	1	1	1	45	3	3	5
	Females ...	376	22	3	5	·	·	30	·	·	3
	Persons ...	903	61	6	6	1	1	75	3	3	8
TIPPERARY, S.R.	Males ...	596	44	8	3	1	2	58	3	4	4
	Females ...	512	44	9	1	·	1	55	1	6	4
	Persons ...	1,108	88	17	4	1	3	113	4	10	8
WATERFORD CO.	Males ...	424	31	2	·	·	·	33	4	1	5
	Females ...	377	22	1	5	·	1	29	1	2	1
	Persons ...	801	53	3	5	·	1	62	5	3	6
WATERFORD CO. BOROUGH	Males ...	228	20	1	·	·	·	21	6	1	2
	Females ...	177	11	2	·	1	·	14	1	1	4
	Persons ...	405	31	3	·	1	·	35	7	2	6
CONNACHT:											
GALWAY	Males ...	1,185	71	6	6	1	3	87	8	2	12
	Females ...	1,009	58	11	1	2	·	72	4	7	8
	Persons ...	2,194	129	17	7	3	3	159	12	9	20
LEITRIM	Males ...	396	10	3	1	1	1	16	·	1	3
	Females ...	347	4	1	·	1	·	6	1	2	·
	Persons ...	743	14	4	1	2	1	22	1	3	3
MAYO	Males ...	1,162	52	6	3	1	·	62	3	4	7
	Females ...	982	42	7	1	1	1	52	6	3	5
	Persons ...	2,144	94	13	4	2	1	114	9	7	12
ROSCOMMON	Males ...	621	28	2	2	·	·	32	3	1	3
	Females ...	533	14	1	·	4	·	19	1	1	5
	Persons ...	1,154	42	3	2	4	·	51	4	2	8
SLIGO	Males ...	518	29	3	·	·	1	33	3	2	3
	Females ...	493	19	5	2	·	·	26	1	·	3
	Persons ...	1,011	48	8	2	·	1	59	4	2	6
ULSTER (PART OF)											
CAVAN	Males ...	656	37	4	2	1	1	45	4	·	6
	Females ...	552	12	2	2	4	·	20	1	·	4
	Persons ...	1,208	49	6	4	5	1	65	5	·	10
DONEGAL	Males ...	1,093	61	7	3	1	4	76	10	1	8
	Females ...	942	52	8	7	2	1	70	5	6	5
	Persons ...	2,035	113	15	10	3	5	146	15	7	13
MONAGHAN	Males ...	447	34	2	2	·	1	39	5	1	1
	Females ...	418	26	4	·	·	1	31	1	2	2
	Persons ...	865	60	6	2	·	2	70	6	3	3

DURING 1951, FOR EACH COUNTY AND COUNTY BOROUGH.

DEATH

20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85–89	90–94	95–99	100 and over
5	8	9	9	9	10	20	30	36	62	111	155	117	52	14	2	.
11	10	5	10	9	10	20	18	29	50	82	112	105	52	20	7	.
16	18	14	19	18	20	40	48	65	112	193	267	222	104	34	9	.
22	27	18	28	50	51	98	111	190	222	330	388	308	120	30	5	.
14	24	16	27	36	41	70	81	122	190	301	337	295	148	61	18	.
36	51	34	55	86	92	168	192	312	412	631	725	603	268	91	23	.
3	3	7	11	6	18	29	35	67	66	99	68	39	8	1	.	.
4	6	5	12	13	12	19	28	46	50	91	93	59	22	8	1	.
7	9	12	23	19	30	48	63	113	116	190	161	98	30	9	1	.
11	16	15	16	25	27	29	55	71	84	178	196	152	66	26	2	.
6	11	8	25	20	19	41	40	53	71	136	177	144	83	27	5	.
17	27	23	41	45	46	70	95	124	155	314	373	296	149	53	7	.
10	3	5	4	11	16	29	32	54	71	123	126	93	34	22	5	2
7	3	10	10	11	17	25	24	43	68	98	120	88	45	27	.	3
17	6	15	14	22	33	54	56	97	139	221	246	181	79	49	5	5
4	2	4	8	7	16	17	14	37	44	55	25	23	4	3	1	.
7	2	4	7	9	6	18	16	34	34	61	46	40	13	2	.	.
11	4	8	15	16	22	35	30	71	78	116	71	63	17	5	1	.
5	7	4	11	6	13	17	19	32	59	91	91	66	28	19	3	.
8	6	4	5	5	8	16	16	30	37	54	71	42	29	10	2	.
13	13	8	16	11	21	33	35	62	96	145	162	108	57	29	5	.
4	7	1	12	12	14	22	23	51	59	92	114	81	30	5	.	.
1	6	8	12	8	8	19	14	36	48	85	93	63	28	12	5	.
5	13	9	24	20	22	41	37	87	107	177	207	144	58	17	5	.
2	4	1	6	8	12	20	25	35	51	52	77	65	19	4	.	.
3	5	4	7	7	8	17	11	31	39	67	70	38	24	9	4	.
5	9	5	13	15	20	37	36	66	90	119	147	103	43	13	4	.
6	2	4	3	5	7	12	16	22	20	33	32	23	11	2	.	.
5	3	2	1	1	2	11	11	10	11	28	38	20	11	2	1	.
11	5	6	4	6	9	23	27	32	31	61	70	43	22	4	1	.
11	13	12	16	18	21	38	43	70	110	193	211	192	88	27	12	1
20	13	14	21	12	17	41	25	60	79	129	187	169	83	31	16	1
31	26	26	37	30	38	79	68	130	189	322	398	361	171	58	28	2
2	.	5	5	9	7	15	18	35	37	65	81	58	30	8	1	.
3	2	4	9	5	8	14	14	29	38	53	62	52	35	8	1	1
5	2	9	14	14	15	29	32	64	75	118	143	110	65	16	2	1
10	15	18	22	21	18	45	35	62	78	181	218	215	103	29	13	3
7	9	9	18	13	16	30	36	41	68	121	198	206	92	41	10	1
17	24	27	40	34	34	75	71	103	146	302	416	421	195	70	23	4
4	5	6	7	3	15	18	23	38	68	86	126	106	57	15	5	.
4	6	1	7	12	10	11	24	28	45	84	106	113	41	12	3	.
8	11	7	14	15	25	29	47	66	113	170	232	219	98	27	8	.
.	7	3	5	6	12	21	27	27	56	80	85	101	30	11	6	.
5	4	3	6	5	5	19	21	32	44	93	88	81	42	11	3	1
5	11	6	11	11	17	40	48	59	100	173	173	182	72	22	9	1
5	3	9	12	14	14	24	24	46	77	107	129	97	28	8	3	1
8	6	13	8	8	11	13	22	42	62	104	84	90	35	17	3	1
13	9	22	20	22	25	37	46	88	139	211	213	187	63	25	6	2
9	5	13	8	14	19	40	39	53	109	164	215	192	84	27	6	1
6	14	9	19	17	15	34	26	62	83	148	172	163	54	26	6	2
15	19	22	27	31	34	74	65	115	192	312	387	355	138	53	12	3
4	6	4	8	7	15	20	13	32	55	71	74	59	19	11	3	.
4	3	2	4	11	6	18	22	34	34	69	81	58	25	6	5	.
8	9	6	12	18	21	38	35	66	89	140	155	117	44	17	8	.

TABLE 19.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
	All Causes	M.	**22,476**	**1,679**	**157**	**95**	**53**	**46**	**2,030**	**133**
		F.	**19,906**	**1,197**	**144**	**69**	**54**	**26**	**1,490**	**95**
001–138	**I. Infective and Parasitic Diseases**	M.	**1,395**	**77**	**40**	**23**	**17**	**13**	**170**	**25**
		F.	**1,146**	**74**	**48**	**18**	**16**	**7**	**163**	**22**
002	Pulmonary tuberculosis	M.	869	2	1	1	.	2	6	.
		F.	704	2	3	.	.	.	5	2
003	Pleural tuberculosis	M.	22	.	.	.	.	.	.	.
		F.	17	1	.	.	.	.	1	.
004	Primary tuberculosis complex with Symptoms	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
007	Other respiratory tuberculosis	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
008	Tuberculosis, unspecified site	M.	48	1	.	.	.	.	1	.
		F.	47	.	1	.	.	.	1	.
010	Tuberculosis of meninges and central nervous system	M.	122	17	13	10	5	8	53	12
		F.	114	11	15	3	6	3	38	10
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M.	32	2	2	2	4	.	10	1
		F.	28	2	1	2	.	.	5	.
012	Tuberculosis of bones and joints, active or unspecified	M.	32	1	1	.	.	.	2	.
		F.	21	1	1	.	1	.	3	.
013	Late effects of tuberculosis of bones and joints	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
014	Tuberculosis of skin and subcutaneous cellular tissue	M.	1	.	.	.	.	.	.	.
		F.	2	1	.	.	.	.	1	.
015	Tuberculosis of lymphatic system ...	M.	3	.	.	.	.	.	.	.
		F.	3	1	.	.	.	.	1	.
016	Tuberculosis of genito-urinary system ...	M.	20	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.
017	Tuberculosis of adrenal glands	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
018	Tuberculosis of other organs	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
019	Disseminated tuberculosis	M.	29	.	1	3	1	.	5	1
		F.	24	3	1	1	1	1	7	1
020	Congenital syphilis	M.	2	1	.	.	.	.	1	.
		F.	3	3	.	.	.	.	3	.
022	Aneurysm of aorta	M.	16	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
023	Other cardiovascular syphilis	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
025	General paralysis of insane	M.	7	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
026	Other syphilis of central nervous system	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
027	Other forms of late syphilis	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
029	Syphilis, unqualified	M.	6	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
040	Typhoid fever	M.	1	.	.	.	.	.	.	.
		F.	2	.	1	.	.	.	1	.
041	Paratyphoid fever	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
042	Other salmonella infections	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.

Amendment:- The two deaths appearing opposite Code No.00
in above table should be transferred to Code No. 007

DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
79 **91**	**167** **144**	**209** **204**	**252** **240**	**268** **246**	**370** **376**	**441** **364**	**614** **423**	**973** **764**	**1,152** **874**	**1,715** **1,354**	**2,335** **1,927**	**3,500** **3,076**	**3,752** **3,442**	**2,872** **2,788**	**1,614** **2,008**	
23 **31**	**63** **77**	**99** **125**	**98** **135**	**110** **99**	**125** **114**	**115** **75**	**119** **66**	**119** **64**	**101** **43**	**102** **38**	**61** **48**	**38** **29**	**17** **11**	**7** **5**	**3** **1**	**001–138**
1 10	35 48	69 87	78 107	82 82	101 93	86 52	92 47	90 54	72 32	81 30	40 31	23 15	10 7	3 2	. .	002
. .	1 .	. 1	. 3	1 .	. .	1 2	1 1	3 .	3 1	2 .	2 4	5 3	3 1	. .	. .	003
1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	004
. .	. .	. .	. .	. .	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	006
. .	1 .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	007
. .	1 4	4 7	3 4	4 7	3 5	4 6	10 2	3 2	8 1	4 3	. 3	2 1	1 1	. .	. .	008
11 14	16 12	9 18	7 6	6 4	3 5	4 3	. 2	1 .	. .	. 2	. .	. .	. .	. .	. .	010
3 .	2 5	1 2	1 4	1 .	2 2	4 2	1 3	3 2	. .	2 1	1 1	. 1	. .	. .	. .	011
1 .	2 2	4 2	1 2	4 .	4 1	2 2	3 .	2 2	. 3	3 1	1 1	1 1	1 .	1 1	. .	012
. .	. .	1 .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	013
. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	1 .	. .	. .	. .	. .	. .	014
. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. 1	2 .	. .	. 1	. .	015
1 .	. .	2 1	3 .	3 1	. 1	1 2	2 3	2 .	3 .	. .	2 .	1 .	. 1	. .	. .	016
. .	. .	. .	1 .	1 .	. .	. 1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	017
. .	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	018
3 .	2 3	4 3	1 4	4 2	3 .	2 2	1 1	1 1	. .	2 .	. .	. .	. .	. .	. .	019
. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	020
1 .	. .	. .	. .	. .	. .	. .	2 .	2 .	3 .	1 .	2 3	3 .	1 .	1 1	. .	022
. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	. .	023
. .	. .	. .	. .	. .	1 .	. .	. 1	2 .	2 1	2 .	. .	. .	. .	. .	. .	025
. .	. .	. .	. .	. .	. .	. .	. 1	1 .	. .	. .	. .	. .	. .	. .	. .	026
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	027
. .	. .	. .	. .	. .	. .	1 .	3 1	. .	1 1	1 .	. .	. 1	. .	. .	. .	029
. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. 1	. .	. .	. .	. .	040
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	041
. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	042

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		All Ages	Under 1	1	2	3	4	Total under 5	5–9
				AGE AT						
048	Unspecified forms of dysentery	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
049	Food poisoning (infection and intoxication)	M.	1	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
050	Scarlet fever	M.	5	1	1	.	.	1	3	2
		F.	5	.	.	.	.	.	.	3
051	Streptococcal sore throat	M.	3	.	.	.	.	.	.	.
		F.	5	1	.	.	.	.	1	1
052	Erysipelas	M.	1	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
053	Septicaemia and pyaemia	M.	10	2	.	.	1	1	4	.
		F.	17	4	1	1	.	.	6	2
054	Bacterial toxaemia	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
055	Diphtheria	M.	5	.	1	.	.	.	1	1
		F.	3	.	.	1	1	.	2	1
056	Whooping cough	M.	52	39	7	3	2	.	51	1
		F.	56	30	17	5	1	2	55	.
057	Meningococcal infections	M.	13	4	2	.	2	.	8	1
		F.	12	3	3	1	2	1	10	.
061	Tetanus	M.	14	1	.	.	.	.	1	1
		F.	3	.	.	.	.	.	.	.
064	Other bacterial diseases	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M.	7	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
074	Other spirochaetal and leptospirochaetal infections	M.	2	.	.	1	.	.	1	.
		F.	.	.	.	.	.	.	.	.
080	Acute poliomyelitis	M.	7	.	.	1	.	.	1	.
		F.	8	.	.	1	.	.	1	.
081	Late effects of acute poliomyelitis ...	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
082	Acute infectious encephalitis	M.	3	1	.	.	.	.	1	.
		F.	8	.	1	1	1	.	3	.
083	Late effects of acute infectious encephalitis	M.	5	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
085	Measles	M.	19	3	8	2	2	1	16	3
		F.	13	6	2	1	1	.	10	1
087	Chickenpox	M.	2	.	1	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.
088	Herpes zoster	M.	4	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
092	Infectious hepatitis	M.	3	1	.	.	.	.	1	1
		F.	7	.	.	.	.	.	.	1
116	Unspecified forms of malaria	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
130	Infestation with worms of other mixed and unspecified type	M.	2	.	2	.	.	.	2	.
		F.	5	1	1	1	2	.	5	.
132	Actinomycosis	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
134	Other fungus infections	M.	1	1	.	.	.	.	1	.
		F.	4	4	.	.	.	.	4	.
138	Other infective and parasitic diseases ...	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	048
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	049
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	050
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	051
.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	052
.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	
.	.	2	.	.	.	1	.	.	.	.	3	.	.	.	.	053
.	.	.	1	1	1	.	.	.	2	.	1	3	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	054
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	1	.	1	1	.	.	.	.	.	.	.	.	.	057
1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	1	.	2	1	2	.	.	2	.	4	.	.	.	.	061
.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	064
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	3	.	.	2	.	1	.	1	072
.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	074
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	080
1	.	2	1	.	.	1	1	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	081
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	082
2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	083
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	085
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	087
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	1	088
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	092
2	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	116
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	132
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	134
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	138
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
140–239	**II. Neoplasms**	**M.**	**2,483**	**2**	**9**	**7**	**2**	**2**	**22**	**9**
		F.	**2,061**	.	**2**	**1**	**1**	**5**	**9**	**3**
140	Malignant neoplasm of lip	M.	35	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.
141	Malignant neoplasm of tongue	M.	41	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.
142	Malignant neoplasm of salivary gland ...	M.	5	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
143	Malignant neoplasm of floor of mouth ...	M.	8	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
144	Malignant neoplasm of other parts of mouth and mouth unspecified	M.	18	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.
145	Malignant neoplasm of oral mesopharynx. ...	M.	14	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
146	Malignant neoplasm of nasopharynx ...	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
147	Malignant neoplasm of hypopharynx ...	M.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
148	Malignant neoplasm of pharynx, unspecified	M.	46	.	.	.	.	.	.	.
		F.	17	.	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus ...	M.	95	.	.	.	.	.	.	.
		F.	61	.	.	.	.	.	.	.
151	Malignant neoplasm of stomach ...	M.	557	.	.	.	.	.	.	.
		F.	426	.	.	.	.	.	.	.
152	Malignant neoplasm of small intestine, including duodenum	M.	5	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
153	Malignant neoplasm of large intestine, except rectum	M.	282	.	.	.	.	.	.	.
		F.	271	.	.	.	.	.	.	.
154	Malignant neoplasm of rectum	M.	196	.	.	.	.	.	.	.
		F.	99	.	.	.	.	.	.	.
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M.	22	.	.	.	.	.	.	.
		F.	31	.	.	.	.	.	.	.
156	Malignant neoplasm of liver (secondary and unspecified)	M.	84	.	.	.	.	.	.	.
		F.	72	.	.	.	.	.	.	.
157	Malignant neoplasm of pancreas ...	M.	83	.	.	.	.	.	.	.
		F.	54	.	.	.	.	.	.	.
158	Malignant neoplasm of peritoneum ...	M.	8	.	1	.	.	.	1	.
		F.	17	.	.	.	.	2	2	.
159	Malignant neoplasm of unspecified digestive organs	M.	2	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M.	9	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
161	Malignant neoplasm of larynx	M.	44	.	.	.	.	.	.	.
		F.	15	.	.	.	.	.	.	.
162	Malignant neoplasm of trachea, and of bronchus and lung, specified as primary	M.	96	.	.	.	.	.	.	.
		F.	32	.	.	.	.	.	.	.
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M.	117	.	.	.	.	.	.	.
		F.	41	.	.	.	.	.	.	.
164	Malignant neoplasm of mediastinum ...	M.	15	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.
165	Malignant neoplasm of thoracic organs (secondary)	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
170	Malignant neoplasm of breast	M.	5	.	.	.	.	.	.	.
		F.	312	.	.	.	.	.	.	.
171	Malignant neoplasm of cervix uteri ...	M.	.	.	.	.	.	.	.	.
		F.	29	.	.	.	.	.	.	.
172	Malignant neoplasm of corpus uteri ...	M.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
10	**9**	**13**	**26**	**24**	**37**	**71**	**103**	**208**	**212**	**323**	**383**	**481**	**338**	**163**	**51**	**140-**
8	**7**	**10**	**17**	**19**	**47**	**79**	**114**	**181**	**220**	**267**	**311**	**332**	**251**	**140**	**46**	**239**
.	.	.	.	.	.	1	.	.	5	2	5	8	7	6	1	140
.	.	.	.	.	.	1	.	.	.	.	.	2	2	4	.	
.	.	.	1	.	.	.	.	.	1	7	10	9	7	6	.	141
.	.	.	.	.	.	1	.	.	2	1	2	.	3	.	1	
.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	142
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	1	.	.	.	.	2	.	.	3	1	.	1	.	143
.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	
.	.	.	.	.	.	.	1	1	.	2	2	5	3	3	1	144
.	.	.	.	.	.	.	.	1	.	.	1	2	3	3	1	
.	.	.	.	.	.	1	.	1	.	1	2	4	3	1	1	145
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	146
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	147
.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	
.	.	.	.	.	2	1	.	4	3	2	4	11	13	4	2	148
.	.	.	.	.	.	1	1	1	6	2	2	2	1	1	.	
.	.	.	.	.	3	1	3	3	8	21	11	22	14	8	1	150
.	.	.	.	.	.	3	1	8	10	8	7	7	11	4	2	
.	.	1	2	3	4	13	19	46	54	71	96	125	85	29	9	151
.	.	.	1	3	6	6	15	35	39	54	72	97	60	28	10	
.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	1	152
.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	
.	.	2	1	.	4	4	6	15	15	42	50	66	43	25	9	153
.	.	.	2	1	.	4	12	16	30	37	50	45	47	22	5	
.	.	.	.	1	2	2	6	18	21	18	37	42	30	14	5	154
.	.	.	.	.	2	.	6	10	9	9	9	21	18	12	3	
.	.	.	.	.	.	1	2	.	2	4	5	3	4	.	1	155
.	.	.	.	.	.	.	1	2	2	7	9	6	3	1	.	
1	.	.	1	.	3	3	6	8	6	10	12	21	9	3	1	156
.	.	1	.	.	1	3	2	5	8	12	10	14	9	7	.	
.	.	.	.	.	2	3	5	8	9	9	17	13	10	5	2	157
.	.	.	1	.	.	1	3	2	8	9	13	8	3	4	2	
.	.	.	1	1	.	1	.	1	.	1	1	1	.	.	.	158
.	.	.	1	.	.	3	.	4	1	.	3	1	.	1	1	
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	159
.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	
.	.	.	.	.	1	.	1	2	.	.	1	1	1	2	.	160
.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	
.	.	.	.	.	.	.	.	4	3	6	12	11	7	1	.	161
.	.	.	.	.	1	1	3	1	1	1	3	1	3	.	.	
.	.	.	.	1	.	11	2	22	12	20	13	10	3	2	.	162
.	.	.	2	.	1	1	4	1	3	4	7	6	2	1	.	
1	.	.	1	2	3	5	16	17	21	19	13	12	3	3	1	163
.	.	2	2	.	2	1	1	4	6	4	9	8	.	2	.	
.	.	.	.	1	.	1	1	3	5	1	1	.	1	1	.	164
.	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	165
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	170
.	.	.	2	5	18	31	22	42	35	38	32	47	24	12	4	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	171
.	.	.	.	1	1	1	4	3	4	4	4	5	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	172
.	.	.	.	.	.	1	1	2	2	1	1	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	M.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
174	Malignant neoplasm of uterus, unspecified ...	M.	.	.	.	.	.	.	.	.
		F.	109	.	.	.	.	.	.	.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M.	.	.	.	.	.	.	.	.
		F.	59	.	.	.	.	.	.	.
176	Malignant neoplasm of other and unspecified female genital organs	M.	.	.	.	.	.	.	.	.
		F.	14	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M.	163	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M.	8	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs	M.	10	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M.	23	.	.	3	.	1	4	1
		F.	7	.	.	.	.	.	.	.
181	Malignant neoplasm of bladder and other urinary organs	M.	43	.	.	.	.	.	.	.
		F.	19	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M.	4	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin ...	M.	66	.	.	.	.	.	.	.
		F.	33	.	.	.	.	2	2	.
192	Malignant neoplasm of eye	M.	5	.	.	1	.	.	1	.
		F.	3	.	.	.	.	.	.	1
193	Malignant neoplasm of brain and other parts of nervous system	M.	36	.	.	1	1	.	2	2
		F.	16	.	.	.	.	.	.	.
194	Malignant neoplasm of thyroid gland ...	M.	4	.	.	.	.	.	.	.
		F.	18	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone)	M.	35	.	.	.	.	.	.	.
		F.	30	.	.	.	.	.	.	.
197	Malignant neoplasm of connective tissue ...	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M.	102	.	.	.	.	.	.	.
		F.	83	.	.	.	.	.	.	.
200	Lymphosarcoma and reticulosarcoma ...	M.	18	.	.	.	.	.	.	1
		F.	9	.	.	.	.	.	.	.
201	Hodgkin's disease	M.	42	.	.	.	.	.	.	.
		F.	12	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma) ...	M.	4	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M.	64	1	7	2	1	.	11	3
		F.	31	.	2	.	.	.	2	1
205	Mycosis fungoides	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
210	Benign neoplasm of buccal cavity and pharynx	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
212	Benign neoplasm of respiratory system ...	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
214	Uterine fibromyoma	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
215	Other benign neoplasm of uterus ...	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	173
.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	174
.	.	1	2	2	2	4	12	14	13	21	17	6	9	3	3	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	175
.	1	.	1	2	.	2	3	7	7	11	15	7	3	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	176
.	.	.	.	.	.	.	.	.	2	1	4	2	4	1	.	
.	.	.	.	.	.	2	1	5	7	20	28	44	31	18	7	177
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	3	1	1	.	1	.	.	1	.	1	.	.	178
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	.	1	1	.	1	.	2	1	1	1	179
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	.	2	6	2	4	2	.	.	.	.	180
.	.	.	.	.	.	.	1	1	2	2	.	.	1	.	.	
.	.	.	.	.	.	1	4	2	5	8	6	8	5	3	1	181
.	.	.	.	.	.	1	.	2	2	1	2	5	2	2	2	
.	.	1	.	.	1	1	.	.	.	1	.	.	.	.	.	190
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
.	.	1	.	1	1	1	.	5	1	4	8	19	11	10	4	191
.	.	.	.	.	.	.	1	.	.	1	4	4	6	10	5	
.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	192
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
2	.	.	1	2	2	2	6	4	5	3	4	.	1	.	.	193
1	.	.	.	.	2	1	3	2	4	2	.	.	1	.	.	
.	.	.	.	.	1	1	.	.	1	.	1	.	.	.	.	194
.	.	.	.	.	1	1	1	3	1	4	2	.	4	.	1	
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	195
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	2	2	4	2	5	8	4	7	.	196
1	1	2	.	.	.	2	3	1	2	4	1	4	5	4	.	
.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	197
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	198
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	1	1	5	2	.	2	3	2	7	12	12	16	29	8	2	199
.	.	.	.	.	2	.	4	5	8	10	16	12	14	9	3	
.	2	.	.	.	.	1	.	3	2	4	3	1	1	.	.	200
.	2	.	.	.	.	.	1	.	.	.	.	3	2	1	.	
1	1	2	3	2	1	4	7	2	5	7	2	1	4	.	.	201
1	.	2	.	1	1	.	1	1	2	1	1	1	.	.	.	
.	.	.	.	1	1	.	.	.	1	.	.	1	.	.	.	203
.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
3	3	3	2	3	1	2	3	5	2	8	7	7	1	.	.	204
4	1	.	1	2	2	2	3	1	2	2	2	4	1	1	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	205
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	210
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	211
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	212
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	214
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	215
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
216	Benign neoplasm of ovary	M.	.	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.
217	Benign neoplasm of other female genital organs	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M.	1	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands ...	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
228	Haemangioma and lymphangioma ...	M.	3	1	1	.	.	.	2	.
		F.	.	.	.	.	.	.	.	.
229	Benign neoplasm of other and unspecified organs and tissues	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
230	Neoplasm of unspecified nature of digestive organs	M.	8	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.
231	Neoplasm of unspecified nature of respiratory organs	M.	7	.	.	.	.	1	1	.
		F.	2	.	.	.	.	.	.	.
234	Neoplasm of unspecified nature of ovary ...	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	1	.	.	1	.
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M.	33	.	.	.	.	.	.	2
		F.	20	.	.	.	1	1	2	1
238	Neoplasm of unspecified nature of skin and musculoskeletal system	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
239	Neoplasm of unspecified nature of other and unspecified organs	M.	1	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
240–289	**III. Allergic Endocrine System, Metabolic, and Nutritional Diseases**	**M.**	**406**	**11**	.	**2**	**2**	**4**	**19**	**7**
		F.	**314**	**5**	**1**	**2**	**1**	.	**9**	**3**
240	Hay fever	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
241	Asthma	M.	238	1	.	.	1	1	3	2
		F.	121	2	.	.	.	.	2	.
242	Angioneurotic oedema	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
243	Urticaria	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
245	Other allergic disorders	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
250	Simple goitre	M.	1	1	.	.	.	.	1	.
		F.	2	.	.	.	.	.	.	.
252	Thyrotoxicosis with or without goitre ...	M.	5	.	.	.	.	.	.	.
		F.	19	.	.	.	.	.	.	.
253	Myxoedema and cretinism	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	1
254	Other diseases of thyroid gland	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
260	Diabetes mellitus	M.	114	.	.	.	.	.	.	2
		F.	134	.	.	.	.	.	.	.
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
271	Diseases of parathyroid gland	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
272	Diseases of pituitary gland	M.	2	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	1
273	Diseases of thymus gland	M.	9	6	.	1	1	.	8	.
		F.	4	2	.	.	.	.	2	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	216
.	.	.	.	1	.	1	.	1	1	1	1	.	2	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	217
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	219
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	223
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	224
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	228
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	229
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	1	.	1	.	3	1	1	.	1	.	230
.	.	.	.	.	.	.	.	.	.	.	1	4	1	2	.	
.	.	.	.	.	.	.	.	1	2	.	1	1	1	.	.	231
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	234
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	236
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	2	1	4	1	1	1	4	9	.	4	1	.	1	.	.	237
.	1	2	1	.	2	1	1	1	1	4	3	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	238
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	239
.	.	.	.	.	.	1	.	2	.	1	.	1	.	.	.	
3	**2**	**4**	**8**	**4**	**7**	**16**	**28**	**36**	**36**	**45**	**49**	**66**	**44**	**23**	**9**	**240-**
1	**2**	**3**	**6**	**5**	**6**	**13**	**12**	**33**	**31**	**27**	**44**	**62**	**42**	**9**	**6**	**289**
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	240
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	1	4	9	18	24	29	31	33	37	29	12	4	241
.	.	2	4	1	2	5	3	14	12	10	20	26	14	5	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	242
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	243
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	245
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	250
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	.	.	2	1	.	.	.	.	252
.	.	.	.	.	.	.	4	4	5	3	2	.	1	.	.	
.	.	1	.	.	1	.	.	.	.	.	1	.	.	.	.	253
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	254
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	1	4	3	2	2	9	8	4	8	10	27	15	11	5	260
.	1	1	.	1	2	7	1	13	11	13	19	34	24	2	5	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	270
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	271
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	272
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	273
.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
274	Diseases of adrenal glands	M.	13	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.
277	Polyglandular dysfunction and other diseases of endocrine glands	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
280	Beriberi	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
282	Scurvy	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
283	Active rickets	M.	3	3	.	.	.	.	3	.
		F.	2	1	.	.	.	.	1	.
286	Other avitaminoses and nutritional deficiency states	M.	11	.	.	1	.	3	4	3
		F.	10	.	1	2	1	.	4	1
287	Obesity, not specified as of endocrine origin...	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
288	Gout	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
289	Other metabolic diseases	M.	1	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
290-299	**IV. Diseases of the Blood and Blood-forming Organs.**	**M.**	**143**	**4**	**1**	.	**3**	**3**	**11**	**4**
		F.	**201**	**7**	**1**	**1**	.	.	**9**	**2**
290	Pernicious and other hyperchronic anaemias	M.	64	.	.	.	.	.	.	.
		F.	96	.	.	1	.	.	1	.
291	Iron deficiency anaemias (hyperchronic anaemias)	M.	4	.	.	.	.	.	.	1
		F.	5	2	.	.	.	.	2	.
292	Other anaemias of specified type ...	M.	10	.	.	.	2	.	2	.
		F.	9	.	.	.	.	.	.	.
293	Anaemia of unspecified type	M.	39	.	1	.	.	.	1	1
		F.	65	2	1	.	.	.	3	1
294	Polycythaemia	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
295	Haemophilia	M.	1	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
296	Purpura and other haemorrhagic conditions	M.	17	4	.	.	1	3	8	1
		F.	13	2	.	.	.	.	2	1
297	Agranulocytosis	M.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
298	Diseases of spleen	M.	6	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.
299	Other diseases of blood and blood-forming organs	M.	.	.	.	.	.	.	.	.
		F.	1	1	.	.	.	.	1	.
300-326	**V. Mental, Psychoneurotic and Personality Disorders**	**M.**	**82**	**5**	**1**	**1**	**1**	.	**8**	**1**
		F.	**72**	**1**	**1**	.	.	.	**2**	**1**
300	Schizophrenic disorders (dementia praecox)...	M.	2	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
301	Manic-depressive reaction	M.	19	.	.	.	.	.	.	.
		F.	15	.	.	.	.	.	.	.
302	Involutional melancholia	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
303	Paranoia and paranoid states	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
304	Senile psychosis	M.	27	.	.	.	.	.	.	.
		F.	32	.	.	.	.	.	.	.
305	Presenile psychosis	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
306	Psychosis with cerebral arteriosclerosis ...	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	1	2	.	.	2	.	1	1	3	3	.	.	.	.	274
.	.	.	.	1	.	.	2	1	.	.	2	2	1	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	277
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	280
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	282
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	283
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	286
1	.	.	.	.	.	.	.	1	.	.	.	.	2	1	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	287
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	288
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	289
.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	
2	**1**	.	.	**3**	**5**	**6**	**4**	**6**	**13**	**18**	**28**	**17**	**16**	**6**	**3**	**290-**
2	**2**	**3**	**3**	**2**	**6**	**6**	**11**	**16**	**16**	**20**	**34**	**40**	**17**	**7**	**5**	**299**
.	.	.	.	1	1	2	3	3	4	12	16	10	8	2	2	290
.	.	.	1	.	1	1	7	5	9	16	18	23	9	5	.	
.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	291
.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	
.	1	.	.	.	2	.	.	1	.	1	2	1	.	.	.	292
.	.	.	1	.	1	1	.	1	.	.	3	1	1	.	.	
.	.	.	.	1	1	3	1	1	7	2	7	3	6	4	1	293
.	.	.	1	.	4	2	2	6	6	3	11	13	6	2	5	
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	294
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	295
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	.	.	.	.	1	2	1	1	1	.	.	296
2	1	.	.	1	.	1	.	3	.	.	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	297
.	1	.	.	.	.	1	.	.	.	1	.	1	.	.	.	
1	.	.	.	.	1	.	.	.	.	.	2	1	1	.	.	298
.	.	3	.	1	.	.	2	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	299
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	**2**	**3**	**1**	**1**	**1**	**2**	**5**	**5**	**3**	**7**	**13**	**9**	**12**	**8**	**1**	**300-**
2	**1**	**1**	**1**	**4**	**1**	**3**	**6**	**4**	**5**	.	**8**	**6**	**8**	**10**	**9**	**326**
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	300
.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	1	1	1	1	1	3	9	1	1	.	.	301
.	.	1	1	2	.	1	3	2	2	.	3	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	302
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	303
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	8	10	8	1	304
.	.	.	.	.	.	.	.	.	.	.	2	4	8	10	8	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	305
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	306
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
307	Alcoholic psychosis	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
308	Psychosis of other demonstrable etiology ...	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
309	Other and unspecified psychoses	M.	12	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.
311	Hysterical reaction without mention of anxiety reaction	M.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
318	Psychoneurotic disorders, other, mixed, and unspecified types	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
322	Alcoholism	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
323	Other drug addict	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
325	Mental deficiency	M.	14	5	1	1	1	.	8	1
		F.	7	1	1	.	.	.	2	1
330–398	**VI. Diseases of the Nervous System and Sense Organs**	**M.**	**1,838**	**35**	**18**	**11**	**1**	**2**	**67**	**12**
		F.	**2,067**	**12**	**10**	**9**	**4**	**3**	**38**	**4**
330	Subarachnoid haemorrhage	M.	24	.	1	.	.	.	1	.
		F.	25	.	.	.	.	.	.	.
331	Cerebral haemorrhage	M.	692	5	1	.	.	.	6	.
		F.	875	1	.	.	.	.	1	.
332	Cerebral embolism and thrombosis ...	M.	397	.	.	.	.	.	.	.
		F.	428	.	.	1	.	.	1	1
334	Other and ill-defined vascular lesions affecting central nervous system	M.	247	2	.	.	.	.	2	.
		F.	337	.	.	.	.	.	.	.
340	Meningitis, except meningococcal and tuberculous	M.	55	19	8	4	1	2	34	7
		F.	37	6	5	4	2	3	20	2
342	Intracranial and intraspinal abscess ...	M.	5	.	.	.	.	.	.	.
		F.	4	1	1	.	.	.	2	1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	11	.	.	1	.	.	1	.
		F.	16	.	.	2	2	.	4	.
344	Late effects of intracranial abscess or pyogenic infection	M.	16	4	4	3	.	.	11	.
		F.	7	3	.	.	.	.	3	.
345	Multiple sclerosis	M.	38	.	.	.	.	.	.	.
		F.	24	.	.	.	.	.	.	.
350	Paralysis agitans	M.	65	.	.	.	.	.	.	.
		F.	44	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis ...	M.	6	1	.	.	.	.	1	.
		F.	8	.	2	.	.	.	2	.
352	Other cerebral paralysis	M.	164	.	.	.	.	.	.	.
		F.	192	.	.	.	.	.	.	.
353	Epilepsy	M.	52	.	1	3	.	.	4	3
		F.	36	.	1	2	.	.	3	.
355	Other diseases of brain.	M.	19	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.
356	Motor neurone disease and muscular atrophy	M.	19	.	.	.	.	.	.	.
		F.	12	.	.	.	.	.	.	.
357	Other diseases of spinal cord	M.	5	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
361	Trigeminal neuralgia	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
362	Brachial neuritis	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	307
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	308
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	2	1	.	.	.	3	1	1	1	2	.	.	.	.	309
.	.	.	.	.	.	1	2	1	1	.	1	1	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	311
.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	315
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	318
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	322
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	323
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	1	1	.	1	.	1	1	.	.	.	.	.	.	.	.	325
2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
5	**17**	**13**	**17**	**20**	**23**	**32**	**51**	**79**	**99**	**164**	**239**	**347**	**354**	**212**	**87**	**330-**
6	**8**	**10**	**9**	**26**	**20**	**32**	**40**	**113**	**126**	**209**	**274**	**389**	**401**	**250**	**112**	**398**
.	2	.	.	1	5	2	3	2	3	.	2	3	.	.	.	330
.	2	.	1	3	1	4	4	2	5	.	1	2	.	.	.	
1	.	2	2	1	6	12	19	29	40	69	103	139	145	88	30	331
.	.	.	2	5	9	10	12	59	62	115	131	156	162	110	41	
.	1	.	.	1	.	.	5	14	18	35	53	80	100	67	23	332
.	1	.	.	4	2	2	8	13	23	33	49	83	103	68	37	
.	.	1	.	1	.	2	5	10	11	23	36	66	48	27	15	334
1	.	.	.	1	1	.	6	10	12	38	44	85	75	45	19	
.	7	2	1	1	1	.	1	.	.	1	.	.	.	.	.	340
3	2	4	.	1	1	1	.	.	.	1	.	2	.	.	.	
.	.	.	1	.	1	.	1	1	.	.	.	.	.	.	1	342
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	3	2	1	.	1	.	.	2	.	343
.	1	.	.	1	1	.	.	3	2	.	3	.	1	.	.	
1	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.	344
.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	
.	.	.	2	8	2	5	3	4	1	7	5	1	.	.	.	345
.	.	.	2	6	1	2	3	6	2	1	.	.	1	.	.	
.	.	.	.	.	1	.	2	4	5	9	12	16	8	4	4	350
.	.	.	.	.	.	1	1	2	1	4	10	10	8	5	2	
.	1	.	.	.	.	.	1	.	.	1	.	1	.	1	.	351
.	.	1	.	1	.	.	.	2	.	.	.	.	1	.	1	
.	.	.	1	.	1	2	.	7	13	14	17	34	45	16	14	352
2	.	1	.	2	1	3	3	10	7	11	30	45	44	21	12	
2	4	8	6	4	6	4	3	3	1	.	1	.	1	2	.	353
.	2	4	4	1	2	4	2	2	5	1	3	2	1	.	.	
.	.	.	1	.	.	2	3	1	3	.	2	2	3	2	.	355
.	.	.	.	.	1	1	.	.	1	.	1	1	2	.	.	
.	.	.	.	2	.	1	2	2	2	1	1	5	3	.	.	356
.	.	.	.	.	.	1	1	3	3	2	1	.	1	.	.	
.	.	.	1	1	.	.	.	.	.	2	.	.	.	1	.	357
.	.	.	.	.	.	2	.	.	1	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	361
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	362
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		All Ages	Under 1	1	2	3	4	Total under 5	5–9
				AGE AT						
363	Sciatica	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
364	Polyneuritis and polyradiculitis	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
365	Erythroedema polyneuritica	M.	2	1	1	.	.	.	2	.
		F.	1	1	.	.	.	.	1	.
366	Other and unspecified forms of neuralgia and neuritis	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
367	Other diseases of cranial nerves	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
368	Other diseases of peripheral nerves except autonomic	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
379	Other inflammatory diseases of eye ...	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
385	Cataract	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
388	Other diseases of eye	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
389	Blindness	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis	M.	9	2	.	.	.	.	2	1
		F.	2	.	1	.	.	.	1	.
393	Mastoiditis without mention of otitis media	M.	6	1	2	.	.	.	3	1
		F.	.	.	.	.	.	.	.	.
400–468	**VII. Diseases of the Circulatory System** ...	**M.**	**6,839**	**4**	**1**	**3**	**1**	**1**	**10**	**7**
		F.	**5,990**	**3**	**2**	**1**	**1**	**1**	**8**	**10**
400	Rheumatic fever without mention of heart involvement	M.	3	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
401	Rheumatic fever with heart involvement ...	M.	32	.	.	.	.	1	1	2
		F.	40	.	1	.	.	.	1	2
402	Chorea	M.	1	.	.	.	.	.	.	1
		F.	1	.	.	.	.	.	.	.
410	Diseases of mitral valve	M.	120	1	.	.	.	.	1	.
		F.	154	.	.	.	.	.	.	1
411	Diseases of aortic valve specified as rheumatic	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
412	Diseases of tricuspid valve	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
413	Diseases of pulmonary valve specified as rheumatic	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic ...	M.	28	.	.	.	.	.	.	.
		F.	33	.	.	.	.	.	.	1
415	Other myocarditis specified as rheumatic ...	M.	16	.	.	.	.	.	.	.
		F.	16	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic ...	M.	22	.	.	.	.	.	.	1
		F.	15	.	.	.	.	.	.	1
420·0	Arteriosclerotic heart disease so described ...	M.	31	.	.	.	.	.	.	.
		F.	13	.	.	.	.	.	.	.
420·1	Heart disease specified as involving coronary arteries	M.	1,431	.	.	.	.	.	.	.
		F.	692	.	.	.	.	.	.	.
420·2	Angina pectoris without mention of coronary disease	M.	84	.	.	.	.	.	.	.
		F.	48	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M.	408	.	.	.	.	.	.	1
		F.	345	.	.	.	.	.	.	2
422·0	Fatty degeneration	M.	17	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.

TIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

EATH																Detailed International List No.
)–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	363
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	364
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	365
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	366
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	367
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	368
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	379
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	385
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	388
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	389
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	391
1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	393
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	**11**	**12**	**26**	**35**	**55**	**86**	**150**	**264**	**396**	**595**	**930**	**1,435**	**1,457**	**929**	**435**	**400–**
16	**9**	**17**	**33**	**31**	**65**	**64**	**91**	**220**	**244**	**474**	**703**	**1,223**	**1,303**	**889**	**590**	**468**
.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	400
1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	
1	1	.	4	2	2	4	.	.	3	3	3	5	1	.	.	401
8	3	1	.	4	2	3	2	2	1	3	3	3	2	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	402
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	2	.	3	4	7	3	7	14	9	16	19	16	12	7	410
2	1	3	7	8	8	10	6	9	9	16	12	25	18	9	10	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	411
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	412
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	413
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	1	1	5	1	2	1	8	3	4	.	414
.	.	1	5	.	3	1	2	2	1	4	1	5	5	2	.	
.	.	.	.	.	.	.	1	.	.	1	4	5	4	.	1	415
.	1	.	.	.	.	1	1	1	1	4	.	4	2	.	1	
1	.	1	1	1	.	1	.	4	2	1	4	1	3	1	.	416
.	1	.	1	.	2	.	6	.	1	.	1	1	1	.	.	
.	.	.	.	.	.	1	.	.	4	4	9	6	3	2	2	420·0
.	.	.	.	.	1	.	.	1	.	.	2	4	1	2	2	
.	1	3	4	8	15	28	65	108	140	194	248	300	190	92	35	420·1
.	.	1	1	3	5	14	12	45	53	82	133	128	135	52	28	
.	.	.	.	.	2	.	4	5	9	14	20	17	9	2	2	420·2
.	.	.	.	.	1	2	2	3	4	8	9	10	5	3	1	
1	2	.	1	5	7	12	8	19	24	34	68	81	86	43	16	421
1	2	4	4	7	6	3	7	18	16	38	54	68	74	26	15	
.	.	.	.	.	.	1	2	3	2	1	4	2	2	.	.	422·0
.	.	.	.	.	.	.	.	2	1	2	2	3	.	1	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
422·1	Myocardial degeneration with arteriosclerosis	M.	320	.	.	.	.	.	.	.
		F.	220	.	.	.	.	.	.	.
422·2	Other myocardial degeneration	M.	2,818	1	.	.	.	.	1	2
		F.	2,906	1	.	.	.	.	1	1
430	Acute and subacute endocarditis	M.	17	.	.	.	.	.	.	.
		F.	10	.	.	1	.	.	1	1
431	Acute myocarditis not specified as rheumatic	M.	14	.	.	.	.	.	.	.
		F.	16	.	.	.	.	.	.	.
432	Acute pericarditis specified as non-rheumatic	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
433	Functional disease of heart	M.	276	.	.	.	.	.	.	.
		F.	312	.	.	.	.	.	.	.
434	Other and unspecified diseases of heart ...	M.	390	2	.	2	1	.	5	.
		F.	330	2	1	.	1	1	5	1
440	Essential benign hypertension with heart disease	M.	1	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
441	Essential malignant hypertension with heart disease	M.	6	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar nephrosclerosis	M.	7	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.
443	Other and unspecified hypertensive heart disease	M.	237	.	.	.	.	.	.	.
		F.	238	.	.	.	.	.	.	.
444	Essential benign hypertension without mention of heart	M.	77	.	.	.	.	.	.	.
		F.	109	.	.	.	.	.	.	.
445	Essential malignant hypertension without mention of heart	M.	18	.	.	.	.	.	.	.
		F.	13	.	.	.	.	.	.	.
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M.	14	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.
447	Other hypertensive disease without mention of heart	M.	103	.	1	.	.	.	1	.
		F.	127	.	.	.	.	.	.	.
450	General arteriosclerosis	M.	233	.	.	.	.	.	.	.
		F.	215	.	.	.	.	.	.	.
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	M.	3	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
452	Other aneurysm, except of heart and aorta ...	M.	8	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
453	Peripheral vascular disease	M.	6	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
454	Arterial embolism and thrombosis ...	M.	7	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.
455	Gangrene of unspecified cause	M.	46	.	.	.	.	.	.	.
		F.	42	.	.	.	.	.	.	.
456	Other diseases of arteries	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
460	Varicose veins of lower extremities ...	M.	3	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
461	Haemorrhoids	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
462	Varicose veins of other specified sites ...	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
463	Phlebitis and thrombophlebitis of lower extremities	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
464	Phlebitis and thrombophlebitis of other sites	M.	6	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
465	Pulmonary embolism and infarction ...	M.	16	.	.	1	.	.	1	.
		F.	13	.	.	.	.	.	.	.
466	Other venous embolism and thrombosis ...	M.	5	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	1	5	6	21	47	68	85	54	33	422·1
.	.	.	.	.	1	.	.	3	2	13	20	44	51	46	40	
1	.	.	6	4	14	18	30	46	93	169	315	610	710	544	255	422·2
3	.	3	5	4	14	12	27	62	89	162	265	626	708	540	384	
1	1	.	3	1	2	2	2	1	.	1	1	2	.	.	.	430
.	.	.	1	.	1	1	.	1	1	2	1	.	.	.	.	
.	.	.	.	.	.	.	.	3	.	2	.	4	3	2	.	431
.	1	1	.	1	1	1	.	1	1	.	2	4	1	1	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	432
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	1	1	.	3	.	1	4	5	14	29	34	64	70	39	11	433
.	.	1	2	1	3	2	9	18	8	31	38	62	77	43	17	
.	2	.	5	5	4	6	6	18	28	38	62	80	79	36	16	434
1	.	1	1	1	5	4	7	11	18	32	53	65	62	46	17	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	440
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
.	.	.	.	.	.	1	2	1	.	1	.	.	1	.	.	441
.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	2	4	.	.	442
.	.	.	.	.	.	.	.	.	1	1	.	.	1	3	2	
.	.	.	.	.	.	.	3	9	24	25	43	46	47	28	12	443
.	.	.	2	.	1	3	.	13	5	20	43	59	51	28	13	
.	.	.	.	.	.	.	4	6	5	9	9	19	17	6	2	444
.	.	.	.	.	1	.	2	5	9	21	16	20	19	10	6	
.	.	.	.	2	1	1	4	3	4	1	1	1	.	.	.	445
.	.	1	1	1	2	.	3	1	.	1	3	.	.	.	.	
.	.	.	.	.	.	.	.	2	1	.	1	4	3	2	1	446
.	.	.	.	.	1	.	1	2	1	.	.	2	2	1	1	
.	.	1	.	.	.	1	3	6	10	11	14	21	26	8	1	447
.	.	.	.	.	1	4	1	7	15	19	20	18	25	14	3	
.	.	.	.	.	1	.	1	4	4	13	19	52	74	39	26	450
.	.	.	.	.	.	.	1	4	3	6	15	52	50	47	37	
.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	451
.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	
1	.	2	1	.	1	.	1	.	1	.	.	1	.	.	.	452
.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	
.	1	.	.	.	.	.	.	1	1	3	.	.	.	.	.	453
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	2	1	2	.	1	454
.	.	.	.	.	1	.	.	1	.	.	.	2	.	2	1	
.	.	.	.	.	.	.	.	.	.	2	1	6	13	13	11	455
.	.	.	.	.	.	.	.	2	.	2	2	8	7	13	8	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	456
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	460
.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	461
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	462
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	463
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	.	1	.	2	1	.	.	464
.	.	.	1	.	.	.	.	1	.	1	1	.	.	.	1	
.	.	1	.	.	.	.	2	1	3	2	1	2	.	1	2	465
.	.	.	.	.	2	2	.	1	1	2	2	3	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	466
.	.	.	.	.	.	.	.	1	.	.	1	2	1	.	1	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		All Ages	Under 1	1	2	3	4	Total under 5	5–9
				AGE AT						
467	Other diseases of circulatory system ...	M.	3	·	·	·	·	·	·	·
		F.	7	·	·	·	·	·	·	·
468	Certain diseases of lymph nodes and lymph channels	M.	1	·	·	·	·	·	·	·
		F.	1	·	·	·	·	·	·	·
470–527	**VIII. Diseases of the Respiratory System ...**	**M.**	**2,880**	**272**	**46**	**17**	**7**	**7**	**349**	**19**
		F.	**2,769**	**195**	**46**	**17**	**15**	**3**	**276**	**13**
470	Acute nasopharyngitis (common cold) ...	M.	1	·	·	·	·	·	·	·
		F.	1	1	·	·	·	·	1	·
471	Acute sinusitis	M.	1	1	·	·	·	·	1	·
		F.	·	·	·	·	·	·	·	·
472	Acute pharyngitis	M.	4	3	·	·	·	·	3	·
		F.	1	·	·	·	·	·	·	·
473	Acute tonsillitis	M.	3	·	·	·	·	·	·	1
		F.	1	·	·	·	·	·	·	1
474	Acute laryngitis and tracheitis	M.	5	2	1	·	·	1	4	·
		F.	·	·	·	·	·	·	·	·
475	Acute upper respiratory infection of multiple or unspecified sites	M.	8	7	·	·	1	·	8	·
		F.	8	8	·	·	·	·	8	·
480	Influenza with pneumonia	M.	278	12	·	·	·	·	12	1
		F.	288	8	·	·	·	1	9	1
481	Influenza with other respiratory manifestations, and influenza unqualified	M.	821	11	4	1	·	·	16	4
		F.	1,000	15	5	·	2	1	23	1
482	Influenza with digestive manifestations, but without respiratory symptoms	M.	8	·	2	·	·	·	2	·
		F.	4	·	·	·	·	·	·	·
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M.	·	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·
490	Lobar pneumonia	M.	114	22	3	·	·	·	25	1
		F.	86	11	4	1	2	·	18	·
491	Bronchopneumonia	M.	396	128	18	7	4	3	160	9
		F.	400	104	21	6	10	1	142	4
492	Primary atypical pneumonia	M.	21	2	1	1	·	·	4	·
		F.	14	3	1	·	·	·	4	·
493	Pneumonia, other and unspecified ...	M.	208	47	11	5	1	·	64	1
		F.	182	26	12	5	·	·	43	1
500	Acute bronchitis	M.	88	13	2	2	·	·	17	·
		F.	108	3	1	1	·	·	5	1
501	Bronchitis unqualified	M.	328	13	4	1	·	2	20	·
		F.	267	6	1	3	·	·	10	2
502	Chronic bronchitis	M.	400	·	·	·	·	·	·	·
		F.	261	1	1	·	·	·	2	·
510	Hypertrophy of tonsils and adenoids ...	M.	1	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·
511	Peritonsillar abscess (quinsy)	M.	3	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·
513	Chronic sinusitis	M.	2	·	·	·	·	·	·	·
		F.	3	1	·	·	·	·	1	·
517	Other diseases of upper respiratory tract ...	M.	4	1	·	·	·	·	1	·
		F.	2	·	·	·	·	·	·	·
518	Empyema	M.	15	1	·	·	·	·	1	·
		F.	3	1	·	·	·	·	1	·
519	Pleurisy	M.	18	·	·	·	·	·	·	·
		F.	11	1	·	·	1	·	2	·
520	Spontaneous pneumothorax	M.	5	·	·	·	·	·	·	·
		F.	1	·	·	·	·	·	·	·
521	Abscess of lung	M.	9	·	·	·	·	·	·	1
		F.	4	·	·	·	·	·	·	1

TIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

ATH -14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	Detailed International List No.
.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	467
.	.	.	.	.	2	1	1	.	1	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	468
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
9	**13**	**14**	**17**	**11**	**26**	**24**	**59**	**117**	**144**	**240**	**325**	**476**	**526**	**346**	**165**	**470-**
5	**8**	**7**	**12**	**14**	**28**	**37**	**26**	**56**	**92**	**177**	**300**	**497**	**580**	**396**	**245**	**527**
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	470
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	471
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	472
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	473
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	474
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	475
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	4	1	.	3	5	5	20	12	23	31	54	54	36	14	480
1	2	4	.	2	6	2	2	7	13	26	22	62	78	26	25	
3	2	1	4	3	7	3	12	17	37	59	76	161	209	145	62	481
2	1	1	1	4	8	12	11	11	19	67	113	191	249	182	104	
.	.	.	.	.	.	.	.	.	.	1	3	.	1	.	1	482
.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	483
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	1	2	1	1	1	1	8	6	12	14	15	16	3	4	490
.	1	.	3	1	1	3	2	4	6	4	10	13	7	9	4	
1	2	1	2	3	6	1	8	9	14	21	27	48	44	19	21	491
.	1	.	1	2	2	2	2	3	9	16	36	51	61	42	26	
.	1	.	.	.	.	1	.	3	1	2	.	2	6	.	1	492
.	.	.	.	.	.	.	.	.	.	1	1	3	3	.	2	
.	.	2	.	.	1	2	6	10	11	13	21	30	23	17	7	493
2	2	1	3	2	3	3	1	6	6	13	15	29	23	19	10	
.	1	.	1	.	.	.	.	.	3	7	6	10	25	12	6	500
.	.	.	.	1	.	2	2	5	1	5	12	24	21	16	13	
1	2	2	3	.	1	1	1	12	12	30	50	57	67	53	16	501
.	.	1	2	.	2	4	4	6	14	13	30	56	56	38	29	
.	.	.	2	1	2	2	18	26	29	56	68	73	67	38	18	502
.	.	.	1	2	4	5	2	7	19	23	38	47	57	37	17	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	510
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	511
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	513
.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	517
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
.	.	.	2	.	.	3	2	1	1	1	1	1	1	.	1	518
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
.	.	.	.	1	2	.	1	2	2	.	4	4	1	.	1	519
.	.	.	.	.	.	1	.	1	1	1	1	2	.	2	.	
.	.	2	.	.	.	.	.	1	2	.	.	.	.	.	.	520
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	1	.	1	1	.	1	1	1	1	1	.	.	521
.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTE

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
522	Pulmonary congestion and hypostasis ...	M.	85	6	.	.	1	.	7	.
		F.	95	4	.	1	.	.	5	1
525	Other chronic interstitial pneumonia ...	M.	6	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
526	Bronchiectasis	M.	27	.	.	.	.	.	.	1
		F.	14	.	.	.	.	.	.	.
527	Other diseases of lung and pleural cavity ...	M.	21	3	.	.	.	1	4	.
		F.	12	2	.	.	.	.	2	.
530–587	**IX. Diseases of the Digestive System** ...	**M.**	**708**	**114**	**10**	**7**	**5**	**6**	**142**	**10**
		F.	**465**	**80**	**11**	**6**	**4**	**3**	**104**	**9**
532	Other inflammatory diseases of supporting structures of teeth	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
533	Disorders of occlusion, eruption and tooth development	M.	1	1	.	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.
536	Stomatitis	M.	8	6	.	1	.	.	7	.
		F.	3	2	.	.	.	.	2	.
538	Other diseases of buccal cavity	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
539	Diseases of oesophagus	M.	3	1	.	.	.	.	1	.
		F.	2	.	.	.	.	.	.	.
540	Ulcer of stomach	M.	135	.	.	.	.	.	.	.
		F.	55	.	.	.	.	.	.	.
541	Ulcer of duodenum	M.	76	.	.	.	.	.	.	.
		F.	13	.	.	.	.	.	.	.
542	Gastrojejunal ulcer	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
543	Gastritis and duodenitis	M.	25	10	.	2	.	.	12	.
		F.	20	3	1	.	.	1	5	.
544	Disorders of function of stomach ...	M.	5	3	.	.	.	1	4	.
		F.	10	5	1	1	.	.	7	.
545	Other diseases of stomach and duodenum ...	M.	18	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.
550	Acute appendicitis	M.	35	.	2	1	2	1	6	2
		F.	18	.	.	.	.	.	.	3
551	Appendicitis unqualified	M.	6	.	.	.	.	2	2	1
		F.	5	.	1	.	.	.	1	.
552	Other appendicitis	M.	.	.	.	.	.	.	.	.
		F.	1	1	.	.	.	.	1	.
560	Hernia of abdominal cavity without mention of obstruction	M.	8	1	.	.	.	.	1	.
		F.	5	1	.	.	.	.	1	.
561	Hernia of abdominal cavity with obstruction	M.	36	2	.	.	.	.	2	.
		F.	37	.	.	.	.	.	.	.
570	Intestinal obstruction, without mention of hernia	M.	84	5	2	.	.	.	7	3
		F.	56	8	.	.	1	1	10	2
571·0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years	M.	88	82	6	.	.	.	88	.
		F.	64	57	7	.	.	.	64	.
571·1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over	M.	27	.	.	2	2	1	5	2
		F.	31	.	.	4	2	1	7	3
572	Chronic enteritis and ulcerative colitis ...	M.	17	.	.	.	.	.	.	.
		F.	17	.	.	.	.	.	.	.
573	Functional disorders of intestines ...	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
575	Abscess of anal and rectal regions ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
576	Peritonitis	M.	19	.	.	.	1	.	1	1
		F.	16	1	.	1	1	.	3	1

TIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

ATH																Detailed International List No.
-14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
1	.	.	.	.	.	.	1	.	2	4	16	16	7	20	11	522
.	.	.	.	.	.	1	.	4	1	3	13	13	17	22	15	
.	.	.	.	.	.	1	.	.	1	2	.	1	.	1	.	525
.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	
.	.	.	.	.	1	1	1	4	6	1	6	2	2	1	1	526
.	.	.	.	.	.	1	.	.	1	4	3	2	3	.	.	
.	.	.	.	1	2	.	1	2	2	6	1	1	1	.	.	527
.	.	.	.	.	.	1	.	.	.	.	3	2	3	1	.	
2	**12**	**9**	**8**	**12**	**25**	**37**	**28**	**42**	**50**	**59**	**72**	**81**	**63**	**40**	**16**	**530-**
4	**4**	**6**	**2**	**4**	**11**	**9**	**15**	**25**	**33**	**41**	**49**	**56**	**46**	**37**	**10**	**587**
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	532
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	533
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	536
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	538
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	539
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	
.	2	3	3	4	10	9	4	10	15	17	17	18	12	9	2	540
.	.	.	.	.	2	2	1	5	4	4	11	11	8	7	.	
.	.	.	.	2	5	11	10	10	8	9	5	8	6	2	.	541
.	.	.	.	.	1	.	2	2	.	1	2	2	2	1	.	
.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	542
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	1	1	.	1	4	3	1	1	543
.	.	.	.	.	.	.	.	.	.	1	.	5	4	4	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	544
.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	
.	.	.	.	1	.	2	3	1	2	3	1	5	.	.	.	545
.	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	
.	4	1	1	2	1	2	2	2	1	3	2	3	2	1	.	550
2	1	1	1	.	.	.	1	2	.	3	.	1	2	1	.	
.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	551
.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	552
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	5	.	.	1	560
.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	
.	.	1	1	.	.	1	1	.	1	3	10	2	7	2	5	561
.	.	1	.	.	1	1	.	1	2	5	9	5	5	6	1	
1	3	2	.	1	4	4	1	2	5	8	15	10	9	7	2	570
1	1	1	.	2	1	1	2	1	4	4	5	9	7	4	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	571·0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	2	4	.	3	2	1	6	1	571·1
1	1	.	.	.	1	1	1	4	.	1	3	5	1	2	.	
.	.	.	.	1	.	3	.	4	.	2	.	5	1	.	1	572
.	1	.	.	.	1	.	3	1	1	2	1	3	3	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	573
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	575
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	.	.	1	.	3	2	.	2	1	.	3	1	1	576
.	.	1	.	1	.	1	.	1	2	3	.	2	1	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		All Ages	AGE AT Under 1	1	2	3	4	Total under 5	5–9
577	Peritoneal adhesion	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum...	M.	23	3	.	.	.	.	3	.
		F.	11	1	.	.	.	.	1	.
580	Acute and subacute yellow atrophy of liver ...	M.	6	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
581	Cirrhosis of liver	M.	40	.	.	.	.	.	.	.
		F.	19	.	.	.	.	.	.	.
582	Suppurative hepatitis and liver abscess ...	M.	1	.	.	1	.	.	1	.
		F.	.	.	.	.	.	.	.	.
583	Other diseases of liver	M.	1	.	.	.	.	.	.	.
		F.	9	1	.	.	.	.	1	
584	Cholelithiasis	M.	5	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.
585	Cholecystitis without mention of calculi ...	M.	11	.	.	.	.	.	.	.
		F.	33	.	.	.	.	.	.	.
586	Other diseases of gall bladder and biliary ...	M.	11	.	.	.	.	.	.	.
	ducts	F.	8	.	.	.	.	.	.	.
587	Diseases of pancreas	M.	8	.	.	.	.	1	1	1
		F.	11	.	1	.	.	.	1	.
590-637	**X. Diseases of the Genito-Urinary System ...**	**M.**	**747**	**1**	**2**	.	**1**	.	**4**	**2**
		F.	**351**	**5**	**1**	.	.	.	**6**	**2**
590	Acute nephritis	M.	31	.	1	.	.	.	1	2
		F.	18	.	.	.	.	.	.	.
591	Nephritis with oedema, including nephrosis	M.	18	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	1
592	Chronic nephritis	M.	206	.	.	.	.	.	.	.
		F.	157	.	.	.	.	.	.	1
593	Nephritis not specified as acute or chronic ...	M.	103	1	.	.	1	.	2	.
		F.	105	2	1	.	.	.	3	.
594	Other renal sclerosis	M.	2	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
600	Infections of kidney	M.	15	.	1	.	.	.	1	.
		F.	18	2	.	.	.	.	2	.
601	Hydronephrosis	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
602	Calculi of kidney and ureter	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
603	Other diseases of kidney and ureter ...	M.	7	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
604	Calculi of other parts of urinary system ...	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
605	Cystitis	M.	29	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.
606	Other diseases of bladder	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
608	Stricture of urethra	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
609	Other diseases of urethra	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
610	Hyperplasia of prostate	M.	282	.	.	.	.	.	.	.
611	Prostatitis	M.	32	.	.	.	.	.	.	.
612	Other diseases of prostate	M.	9	.	.	.	.	.	.	.
613	Hydrocele	M.	2	.	.	.	.	.	.	.
617	Other diseases of male genital organs ...	M.	1	.	.	.	.	.	.	.

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	577
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	1	.	1	2	3	1	1	5	3	2	.	578
.	.	.	.	.	.	1	.	.	1	1	3	1	.	1	2	
.	.	.	1	.	.	1	.	.	1	.	.	2	1	.	.	580
.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	
.	.	.	.	.	2	.	3	2	4	6	8	8	7	.	.	581
.	.	.	1	1	2	.	1	3	4	.	2	1	1	2	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	582
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	583
.	.	1	.	.	.	.	1	2	1	1	.	1	.	1	.	
.	1	.	.	.	.	.	.	1	1	.	1	.	.	1	.	584
.	.	.	.	.	.	.	.	.	3	1	1	2	.	1	1	
.	.	.	.	.	.	.	.	.	.	1	5	.	3	2	.	585
.	.	.	.	.	1	1	.	1	4	6	2	5	8	4	1	
.	.	.	.	.	.	.	.	1	1	2	.	3	1	2	1	586
.	.	.	.	.	1	.	.	1	1	3	1	.	.	.	1	
.	.	.	1	.	.	.	.	1	1	1	1	.	1	.	.	587
.	.	.	.	.	.	1	1	.	2	2	3	1	.	.	.	
3	**7**	**5**	**5**	**13**	**9**	**13**	**22**	**31**	**30**	**53**	**69**	**159**	**158**	**110**	**54**	**590–637**
2	**2**	**7**	**3**	**7**	**19**	**14**	**15**	**26**	**19**	**33**	**56**	**53**	**49**	**24**	**14**	
.	.	2	.	3	3	.	4	1	2	2	2	6	3	.	.	590
.	.	2	.	1	2	.	.	1	2	3	4	2	.	1	.	
.	1	1	.	.	.	2	.	3	.	3	1	5	1	.	1	591
.	.	1	.	.	1	.	2	.	.	1	1	1	.	1	.	
2	2	2	3	6	3	6	12	16	16	12	19	46	28	23	10	592
1	.	3	2	2	6	6	6	14	11	18	25	22	22	12	6	
.	4	.	1	3	3	4	3	7	7	12	7	15	16	12	7	593
.	1	.	1	2	6	3	4	8	4	6	17	16	21	7	6	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	594
.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	
1	.	.	1	.	.	.	2	.	.	1	.	6	2	1	.	600
1	.	.	.	.	2	1	.	1	1	1	4	5	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	601
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	602
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	1	.	1	.	1	.	1	2	1	.	603
.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	604
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	1	5	2	10	7	4	605
.	.	.	.	.	.	.	.	.	.	.	1	2	4	1	1	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	606
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	608
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	609
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	2	4	18	28	68	82	54	26	610
.	.	.	.	.	.	.	.	.	.	2	2	4	11	8	5	611
.	.	.	.	.	.	.	.	.	.	.	1	3	2	3	.	612
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	613
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	617

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
621	Other diseases of breast	F.	1	.	.	.	.	.	.	.
624	Salpingitis and oophoritis, unqualified ...	F.	2	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F.	6	1	.	.	.	.	1	.
631	Uterovaginal prolapse	F.	3	.	.	.	.	.	.	.
632	Malposition of uterus	F.	1	.	.	.	.	.	.	.
633	Other diseases of uterus	F.	8	.	.	.	.	.	.	.
635	Menopausal symptoms	F.	1	.	.	.	.	.	.	.
637	Other diseases of female genital organs ...	F.	1	.	.	.	.	.	.	.
640–689	**XI. Deliveries and Complication of Pregnancy, Childbirth, and the Puerperium**	**F.**	**103**	.	.	.	.	.	.	.
642	Toxaemias of pregnancy	F.	31	.	.	.	.	.	.	.
644	Other haemorrhage of pregnancy ...	F.	1	.	.	.	.	.	.	.
645	Ectopic pregnancy	F.	3	.	.	.	.	.	.	.
646	Anaemia of pregnancy	F.	1	.	.	.	.	.	.	.
648	Other complications arising from pregnancy	F.	3	.	.	.	.	.	.	.
650	Abortion without mention of sepsis or toxaemia	F.	2	.	.	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F.	12	.	.	.	.	.	.	.
671	Delivery complicated by retained placenta	F.	6	.	.	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F.	10	.	.	.	.	.	.	.
674	Delivery complicated by disproportion or malposition of foetus	F.	1	.	.	.	.	.	.	.
675	Delivery complicated by prolonged labour of other origin	F.	3	.	.	.	.	.	.	.
677	Delivery with other trauma	F.	3	.	.	.	.	.	.	.
678	Delivery with other complications of childbirth	F.	8	.	.	.	.	.	.	.
680	Puerperal urinary infection without other sepsis	F.	.	.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium ...	F.	1	.	.	.	.	.	.	.
682	Puerperal phlebitis and thrombosis ...	F.	2	.	.	.	.	.	.	.
684	Puerperal pulmonary embolism	F.	6	.	.	.	.	.	.	.
685	Puerperal eclampsia	F.	6	.	.	.	.	.	.	.
687	Cerebral haemorrhage in the puerperium ...	F.	1	.	.	.	.	.	.	.
688	Other and unspecified complications of the puerperium	F.	3	.	.	.	.	.	.	.
690–716	**XII. Diseases of the Skin and Cellular Tissue**	**M.**	**32**	**4**	**1**	.	.	.	**5**	.
		F.	**26**	**2**	.	.	.	.	**2**	.
690	Boil and carbuncle	M.	1	.	.	.	.	.	.	.
		F.	2	1	.	.	.	.	1	.
691	Cellulitis of finger and toe	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
692	Other cellulitis and abscess without mention of lymphangitis	M.	7	2	.	.	.	.	2	.
		F.	4	.	.	.	.	.	.	.
698	Other local infections of skin and subcutaneous tissue	M.	.	.	.	.	.	.	.	.
		F.	1	1	.	.	.	.	1	.
701	Eczema	M.	2	1	.	.	.	.	1	.
		F.	1	.	.	.	.	.	.	.
703	Other dermatitis	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
704	Pemphigus	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

EATH																Detailed International List No.
)–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	621
.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	624
.	1	.	.	.	1	1	.	.	.	.	1	1	.	.	.	626
.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	631
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	632
.	.	.	.	1	1	3	.	.	.	1	1	.	.	1	.	633
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	635
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	637
.	**2**	**7**	**11**	**20**	**36**	**24**	**3**	.	.	.	.	.	.	.	.	**640-689**
.	1	1	5	4	13	5	2	.	.	.	.	.	.	.	.	642
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	644
.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	645
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	646
.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	648
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	650
.	.	1	.	3	7	1	.	.	.	.	.	.	.	.	.	670
.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	671
.	.	1	1	4	.	4	.	.	.	.	.	.	.	.	.	672
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	674
.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	675
.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	677
.	.	1	1	.	5	1	.	.	.	.	.	.	.	.	.	678
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	680
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	681
.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	682
.	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	684
.	.	2	1	.	.	2	1	.	.	.	.	.	.	.	.	685
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	687
.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	688
1	1	.	.	.	1	.	.	.	.	4	5	7	4	3	1	**690-716**
.	1	.	.	.	2	.	.	.	2	.	2	3	4	5	5	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	690
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	691
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	692
.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	698
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	701
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	703
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	704
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		All Ages	Under 1	1	2	3	4	Total under 5	5–9
				AGE AT						
705	Erythematous conditions	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
706	Psoriasis and similar disorders	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
707	Lichen planus	M.	1	1	.	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.
714	Diseases of sweat and sebaceous glands ...	M.	1	.	1	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.
715	Chronic ulcer of skin	M.	14	.	.	.	.	.	.	.
		F.	13	.	.	.	.	.	.	.
720-749	**XIII. Diseases of the Bones and Organs of Movement**	**M.**	**124**	.	.	.	.	.	.	**1**
		F.	**161**	**1**	.	.	.	.	**1**	.
720	Acute arthritis due to pyogenic organisms ...	M.	3	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
722	Rheumatoid arthritis and allied conditions ...	M.	38	.	.	.	.	.	.	.
		F.	90	.	.	.	.	.	.	.
723	Osteo-arthritis (arthrosis) and allied conditions	M.	11	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.
724	Other specified forms of arthritis ...	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
725	Arthritis, unspecified	M.	12	.	.	.	.	.	.	.
		F.	17	.	.	.	.	.	.	.
726	Muscular rheumatism	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
727	Rheumatism, unspecified	M.	44	.	.	.	.	.	.	.
		F.	25	.	.	.	.	.	.	.
730	Osteomyelitis and periostitis	M.	8	.	.	.	.	.	.	1
		F.	8	.	.	.	.	.	.	.
731	Osteitis deformans	M.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
733	Other diseases of bone	M.	1	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
734	Internal derangement of knee joint ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
737	Ankylosis of joint	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
744	Other diseases of muscle, tendon and fascia ...	M.	3	.	.	.	.	.	.	.
		F.	2	1	.	.	.	.	1	.
745	Curvature of spine	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
750-759	**XIV. Congenital Malformations**	**M.**	**237**	**192**	**9**	**5**	**2**	.	**208**	**8**
		F.	**206**	**176**	**4**	**4**	**2**	.	**186**	**2**
750	Monstrosity	M.	6	5	.	1	.	.	6	.
		F.	13	13	.	.	.	.	13	.
751	Spina bifida and meningocele	M.	48	45	3	.	.	.	48	.
		F.	52	50	1	1	.	.	52	.
752	Congenital hydrocephalus	M.	12	8	1	.	.	.	9	1
		F.	21	17	1	.	.	.	18	.
753	Other congenital malformations of nervous system and sense organs	M.	3	2	.	.	.	.	2	1
		F.	2	1	.	.	.	.	1	1
754	Congenital malformations of circulatory system	M.	96	70	4	4	.	.	78	4
		F.	77	62	1	2	2	.	67	1
755	Cleft palate and harelip	M.	3	3	.	.	.	.	3	.
		F.	4	4	.	.	.	.	4	.
756	Congenital malformations of digestive system	M.	46	41	1	.	2	.	44	1
		F.	17	17	.	.	.	.	17	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 +	
.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	705
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	706
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	707
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	714
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	1	2	4	2	3	1	715
.	.	.	.	.	1	.	.	.	.	.	.	2	3	3	4	
.	1	2	1	1	4	.	2	7	4	10	14	28	25	21	3	720-
1	.	.	.	2	.	1	4	3	13	11	20	42	36	19	8	749
.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	720
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	2	3	2	5	8	10	5	1	722
.	.	.	.	1	.	1	2	3	8	5	10	25	23	11	1	
.	.	.	.	.	.	.	.	1	.	1	2	4	.	3	.	723
.	.	.	.	.	.	.	.	.	.	1	.	4	3	2	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	724
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	1	1	2	1	2	5	.	.	725
.	.	.	.	.	.	.	1	.	3	1	5	4	2	1	.	
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	726
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	.	1	.	.	5	5	9	8	12	2	727
.	.	.	.	.	.	.	.	.	1	.	4	5	6	3	6	
.	.	1	.	1	1	.	.	1	.	.	.	1	2	.	.	730
1	.	.	.	1	.	.	.	.	1	3	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	731
.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	733
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	734
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	737
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	744
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	745
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	
2	3	2	.	3	2	2	1	.	2	.	.	1	1	1	1	750
3	4	4	.	1	3	1	1	1	.	.	.	.	.	.	.	759-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	750
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	751
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	752
.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	753
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	2	.	2	1	2	1	.	2	.	.	.	1	.	.	754
2	1	4	.	.	2	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	756
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
757	Congenital malformations of genito-urinary system	M.	5	3	·	·	·	·	3	·
		F.	3	1	·	·	·	·	1	·
758	Congenital malformations of bone and joint	M.	2	1	·	·	·	·	1	·
		F.	2	·	1	1	·	·	2	·
759	Other and unspecified congenital malformations not elsewhere specified	M.	16	14	·	·	·	·	14	1
		F.	15	11	·	·	·	·	11	·
760–776	**XV. Certain Diseases of Early Infancy** ...	**M.**	**851**	**851**	·	·	·	·	**851**	·
		F.	**572**	**572**	·	·	·	·	**572**	·
760	Intracranial and spinal injury at birth ...	M.	94	94	·	·	·	·	94	·
		F.	45	45	·	·	·	·	45	·
761	Other birth injury	M.	20	20	·	·	·	·	20	·
		F.	16	16	·	·	·	·	16	·
762	Postnatal asphyxia and atelectasis ...	M.	106	106	·	·	·	·	106	·
		F.	87	87	·	·	·	·	87	·
763	Pneumonia of newborn	M.	54	54	·	·	·	·	54	·
		F.	22	22	·	·	·	·	22	·
764	Diarrhoea of newborn	M.	19	19	·	·	·	·	19	·
		F.	9	9	·	·	·	·	9	·
767	Umbilical sepsis	M.	1	1	·	·	·	·	1	·
		F.	1	1	·	·	·	·	1	·
768	Other sepsis of newborn	M.	3	3	·	·	·	·	3	·
		F.	1	1	·	·	·	·	1	·
769	Neonatal disorders arising from maternal toxaemia	M.	6	6	·	·	·	·	6	·
		F.	2	2	·	·	·	·	2	·
770	Haemolytic disease of newborn (erythroblastosis)	M.	37	37	·	·	·	·	37	·
		F.	30	30	·	·	·	·	30	·
771	Haemorrhagic disease of newborn ...	M.	12	12	·	·	·	·	12	·
		F.	9	9	·	·	·	·	9	·
772	Nutritional maladjustment	M.	9	9	·	·	·	·	9	·
		F.	10	10	·	·	·	·	10	·
773	Ill-defined diseases peculiar to early infancy	M.	248	248	·	·	·	·	248	·
		F.	156	156	·	·	·	·	156	·
774	Immaturity with mention of any other subsidiary condition	M.	24	24	·	·	·	·	24	·
		F.	18	18	·	·	·	·	18	·
776	Immaturity unqualified	M.	218	218	·	·	·	·	218	·
		F.	166	166	·	·	·	·	166	·
780–795	**XVI. Symptoms, Senility and Ill-defined Conditions**	**M.**	**3,080**	**72**	**8**	**6**	**3**	**1**	**90**	**3**
		F.	**3,037**	**41**	**14**	**5**	**3**	**1**	**64**	**8**
780	Certain symptoms referable to nervous system and special senses	M.	67	54	4	2	3	·	63	·
		F.	40	25	8	·	1	1	35	2
781	Other symptoms referable to nervous system and special senses	M.	1	·	·	·	·	·	·	·
		F.	1	·	·	·	·	·	·	·
782	Symptoms referable to cardiovascular and lymphatic system	M.	407	2	·	1	·	·	3	1
		F.	297	5	·	·	1	·	6	1
783	Symptoms referable to respiratory system	M.	2	1	·	·	·	·	1	·
		F.	1	·	·	·	·	·	·	·
784	Symptoms referable to upper gastro-intestinal tract	M.	21	3	·	·	·	·	3	·
		F.	4	·	·	·	·	·	·	1
785	Symptoms referable to abdomen and lower gastro-intestinal system	M.	10	3	·	·	·	·	3	1
		F.	9	2	·	·	·	·	2	·
786	Symptoms referable to genito-urinary system	M.	12	·	·	·	·	·	·	·
		F.	3	·	·	·	·	·	·	·
788	Other general symptoms	M.	3	1	1	·	·	1	3	·
		F.	2	·	1	·	·	·	1	·
789	Abnormal urinary constituents of unspecified cause	M.	1	·	·	·	·	·	·	·
		F.	1	·	·	·	·	·	·	·

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	757
.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	758
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	759
1	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760–776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
3	1	2	1	1	4	8	6	22	36	50	95	308	705	975	770	780–795
2	2	.	1	4	6	3	11	17	22	35	57	299	647	940	919	
.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	1	780
1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	781
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
3	1	.	.	1	2	5	3	16	25	27	50	99	84	58	29	782
.	.	.	1	3	3	1	7	7	10	24	43	58	63	48	22	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	783
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	2	2	2	4	1	2	3	1	784
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	
.	.	1	.	.	.	.	.	.	.	1	1	.	2	1	.	785
.	.	.	.	.	1	.	.	1	.	.	1	2	1	1	.	
.	.	.	.	.	.	.	1	.	.	.	1	3	2	2	3	786
.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	788
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	789
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
790	Nervousness and debility	M.	10	.	1	.	.	.	1	1
		F.	13	.	3	1	.	.	4	2
792	Uraemia, unqualified	M.	72	.	.	.	.	.	.	.
		F.	37	.	.	1	.	.	1	.
794	Senility without mention of psychosis ...	M.	2,412	.	.	.	.	.	.	.
		F.	2,570	.	.	.	.	.	.	.
795	Ill-defined and unknown causes of morbidity and mortality	M.	62	8	2	3	.	.	13	.
		F.	59	9	2	3	1	.	15	2
E 800–E 999	**E.XVII. Alternative Classification of Accidents, Poisonings, and Violence (External Cause)**	**M.**	**631**	**35**	**11**	**13**	**8**	**7**	**74**	**25**
		F.	**365**	**23**	**3**	**5**	**7**	**3**	**41**	**16**
E 800	Railway accident involving railroad employee	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 801	Railway accident involving passenger ...	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 802	Railway accident involving other and unspecified person	M.	2	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
E 812	Motor vehicle traffic accident to pedestrian ...	M.	62	.	1	3	3	2	9	7
		F.	25	.	.	1	1	1	3	7
E 813	Motor vehicle traffic accident to pedal cyclist	M.	15	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
E 814	Motor vehicle traffic accident to rider or passenger of motor cycle, in collision with non-motor vehicle or object	M.	3	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 815	Motor vehicle traffic accident to rider or passenger of motorcycle, in collision with other motor vehicle	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 816	Other motor vehicle traffic accident involving two or more motor vehicles	M.	18	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
E 817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 821	Motor vehicle traffic accident to rider of motorcycle not involving collision	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 822	Motor vehicle traffic accident involving overturning in roadway	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 823	Motor vehicle traffic accident involving running off roadway	M.	10	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 824	Other non-collision motor vehicle traffic accident	M.	9	.	.	.	.	.	.	2
		F.	2	.	.	.	.	.	.	.
E 825	Motor vehicle traffic accident of unspecified nature	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 830	Motor vehicle non-traffic accident to pedestrian	M.	4	.	.	.	.	1	1	1
		F.	.	.	.	.	.	.	.	.
E 835	Motor vehicle non-traffic accident of other and unspecified nature	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 842	Accident to pedestrian caused by pedal cycle	M.	3	.	.	.	.	.	.	1
		F.	4	.	.	.	.	.	.	.
E 843	Accident to rider of pedal cycle not involving collision with a motor vehicle ...	M.	37	.	.	.	1	.	1	.
		F.	5	.	.	.	.	.	.	.
E 844	Accident to pedestrian caused by other non-motor road vehicle	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 845	Other non-motor road vehicle accidents ...	M.	12	.	.	.	.	1	1	.
		F.	2	.	.	.	.	.	.	1
E 850	Submersion of occupant of small boat ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
-14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	1	1	.	1	1	2	.	.	1	.	1	790
.	.	.	.	.	.	.	2	1	3	1	.	.	.	.	.	
.	.	1	.	.	.	.	.	2	3	8	12	10	15	15	6	792
.	.	.	.	.	.	1	.	4	2	3	2	6	7	6	5	
.	.	.	.	.	.	.	.	.	.	4	21	184	592	886	725	794
.	.	.	.	.	.	.	.	.	.	3	8	229	567	878	885	
.	.	.	.	.	.	1	1	1	5	5	6	9	7	10	4	795
1	1	.	.	.	2	1	2	3	5	3	3	2	9	5	5	
10	**24**	**31**	**44**	**30**	**46**	**29**	**36**	**37**	**26**	**45**	**52**	**47**	**32**	**28**	**15**	**E 800-**
8	**15**	**4**	**7**	**8**	**12**	**3**	**8**	**5**	**8**	**22**	**21**	**45**	**47**	**57**	**38**	**E 999**
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	E 800
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	E 801
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	E 802
1	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	
1	3	2	3	1	5	3	5	.	1	6	6	3	4	3	.	E 812
1	2	2	.	1	.	1	1	1	.	1	2	2	1	.	.	
1	.	.	1	.	.	1	1	2	2	2	1	1	2	1	.	E 813
.	1	2	.	.	1	.	.	1	.	.	.	.	.	.	.	
.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	E 814
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	E 815
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	2	.	1	4	3	2	3	1	.	1	.	.	1	.	.	E 816
.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	
.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	E 817
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	E 818
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	E 819
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 821
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 822
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	2	2	1	.	1	1	2	.	.	1	.	.	.	.	E 823
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	.	1	1	.	1	.	.	1	.	.	.	.	.	E 824
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 825
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	E 830
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 835
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	E 842
.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	
.	2	2	3	1	3	2	2	4	1	8	5	3	.	.	.	E 843
.	1	.	1	.	.	1	1	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 844
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	1	.	1	.	1	.	.	1	2	.	2	.	.	.	E 845
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 850
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
E 853	Other falls from one level to another in water transport	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 855	Unspecified falls in water transport ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 857	Other specified accidents in water transport...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 860	Accident to personnel in military aircraft ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 871	Accidental poisoning by barbituric acid and derivatives	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 874	Accidental poisoning by other analgesic and soporific drugs	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
E 876	Accidental poisoning by strychnine ...	M.	1	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
E 878	Accidental poisoning by other and unspecified drugs	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 880	Accidental poisoning by alcohol ...	M.	2	.	.	.	.	1	1	.
		F.	.	.	.	.	.	.	.	.
E 883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis	M.	1	.	1	.	.	.	1	.
		F.	1	.	.	.	.	.	.	.
E 885	Accidental poisoning by lead and its compounds	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 888	Accidental poisoning by other and unspecified solid and liquid substances	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 890	Accidental poisoning by utility (illuminating) gas	M.	2	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
E 891	Accidental poisoning by motor vehicle exhaust gas	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 892	Accidental poisoning by other carbon monoxide gas	M.	5	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
E 894	Accidental poisoning by other specified gases and vapours	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 900	Fall on stairs	M.	10	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.
E 901	Fall from ladders	M.	6	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 902	Other falls from one level to another ...	M.	20	.	1	.	.	.	1	.
		F.	14	.	.	.	1	.	1	.
E 903	Fall on same level	M.	25	.	.	.	.	.	.	.
		F.	59	.	.	.	.	1	1	.
E 904	Unspecified falls	M.	36	.	.	.	.	.	.	1
		F.	88	1	.	.	.	.	1	.
E 910	Blow from falling object	M.	11	.	.	.	.	.	.	.
		F.	3	.	.	.	1	.	1	.
E 911	Accident caused by vehicle	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 912	Accident caused by machinery	M.	7	.	.	.	.	.	.	1
		F.	1	.	.	.	.	.	.	.
E 913	Accident caused by cutting and piercing instruments	M.	3	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 914	Accident caused by electric current ...	M.	3	.	.	1	.	.	1	.
		F.	1	.	.	.	.	.	.	.
E 916	Accident caused by fire and explosion of combustible material	M.	21	.	2	.	1	.	3	2
		F.	16	1	.	.	1	.	2	1
E 917	Accident caused by hot substance, corrosive liquid, and steam	M.	20	1	4	4	.	1	10	2
		F.	28	.	3	3	2	1	9	7

TIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

ATH																Detailed International List No.
-14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 853
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E 855
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E 857
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 860
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	E 871
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 874
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E 876
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 878
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 880
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 883
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 885
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	E 888
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	E 890
.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 891
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	1	1	.	1	.	1	.	.	.	.	.	.	E 892
.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 894
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	2	2	1	3	.	2	E 900
.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	2	
.	.	.	.	.	1	.	.	1	1	.	2	.	1	.	.	E 901
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	3	2	3	.	.	1	1	4	3	1	.	.	.	E 902
1	.	.	.	1	1	.	1	.	.	.	1	2	1	2	3	
.	.	1	1	1	.	.	.	1	.	1	5	5	3	3	4	E 903
.	.	.	.	.	.	.	1	.	.	3	2	6	18	20	8	
.	.	.	1	.	.	.	.	3	2	.	5	4	5	10	5	E 904
.	.	.	.	.	.	.	.	.	1	5	6	18	16	22	19	
.	1	.	3	1	3	.	1	.	.	.	.	2	.	.	.	E 910
1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E 911
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	2	.	1	1	.	1	.	1	.	.	.	.	.	E 912
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	E 913
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E 914
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	3	.	.	1	.	1	.	3	1	2	3	2	E 916
.	.	.	.	.	.	.	.	.	.	2	1	2	3	4	1	
.	.	1	.	.	.	.	.	.	.	1	2	2	1	1	.	E 917
1	.	.	.	.	1	.	.	.	.	.	2	2	2	2	2	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
E 919	Accident caused by firearm	M.	11	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
E 921	Inhalation and ingestion of food causing obstruction or suffocation	M.	9	7	.	1	.	.	8	.
		F.	6	4	.	.	.	.	4	.
E 922	Inhalation and ingestion of other object causing obstruction or suffocation ...	M.	2	2	.	.	.	.	2	.
		F.	2	2	.	.	.	.	2	.
E 923	Foreign body entering other orifice ...	M.	1	1	.	.	.	.	1	.
		F.	2	.	.	.	.	.	.	.
E 924	Accidental mechanical suffocation in bed and cradle	M.	12	11	.	.	.	.	11	.
		F.	8	8	.	.	.	.	8	.
E 925	Accidental mechanical suffocation in other and unspecified circumstances	M.	4	2	.	.	.	.	2	.
		F.	.	.	.	.	.	.	.	.
E 926	Lack of care of infants under 1 year of age ...	M.	8	8	.	.	.	.	8	.
		F.	6	6	.	.	.	.	6	.
E 928	Other accidents caused by animals ...	M.	6	.	.	2	.	.	2	.
		F.	1	.	.	.	.	.	.	.
E 929	Accidental drowning and submersion ...	M.	94	.	1	1	2	1	5	7
		F.	27	.	.	.	1	.	1	.
E 932	Excessive cold	M.	4	.	1	.	.	.	1	.
		F.	1	.	.	.	.	.	.	.
E 933	Hunger, thirst, and exposure	M.	2	1	.	.	.	.	1	.
		F.	2	1	.	.	.	.	1	.
E 936	Other and unspecified accidents	M.	23	.	.	1	1	.	2	1
		F.	15	.	.	1	.	.	1	.
E 953	Therapeutic misadventure in administration of drugs or biologicals	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 965	Late effects of injuries due to war operations	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 971	Suicide and self-inflicted poisoning by other solid and liquid substances	M.	2	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
E 973	Suicide and self-inflicted poisoning by other gases	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
E 974	Suicide and self-inflicted injury by hanging and strangulation	M.	26	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
E 975	Suicide and self-inflicted injury by submersion (drowning)	M.	11	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.
E 976	Suicide and self-inflicted injury by firearms and explosives	M.	8	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 977	Suicide and self-inflicted injury by cutting and piercing instruments	M.	10	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
E 978	Suicide and self-inflicted injury by jumping from high place	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 981	Assault by firearm and explosive ...	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
E 983	Assault by other means	M.	5	2	.	.	.	.	2	.
		F.	1	.	.	.	.	.	.	.
E 991	Injury due to war operations by gunshot ...	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 995	Injury due to war operations by explosion of artillery shell	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 998	Injury due to war operations by other and unspecified means	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
E 999	Injury due to war operations but occurring after cessation of hostilities	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	3	1	.	.	3	.	.	2	.	1	1	.	.	.	.	E 919
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E 921
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 922
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 923
.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E 924
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	E 925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 926
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	E 928
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
3	3	11	6	5	8	7	4	5	5	4	6	6	5	3	1	E 929
2	1	.	2	.	4	.	4	.	2	5	3	1	1	1	.	
1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	E 932
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 933
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
1	3	.	4	.	1	1	.	2	2	.	1	3	.	1	1	E 936
1	.	.	.	.	1	.	.	.	.	.	.	5	1	3	3	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 953
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	E 965
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 970
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	E 971
.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	E 973
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	1	1	.	.	3	2	4	3	3	3	4	2	.	.	.	E 974
.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	
.	.	.	.	1	1	.	2	3	.	2	1	1	.	.	.	E 975
.	2	.	1	2	.	.	.	1	.	1	.	.	.	.	.	
.	.	1	1	2	.	.	1	.	1	.	.	1	1	.	.	E 976
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	3	2	.	1	1	.	2	.	.	E 977
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 978
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 981
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	E 983
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	E 991
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 995
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E 998
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 999
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
N 800–N 999	**N. XVII. Alternative Classification of Accidents, Poisonings, and Violence (Nature of Injury)**	**M.**	**631**	**35**	**11**	**13**	**8**	**7**	**74**	**25**
		F.	**365**	**23**	**3**	**5**	**7**	**3**	**41**	**16**
N 800	Fracture of vault of skull	M.	7	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 801	Fracture of base of skull	M.	24	.	.	.	.	1	1	1
		F.	4	.	.	1	.	1	2	.
N 803	Other and unqualified skull fractures ...	M.	101	.	2	1	2	1	6	6
		F.	26	1	.	1	1	1	4	4
N 804	Multiple fractures involving skull or face with other bones	M.	2	.	.	.	1	.	1	.
		F.	.	.	.	.	.	.	.	.
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	M.	18	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	M.	9	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 807	Fracture of rib(s) and sternum	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 808	Fracture of pelvis	M.	7	.	.	.	.	.	.	2
		F.	1	.	.	.	.	.	.	.
N 809	Multiple and ill-defined fractures of trunk ...	M.	3	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 811	Fracture of scapula	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 812	Fracture of humerus	M.	1	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
N 813	Fracture of radius and ulna	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 814	Fracture of carpal bone(s)	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 815	Fracture of metacarpal bone(s)	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 820	Fracture of neck of femur	M.	15	.	.	.	.	.	.	.
		F.	72	.	.	.	.	.	.	.
N 821	Fracture of other and unspecified parts of femur	M.	25	.	.	.	.	.	.	.
		F.	70	.	.	.	.	.	.	.
N 823	Fracture of tibia and fibula	M.	1	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.
N 824	Fracture of ankle	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 825	Fracture of one or more tarsal and metatarsal bones	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 827	Other, multiple, and ill-defined fractures of lower limb	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 828	Multiple fractures, involving both lower limbs, lower with upper limb(s) with rib(s) and sternum	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 829	Fracture of unspecified bones	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 830	Dislocation of jaw	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	1	.	1	.
N 839	Other, multiple, and ill-defined dislocations ...	M.	11	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 850	Open wound of scalp	M.	1	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 851	Contusion and haematoma of scalp ...	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	1
N 852	Concussion	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 853	Cerebral laceration and contusion ...	M.	19	.	.	.	.	.	.	1
		F.	5	.	.	.	.	.	.	1

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

EATH																Detailed International List No.
0–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
10 **8**	**24** **15**	**31** **4**	**44** **7**	**30** **8**	**46** **12**	**29** **3**	**36** **8**	**37** **5**	**26** **8**	**45** **22**	**52** **21**	**47** **45**	**32** **47**	**28** **57**	**15** **38**	**N 800–N 999**
. .	. 1	. .	2 .	3 .	. .	1 .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	N 800
. .	1 .	1 .	6 .	1 .	1 .	1 1	3 .	2 .	. .	1 1	3 .	1 .	1 .	. .	. .	N 801
1 1	5 3	4 3	18 1	4 1	9 1	2 .	2 2	5 1	8 1	10 1	8 .	5 3	4 .	3 .	1 .	N 803
. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	N 804
. .	. .	. .	2 .	. .	1 .	1 .	1 .	3 .	. .	1 .	4 .	3 .	1 .	. .	. .	N 805
. .	1 .	. .	. .	. .	1 .	1 .	. .	2 .	. .	4 .	. .	. .	. .	. .	. .	N 806
. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	1 .	1 .	. .	N 807
. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	1 1	1 .	1 .	N 808
. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	N 809
. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	N 811
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	1 2	N 812
. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	N 813
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	N 814
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	N 815
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	N 819
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 4	2 5	3 8	2 20	5 21	3 14	N 820
. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 .	1 .	6 3	4 16	4 8	6 25	4 16	N 821
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	1 .	. .	1 .	1 .	. .	N 823
. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	N 824
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	N 825
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	N 827
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	. .	. .	N 828
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	N 829
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	N 830
. .	. .	. .	. .	1 .	4 .	. .	. .	1 .	1 .	3 .	1 .	. .	. .	. .	1 .	N 839
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	N 850
. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	N 851
. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	N 852
. .	. 2	. 4	1 .	. 1	. 1	. 1	. 2	. 2	. .	. 1	1 1	2 .	2 .	. .	. .	N 853

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT All Ages	Under 1	1	2	3	4	Total under 5	5–9
N 854	Subarachroid, subdural, and extra-dural haemorrhage following injury (without mention of cerebral laceration or contusion)	M.	4	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.
N 855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)	M.	16	.	.	.	.	.	.	.
		F.	7	.	.	.	1	.	1	1
N 856	Head injury of other and unspecified nature	M.	15	.	.	.	1	.	1	.
		F.	3	.	.	.	.	.	.	.
N 861	Injury to heart and lung	M.	8	.	.	.	.	1	1	1
		F.	1	.	.	.	.	.	.	.
N 862	Injury to other and unspecified intrathoracic organs	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 863	Injury to gastro-intestinal tract	M.	5	.	.	1	.	.	1	.
		F.	1	.	.	.	.	.	.	.
N 864	Injury to liver	M.	3	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 865	Injury to spleen	M.	4	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 866	Injury to kidney	M.	2	.	.	1	.	.	1	.
		F.	.	.	.	.	.	.	.	.
N 867	Injury to pelvic organs	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 868	Injury to other and unspecified intra-abdominal organs	M.	3	.	.	1	.	.	1	.
		F.	.	.	.	.	.	.	.	.
N 869	Internal injury unspecified or involving intra-thoracic with intra-abdominal organs	M.	10	.	.	1	1	.	2	.
		F.	4	.	.	.	.	.	.	.
N 873	Other and unspecified laceration of face ...	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 874	Open wound of neck	M.	10	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 875	Open wound of chest	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 879	Multiple and unspecified open wounds of face, neck and trunk	M.	2	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 881	Open wound of elbow and forearm, and wrist, not involving tendons	M.	3	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
N 885	Multiple and unspecified open wounds of one upper limb	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 890	Open wound of hip and thigh	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 898	Traumatic amputation of leg	M.	2	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
N 900	Multiple open wounds of both upper limbs ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 903	Multiple open wounds of both hands ...	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 905	Multiple open wounds of both head and trunk	M.	1	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 908	Multiple open wounds of unspecified location	M.	4	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 910	Superficial injury of face and neck	M.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	1
N 916	Superficial injury of hip, thigh, leg, and ankle	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 920	Contusion of face and neck, except eye ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 921	Contusion of eye and orbit	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 922	Contusion of trunk	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 933	Foreign body in pharynx and larynx ...	M.	9	8	.	.	.	.	8	.
		F.	7	4	.	.	.	.	4	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed International List No.
10–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
1	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	N 854
1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
.	.	1	.	1	3	2	.	2	.	4	.	1	1	1	.	N 855
.	1	.	.	.	1	1	.	.	.	1	.	1	.	.	.	
.	1	.	1	2	1	.	1	4	.	1	1	1	.	1	.	N 856
.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	
1	1	1	.	1	.	.	1	.	.	1	.	.	.	.	.	N 861
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	N 862
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	N 863
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	N 864
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	1	.	1	.	.	.	.	.	.	1	.	.	.	N 865
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 866
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 867
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 868
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	1	3	1	1	.	.	.	.	.	.	.	N 869
.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 873
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	1	.	3	1	1	1	1	.	2	.	.	N 874
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	N 875
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	N 879
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	N 881
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	N 885
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	N 890
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 898
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	N 900
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 903
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	N 905
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	1	.	.	.	1	.	.	.	.	1	.	1	.	.	.	N 908
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	N 910
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 916
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 920
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 921
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	N 922
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	N 933
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH		AGE AT							
			All Ages	Under 1	1	2	3	4	Total under 5	5–9
N 934	Foreign body in bronchus and lung ...	M.	3	2	.	1	.	.	3	.
		F.	2	2	.	.	.	.	2	.
N 935	Foreign body in digestive tract	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 941	Burn confined to face, head and neck ...	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 942	Burn confined to trunk	M.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	1
N 943	Burn confined to upper limb(s) except wrist and hands	M.	.	.	.	.	.	.	.	.
		F.	1	.	.	1	.	.	1	.
N 944	Burn confined to wrist(s) and hand(s) ...	M.	.	.	.	.	.	.	.	.
		F.	1	1	.	.	.	.	1	.
N 945	Burn confined to lower limb(s)	M.	1	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 946	Burn involving face, head, and neck, with limb(s)	M.	3	1	1	.	.	.	2	.
		F.	1	.	.	.	.	.	.	.
N 947	Burn involving trunk with limb(s) ...	M.	5	.	.	.	.	.	.	2
		F.	8	.	2	1	.	.	3	1
N 948	Burn involving face, head, and neck, with trunk and limb(s)	M.	12	.	.	2	1	.	3	1
		F.	11	.	1	.	2	.	3	3
N 949	Burn involving other and unspecified parts ...	M.	15	.	5	2	.	1	8	.
		F.	18	.	.	1	1	1	3	3
N 958	Spinal cord lesion without evidence of spinal bone injury	M.	3	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.
N 961	Poisoning by alcohol	M.	2	.	.	.	.	1	1	.
		F.	.	.	.	.	.	.	.	.
N 963	Poisoning by industrial solvents	M.	1	.	.	1	.	.	1	.
		F.	.	.	.	.	.	.	.	.
N 964	Poisoning by corrosive aromatics, acids and caustic alkalis	M.	1	.	1	.	.	.	1	.
		F.	2	.	.	.	.	.	.	.
N 966	Poisoning by lead and its compounds ...	M.	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 968	Poisoning by carbon monoxide	M.	10	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.
N 969	Poisoning by other gases and vapours ...	M.	4	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.
N 971	Poisoning by barbituric acid and derivatives	M.	2	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 974	Poisoning by other analgesic and soporific drugs	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 976	Poisoning by strychnine	M.	2	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.
N 979	Poisoning by other and unspecified substances	M.	3	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.
N 980	Effects of reduced temperature	M.	4	.	1	.	.	.	1	.
		F.	1	.	.	.	.	.	.	.
N 987	Effects of exposure, nor elsewhere specified ...	M.	2	1	.	.	.	.	1	.
		F.	2	1	.	.	.	.	1	.
N 990	Drowning and non-fatal submersion ...	M.	105	.	1	1	2	1	5	7
		F.	33	.	.	.	1	.	1	.
N 991	Asphyxia and strangulation	M.	41	15	.	.	.	.	15	.
		F.	13	8	.	.	.	.	8	.
N 992	Electrocution and non-fatal effects of electric currents	M.	3	.	.	1	.	.	1	.
		F.	1	.	.	.	.	.	.	.
N 994	Other general effects of external causes ...	M.	8	8	.	.	.	.	8	.
		F.	6	6	.	.	.	.	6	.
N 996	Injury of other and unspecified nature ...	M.	26	.	.	.	.	1	1	.
		F.	9	.	.	.	.	.	.	.
N 998	Adverse reactions to injections, infusions, and transfusions for therapeutic purposes	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.
N 999	Adverse reaction to other therapeutic procedure	M.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.

ATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

EATH																Detailed International List No.
0–14	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85+	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 934
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 935
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	N 941
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 942
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 943
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 944
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 945
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 946
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	N 947
.	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	
.	.	1	.	.	.	.	.	.	1	1	1	2	.	1	1	N 948
.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	
.	.	.	.	1	.	.	.	.	.	.	2	1	1	1	1	N 949
1	.	.	.	.	1	.	.	.	.	.	2	2	2	2	2	
.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	N 958
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 961
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 963
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 964
.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 966
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	1	1	.	2	.	2	.	1	1	1	.	.	N 968
.	1	.	1	.	.	.	.	1	1	.	1	1	.	.	.	
.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	N 969
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	N 971
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	N 974
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	N 976
.	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	N 979
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	N 980
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 987
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
3	3	11	6	6	9	7	6	8	5	6	7	7	5	3	1	N 990
2	3	.	3	2	4	.	4	1	2	5	3	1	1	1	.	
.	2	1	.	.	2	3	6	2	3	1	4	2	.	.	.	N 991
.	.	.	.	1	1	.	.	.	.	2	1	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N 992
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 994
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	2	2	.	1	2	.	1	2	3	2	3	3	1	.	N 996
1	.	.	.	1	.	1	1	.	.	.	.	1	1	2	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 998
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 999
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 20.—DEATHS IN 1951 IN AGGREGATE URBAN DISTRICTS AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

URBAN DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	AGE AT DEATH										
				All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
	All Causes	**M.**	**12,920**	**6,466**	**636**	**139**	**69**	**140**	**166**	**294**	**656**	**1,155**	**1,730**	**1,481**
		F.		**6,454**	**458**	**107**	**70**	**120**	**177**	**274**	**466**	**860**	**1,712**	**2,210**
B 1	Tuberculosis of respiratory system	M.	729	424	1	3	1	53	56	87	95	90	32	6
		F.		305	1	4	7	50	74	60	55	29	21	4
B 2	Tuberculosis, other forms	M.	174	88	5	25	17	15	8	11	4	1	2	.
		F.		86	9	19	14	19	5	10	4	2	3	1
B 3	Syphilis and its sequelae	M.	29	20	1	.	1	.	.	1	6	9	.	2
		F.		9	3	.	.	.	.	.	.	2	3	1
B 4	Typhoid fever ...	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.		1	.	.	.	.	.	.	.	.	1	.
B 5	Cholera	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms ...	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.		1	.	.	.	.	.	1	.	.	.	.
B 7a	Scarlet fever	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.		2	.	.	1	1	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M.	3	1	.	.	.	.	.	.	1	.	.	.
		F.		2	.	.	.	.	1	.	.	.	1	.
B 8	Diphtheria	M.	3	2	.	1	1	.	.	.	.	.	.	.
		F.		1	.	1	.	.	.	.	.	.	.	.
B 9	Whooping cough ...	M.	33	18	13	5	.	.	.	.	.	.	.	.
		F.		15	12	3	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M.	13	9	4	3	.	1	.	1	.	.	.	.
		F.		4	.	3	1	.	.	.	.	.	.	.
B 11	Plague	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis ...	M.	3	3	.	1	.	.	1	1	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 17a	Late effects of acute poliomyelitis	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 17b	Acute infectious encephalitis	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.		3	.	1	1	.	.	1	.	.	.	.
B 17c	Late effects of acute infectious encephalitis	M.	3	3	.	.	.	.	.	1	1	1	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 13	Smallpox	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 14	Measles ...	M.	19	13	3	9	1	.	.	.	.	.	.	.
		F.		6	2	3	1	.	.	.	.	.	.	.
B 15	Typhus and other rickettsial diseases	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 16	Malaria	M.	2	2	.	.	.	.	.	.	.	.	2	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 17d	All other diseases classified as infective and parasitic	M.	33	17	1	3	1	3	.	3	2	1	3	.
		F.		16	6	3	1	1	1	1	1	1	.	1
B 18a	Malignant neoplasms ...	M.	1,517	769	.	3	3	2	12	34	131	181	253	150
		F.		748	.	1	2	2	11	55	115	174	238	150
B 18b	Neoplasms of lymphatic and haematopoietic tissues	M.	71	51	1	3	5	6	3	5	9	8	9	2
		F.		20	.	1	1	2	3	1	5	3	3	1
B 19	Benign and unspecified neoplasms	M.	49	23	1	1	.	1	2	1	8	5	3	1
		F.		26	.	2	1	.	1	7	1	2	8	4
B 20	Diabetes mellitus ...	M.	67	23	.	.	.	1	1	1	3	3	9	5
		F.		44	.	.	.	.	.	3	5	11	15	10

ABLE 20 (*contd.*)—Deaths in 1951, in Aggregate Urban Districts, and in Aggregate Rural Districts, Classified by Cause (International Abbreviated List) and by Sex and Age.

Urban Districts.

bbreviated List No.	CAUSES OF DEATH		Total Deaths	Age at Death: All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 21	Anaemias	M.	96	32	·	2	·	·	1	1	3	10	10	5
		F.		64	1	2	·	·	·	3	6	9	31	12
B 22	Vascular lesions affecting central nervous system	M.	986	409	3	2	1	3	4	6	38	71	150	131
		F.		577	·	·	1	1	6	14	43	107	186	219
B 23	Nonmeningococcal meningitis	M.	32	19	7	5	3	2	1	·	·	1	·	·
		F.		13	3	5	2	2	·	·	·	1	·	·
B 24	Rheumatic fever ...	M.	36	13	·	·	1	3	2	1	·	1	4	1
		F.		23	·	·	5	3	4	2	1	3	3	2
B 25	Chronic rheumatic heart disease	M.	142	52	·	·	2	1	2	3	6	13	14	11
		F.		90	·	·	2	4	9	15	16	13	14	17
B 26	Arteriosclerotic and degenerative heart disease	M.	3,093	1,524	·	·	1	2	8	36	124	295	579	479
		F.		1,569	1	·	4	5	11	21	71	194	495	767
B 27	Other diseases of the heart	M.	432	193	1	1	·	2	7	6	15	48	61	52
		F.		239	2	2	2	2	1	6	20	34	96	74
B 28	Hypertension with heart disease	M.	250	120	·	·	·	·	·	1	10	31	45	33
		F.		130	·	·	·	·	2	3	6	15	52	52
B 29	Hypertension without mention of heart	M.	177	65	·	1	·	·	·	1	11	18	24	10
		F.		112	·	·	·	1	1	1	10	34	28	37
B 46a	Other circulatory diseases	M.	180	76	·	·	·	·	·	1	7	15	17	36
		F.		104	·	·	·	·	2	2	5	6	28	61
B 30	Influenza	M.	486	190	2	3	1	1	2	4	15	36	57	69
		F.		296	4	3	·	·	1	6	9	34	97	142
B 31	Pneumonia	M.	482	247	76	16	1	3	1	3	20	34	57	36
		F.		235	50	28	·	3	5	4	7	17	54	67
B 32	Bronchitis	M.	629	357	7	4	·	·	3	1	34	83	125	100
		F.		272	2	2	1	·	4	9	7	42	97	108
B 46b	Other respiratory diseases	M.	139	78	12	2	2	1	1	4	7	20	17	12
		F.		61	11	1	·	·	1	2	3	6	17	20
B 36a	Gastritis and duodenitis	M.	7	4	2	·	·	·	·	1	·	·	1	·
		F.		3	1	·	·	·	·	·	·	·	·	2
B 33	Ulcer of stomach and duodenum	M.	84	61	·	·	·	1	2	9	12	22	11	4
		F.		23	·	·	·	·	·	3	3	3	8	6
B 34	Appendicitis	M.	16	13	·	3	1	·	1	1	·	3	2	2
		F.		3	·	·	1	·	·	·	1	1	·	·
B 35	Intestinal obstruction and hernia	M.	84	41	2	1	2	4	1	5	1	5	15	5
		F.		43	5	·	·	2	·	3	2	10	12	9
B 36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	44	29	26	3	·	·	·	·	·	·	·	·
		F.		15	14	1	·	·	·	·	·	·	·	·
B 36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	23	12	·	3	1	·	·	·	2	2	2	2
		F.		11	·	2	3	·	·	1	2	·	3	·
B 36d	Chronic enteritis and ulcerative colitis	M.	17	9	·	·	·	·	1	1	2	2	3	·
		F.		8	·	·	·	1	·	1	2	1	1	2
B 37	Cirrhosis of liver ...	M.	28	18	·	·	·	·	·	2	3	6	5	2
		F.		10	·	·	·	·	1	1	2	3	1	2
B 46c	Other diseases of the liver, gallbladder and pancreas	M.	52	19	·	1	·	1	·	·	2	4	7	4
		F.		33	·	1	·	·	·	2	2	14	8	6
B 46d	Other digestive diseases	M.	49	27	4	3	·	1	1	5	3	4	2	4
		F.		22	2	1	1	·	1	1	1	4	7	4
B 38	Nephritis and nephrosis	M.	193	98	·	1	·	2	8	7	20	15	24	21
		F.		95	2	·	1	·	4	7	15	15	24	27
B 39	Hyperplasia of prostate	M.	62	62	·	·	·	·	·	·	·	6	25	31

TABLE 20 (*contd.*)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

URBAN DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	AGE AT DEATH										
				All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 40a	Complications of pregnancy and childbirth	F.	15	15	·	·	·	3	6	6	·	·	·	·
B 40b	Puerperal sepsis ...	F.	1	1	·	·	·	·	·	1	·	·	·	·
B 40c	Other complications of the puerperium	F.	3	3	·	·	·	1	2	·	·	·	·	·
B 41	Congenital malformations	M.	157	85	73	3	2	2	2	2	1	·	·	·
		F.		72	60	4	1	4	·	3	·	·	·	·
B 42	Birth injuries, postnatal asphyxia and atelectasis	M.	174	105	105	·	·	·	·	·	·	·	·	·
		F.		69	69	·	·	·	·	·	·	·	·	·
B 43a	Diarrhoea of newborn ...	M.	15	9	9	·	·	·	·	·	·	·	·	·
		F.		6	6	·	·	·	·	·	·	·	·	·
B 43b	Pneumonia of newborn	M.	38	29	29	·	·	·	·	·	·	·	·	·
		F.		9	9	·	·	·	·	·	·	·	·	·
B 43c	Other infections of newborn	M.	3	2	2	·	·	·	·	·	·	·	·	·
		F.		1	1	·	·	·	·	·	·	·	·	·
B 44	Other diseases peculiar to early infancy and immaturity unqualified	M.	351	200	200	·	·	·	·	·	·	·	·	·
		F.		151	151	·	·	·	·	·	·	·	·	·
B 45a	Senility without mention of psychosis	M.	495	187	·	·	·	·	·	·	·	2	19	166
		F.		308	·	·	·	·	·	·	·	·	39	269
B 45b	Ill-defined and unknown causes	M.	250	146	22	7	·	1	·	3	11	26	44	32
		F.		104	16	7	5	·	1	4	10	16	17	28
B 46e	All other diseases ...	M.	534	263	10	6	5	7	14	21	27	61	66	46
		F.		271	6	4	2	9	14	8	34	45	80	69
	EXTERNAL CAUSES:													
BE 47	Motor vehicle accidents	M.	61	51	·	3	8	5	5	10	5	5	5	5
		F.		10	·	1	4	1	2	·	·	·	1	1
BE 48	All other accidents ...	M.	223	133	13	12	8	14	16	11	10	12	22	15
		F.		90	9	2	5	3	2	5	1	8	20	35
BE 49	Suicide and self-inflicted injury	M.	17	14	·	·	·	2	·	2	7	2	1	·
		F.		3	·	·	·	·	1	1	1	·	·	·
BE 50	Homicide and operations of war	M.	9	8	1	·	·	·	·	·	·	3	3	1
		F.		1	·	·	·	·	·	·	·	1	·	·

ABLE 20.—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

RURAL DISTRICTS.

obrev-ated List No.	CAUSES OF DEATH		TOTAL DEATHS	AGE AT DEATH										
				All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
	All Causes ...	**M.**	**29,462**	**16,010**	**1,043**	**212**	**143**	**236**	**354**	**517**	**931**	**1,712**	**4,105**	**6,757**
		F.		**13,452**	**739**	**186**	**116**	**228**	**309**	**466**	**721**	**1,368**	**3,291**	**6,028**
B 1	Tuberculosis of respiratory system	M.	983	518	2	1	1	58	112	108	104	81	40	11
		F.		465	2	.	5	97	130	99	51	38	36	7
B 2	Tuberculosis other forms	M.	276	160	15	25	16	28	25	17	14	11	6	3
		F.		116	10	17	11	29	18	11	11	5	2	2
B 3	Syphilis and its sequelae	M.	19	15	.	.	.	1	.	1	4	4	5	.
		F.		4	.	.	.	.	.	.	3	.	1	.
B 4	Typhoid fever ...	M.	2	1	.	.	.	.	.	.	1	.	.	.
		F.		1	.	1	.	.	.	.	.	.	.	.
B 5	Cholera	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms ...	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M.	8	5	1	2	2	.	.	.	.	.	.	.
		F.		3	.	.	3	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M.	5	2	.	.	.	.	.	1	.	1	.	.
		F.		3	1	.	1	.	.	.	.	.	1	.
B 8	Diphtheria	M.	5	3	.	.	1	.	1	.	1	.	.	.
		F.		2	.	1	1	.	.	.	.	.	.	.
B 9	Whooping cough ...	M.	75	34	26	7	1	.	.	.	.	.	.	.
		F.		41	18	22	.	1	.	.	.	.	.	.
B 10	Meningococcal infections	M.	12	4	.	1	1	.	1	1	.	.	.	.
		F.		8	3	4	.	.	.	.	.	1	.	.
B 11	Plague	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis ...	M.	12	4	.	.	.	2	1	1	.	.	.	.
		F.		8	.	1	1	2	1	1	1	1	.	.
B 17a	Late effects of acute poliomyelitis	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.		2	.	.	.	.	1	.	1	.	.	.
B 17b	Acute infectious encephalitis	M.	8	3	1	.	.	.	.	1	1	.	.	.
		F.		5	.	2	1	.	.	2	.	.	.	.
B 17c	Late effects of acute infectious encephalitis	M.	2	2	.	.	.	.	.	1	1	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 13	Smallpox	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 14	Measles	M.	13	6	.	4	2	.	.	.	.	.	.	.
		F.		7	4	1	.	.	.	1	1	.	.	.
B 15	Typhus and other rickettsial diseases	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.		.	.	.	.	.	.	.	.	.	.	.
B 16	Malaria	M.	2	2	.	.	.	.	.	.	.	.	1	1
		F.		.	.	.	.	.	.	.	.	.	.	.
B 17d	All other diseases classified as infective and parasitic	M.	66	36	4	3	2	1	3	4	3	4	8	4
		F.		30	3	3	4	2	3	2	2	2	8	1
B 18a	Malignant neoplasms ...	M.	2,723	1,527	.	5	4	6	20	61	144	314	581	392
		F.		1,196	.	3	1	6	17	57	166	292	382	272
B 18b	Neoplasms of lymphatic and haematopoietic tissues	M.	113	78	.	7	3	5	8	5	11	22	13	4
		F.		35	.	1	5	4	2	4	2	5	8	4
B 19	Benign and unspecified neoplasms	M.	71	35	.	1	4	2	5	2	8	5	5	3
		F.		36	.	1	1	3	2	2	6	11	4	6
B 20	Diabetes mellitus ...	M.	181	91	.	.	3	2	6	3	14	9	28	26
		F.		90	.	.	.	2	1	6	9	13	38	21

TABLE 20 (*contd.*)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

RURAL DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	AGE AT DEATH										
				All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 21	Anaemias	M.	196	85	·	1	2	1	1	9	6	17	30	18
		F.		111	3	·	1	·	3	7	15	25	40	17
B 22	Vascular lesions affecting central nervous system	M.	2,039	951	4	·	·	3	2	21	49	128	332	412
		F.		1,088	1	1	1	2	10	15	71	181	365	441
B 23	Nonmeningococcal meningitis	M.	60	36	12	10	4	7	1	1	1	·	·	·
		F.		24	3	9	3	4	1	2	·	·	2	·
B 24	Rheumatic fever ...	M.	45	23	·	1	3	·	4	5	·	5	5	·
		F.		22	·	1	6	1	1	3	3	3	4	·
B 25	Chronic rheumatic heart disease	M.	265	137	1	·	·	3	4	12	15	17	44	41
		F.		128	·	·	3	3	12	10	11	23	35	31
B 26	Arteriosclerotic and degenerative heart disease	M.	6,251	3,585	1	·	4	4	20	62	172	420	1,216	1,686
		F.		2,666	·	·	3	5	13	38	111	276	873	1,347
B 27	Other diseases of the heart	M.	934	504	1	2	1	3	10	9	24	64	186	204
		F.		430	·	2	1	2	6	12	27	59	130	191
B 28	Hypertension with heart disease	M.	252	131	·	·	·	·	·	·	5	20	47	59
		F.		121	·	·	·	·	·	1	9	13	52	46
B 29	Hypertension without mention of heart	M.	295	147	·	·	·	1	2	2	17	23	46	56
		F.		148	·	·	·	·	1	8	12	32	51	44
B 46a	Other circulatory diseases	M.	477	269	·	1	1	4	2	2	8	21	77	153
		F.		208	·	·	·	·	1	7	9	13	65	113
B 30	Influenza	M.	1,913	917	21	4	8	8	6	14	39	96	268	453
		F.		996	19	6	5	8	6	22	22	92	292	524
B 31	Pneumonia	M.	939	492	123	38	12	6	7	10	25	46	100	125
		F.		447	94	35	7	2	7	10	11	38	104	139
B 32	Bronchitis	M.	823	459	19	7	1	5	4	5	23	54	139	202
		F.		364	8	5	2	1	2	8	19	33	110	176
B 46b	Other respiratory diseases	M.	238	140	12	3	3	3	4	9	13	15	38	40
		F.		98	7	1	3	1	·	4	4	7	26	45
B 36a	Gastritis and duodenitis	M.	38	21	8	2	·	·	·	·	1	1	4	5
		F.		17	2	2	·	·	·	·	·	1	5	7
B 33	Ulcer of stomach and duodenum	M.	195	150	·	·	·	4	7	26	22	27	37	27
		F.		45	·	·	·	·	·	2	7	6	18	12
B 34	Appendicitis	M.	49	28	·	5	2	5	2	4	4	1	3	2
		F.		21	1	1	4	3	1	·	4	2	2	3
B 35	Intestinal obstruction and hernia	M.	142	87	6	1	2	2	1	5	3	12	27	28
		F.		55	4	2	3	1	2	1	2	7	16	17
B 36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	108	59	56	3	·	·	·	·	·	·	·	·
		F.		49	43	6	·	·	·	·	·	·	·	·
B 36c	Gastro enteritis and colitis except ulcerative aged 2 years and over	M.	35	15	·	2	1	1	·	·	·	2	3	6
		F.		20	·	5	1	1	·	1	3	1	5	3
B 36d	Chronic enteritis and ulcerative colitis	M.	17	8	·	·	·	·	·	2	2	·	2	2
		F.		9	·	·	·	·	·	·	2	2	3	2
B 37	Cirrhosis of liver ...	M.	31	22	·	·	·	·	·	·	2	4	11	5
		F.		9	·	·	·	·	1	1	2	1	2	2
B 46c	Other diseases of the liver, gallbladder and pancreas	M.	65	24	·	1	1	·	2	1	1	5	5	8
		F.		41	1	·	·	1	·	2	4	11	9	13
B 46d	Other digestive diseases	M.	89	61	10	·	2	2	2	·	10	9	13	13
		F.		28	7	3	·	1	·	1	1	7	5	3
B 38	Nephritis and nephrosis	M.	459	262	1	1	4	10	9	14	26	39	77	81
		F.		197	·	1	2	7	4	17	20	31	66	49
B 39	Hyperplasia of prostate	M.	220	220	·	·	·	·	·	·	2	16	71	131

.BLE 20 (*contd.*)—Deaths in 1951, in Aggregate Urban Districts, and in Aggregate Rural Districts, Classified by Cause (International Abbreviated List) and by Sex and Age.

Rural Districts.

brev-ated List No.	CAUSES OF DEATH		Total Deaths	Age at Death: All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
40a	Complications of pregnancy and childbirth	F.	69	69	.	.	.	3	19	45	2	.	.	.
40b	Puerperal sepsis ...	F.	.	.	.	.	.	.	.	.	.	.	.	.
40c	Other complications of the puerperium	F.	15	15	.	.	.	2	4	8	1	.	.	.
41	Congenital malformations	M.	286	152	119	13	8	3	1	2	.	2	1	3
		F.		134	116	6	4	4	1	1	2	.	.	.
42	Birth injuries, postnatal asphyxia and atelectasis	M.	194	115	115	.	.	.	.	.	.	.	.	.
		F.		79	79	.	.	.	.	.	.	.	.	.
43a	Diarrhoea of newborn	M.	13	10	10	.	.	.	.	.	.	.	.	.
		F.		3	3	.	.	.	.	.	.	.	.	.
43b	Pneumonia of newborn	M.	38	25	25	.	.	.	.	.	.	.	.	.
		F.		13	13	.	.	.	.	.	.	.	.	.
43c	Other infections of newborn	M.	3	2	2	.	.	.	.	.	.	.	.	.
		F.		1	1	.	.	.	.	.	.	.	.	.
44	Other diseases peculiar to early infancy and immaturity unqualified	M.	594	354	354	.	.	.	.	.	.	.	.	.
		F.		240	240	.	.	.	.	.	.	.	.	.
45a	Senility without mention of psychosis	M.	4,487	2,225	.	.	.	.	.	.	.	2	186	2,037
		F.		2,262	.	.	.	.	.	.	.	3	198	2,061
45b	Ill-defined and unknown causes	M.	885	522	50	11	6	2	2	9	17	56	154	215
		F.		363	25	16	5	2	4	5	18	38	102	148
46e	All other diseases ...	M.	1,439	821	23	26	19	20	26	35	87	110	228	247
		F.		618	14	12	13	13	25	41	65	74	186	175
	External Causes:													
E 47	Motor vehicle accidents	M.	110	84	.	7	5	9	16	11	12	9	9	6
		F.		26	.	2	4	8	1	2	3	2	3	1
E 48	All other accidents ...	M.	511	290	20	17	14	24	32	34	26	29	49	45
		F.		221	14	13	11	3	5	7	7	15	41	105
E 49	Suicide and self-inflicted injury	M.	60	47	.	.	.	1	5	7	13	9	9	3
		F.		13	.	.	.	3	4	.	1	4	1	.
E 50	Homicide and operations of war	M.	5	4	1	.	.	.	.	.	.	2	1	.
		F.		1	.	.	.	1	.	.	.	.	.	.

TABLE 21.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED
NUMBER OF UNCERTIFIED DEATHS FOR

NOTE.—*The Classification of Cause of Death in this Table is based on the International List,* 1948. *In*
is shown in the Table

IRE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**42,382**	**2,660**	**718**	**5,536**	**13,562**	**2,579**
		F.		**2,120**	**709**	**4,086**	**12,991**	**2,591**
B.1	Tuberculosis of respiratory system...	M.	1,712	335	87	213	307	6
		F.		275	89	168	238	7
B.2	Tuberculosis, other forms	M.	450	69	10	127	42	2
		F.		70	8	93	31	2
B.3	Syphilis and its sequelae	M.	48	5	7	11	12	.
		F.		3	2	5	3	.
B.4	Typhoid fever	M.	3	.	.	1	.	.
		F.		.	.	2	.	.
B.6	Dysentery, all forms	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.7a	Scarlet fever	M.	10	1	.	1	3	.
		F.		.	.	2	3	.
B.7b	Streptococcal sore throat ...	M.	8	1	1	1	.	.
		F.		1	.	2	2	.
B.8	Diphtheria	M.	8	.	.	4	1	.
		F.		.	.	2	1	.
B.9	Whooping cough	M.	108	5	.	16	31	1
		F.		6	.	9	41	5
B.10	Meningococcal infections	M.	25	6	.	6	1	.
		F.		6	.	4	2	.
B.12	Acute poliomyelitis	M.	15	3	.	3	1	1
		F.		3	.	4	1	.
B.17a	Late effects of acute poliomyelitis ...	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.17b	Acute infectious encephalitis ...	M.	11	.	.	2	1	.
		F.		1	2	2	3	.
B.17c	Late effects of acute infectious encephalitis	M.	5	.	3	.	2	.
		F.						
B.14	Measles	M.	32	8	.	5	6	2
		F.		5	.	5	3	.
B.16	Malaria	M.	4	.	.	.	4	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	99	14	1	24	14	.
		F.		15	1	17	13	1
B.18a	Malignant neoplasms	M.	4,240	431	36	698	1,131	22
		F.		359	31	455	1,099	22
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	184	55	.	25	49	1
		F.		18	1	16	20	.
B.19	Benign and unspecified neoplasms ...	M.	120	26	.	12	20	1
		F.		19	5	15	23	1
B.20	Diabetes mellitus	M.	248	14	3	35	62	7
		F.		21	2	43	68	2
B.21	Anaemias	M.	292	18	6	47	46	2
		F.		8	7	56	104	4
B.22	Vascular lesions affecting central nervous system	M.	3,025	128	45	345	842	58
		F.		138	48	320	1,159	80

ST) AND BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE; AND (iii) THE
ACH COUNTY AND COUNTY BOROUGH.

unties where there are no deaths from particular causes those causes are not listed. The full list of causes lating to the whole country.

AND.

All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
	Age at Death										
,476	**1,679**	**351**	**212**	**376**	**520**	**811**	**1,587**	**2,867**	**5,835**	**8,238**	
,906	**1,197**	**293**	**186**	**348**	**486**	**740**	**1,187**	**2,228**	**5,003**	**8,238**	
942	3	4	2	111	168	195	199	171	72	17	B.1
770	3	4	12	147	204	159	196	67	57	11	
248	20	50	33	43	33	28	18	12	8	3	B.2
202	19	36	25	48	23	21	15	7	5	3	
35	1	.	1	1	.	2	10	13	5	2	B.3
13	3	.	.	.	.	.	3	2	4	1	
1	.	.	.	.	.	.	1	.	.	.	B.4
2	.	1	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.6
1	.	.	.	.	.	1	.	.	.	.	
5	1	2	2	.	.	.	.	.	.	.	B.7a
5	.	.	4	1	.	.	.	.	.	.	
3	.	.	.	.	.	1	1	1	.	.	B.7b
5	1	.	1	.	1	.	.	.	2	.	
5	.	1	2	.	1	.	1	.	.	.	B.8
3	.	2	1	.	.	.	.	.	.	.	
52	39	12	1	.	.	.	.	.	.	.	B.9
56	30	25	.	1	.	.	.	.	.	.	
13	4	4	1	1	1	2	.	.	.	.	B.10
12	3	7	1	.	.	.	.	1	.	.	
7	.	1	.	2	2	2	.	.	.	.	B.12
8	.	1	1	2	1	1	1	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17a
2	.	.	.	.	1	.	1	.	.	.	
3	1	.	.	.	.	1	1	.	.	.	B.17b
8	.	3	2	.	.	3	.	.	.	.	
5	.	.	.	.	.	2	2	1	.	.	B.17c
19	3	13	3	.	.	.	.	.	.	.	B.14
13	6	4	1	.	.	1	1	.	.	.	
4	.	.	.	.	.	.	.	.	3	1	B.16
.	.	.	.	.	.	.	.	.	.	.	
53	5	6	3	4	3	7	5	5	11	4	B.17d
46	9	6	5	3	4	3	3	3	8	2	
2,296	.	8	7	8	32	95	275	495	834	542	B.18a
1,944	.	4	3	8	28	112	281	466	620	422	
129	1	10	8	11	11	10	20	30	22	6	B.18b
55	.	2	6	6	5	5	7	8	11	5	
58	1	2	4	3	7	3	16	10	8	4	B.19
62	.	3	2	3	3	9	7	13	12	10	
114	.	.	3	3	7	4	17	12	37	31	B.20
134	.	.	.	2	1	9	14	24	53	31	
117	.	3	2	1	2	10	9	27	40	23	B.21
175	4	2	1	.	3	10	21	34	71	29	
1,360	7	2	1	6	6	27	87	199	482	543	B.22
1,665	1	1	2	3	16	29	114	288	551	660	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

IRE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.23	Nonmeningococcal meningitis ...	M.	92	16	·	28	11	1
		F.		10	1	18	8	1
B.24	Rheumatic fever	M.	81	5	·	7	24	·
		F.		11	·	9	25	·
B.25	Chronic rheumatic heart disease ...	M.	407	16	2	45	126	3
		F.		38	4	46	130	·
B.26	Arteriosclerotic and degenerative heart disease	M.	9,344	258	248	1,131	3,472	172
		F.		172	265	894	2,904	121
B.27	Other diseases of the heart	M.	1,366	60	12	171	454	91
		F.		56	19	164	430	79
B.28	Hypertension with heart disease ...	M.	502	14	12	90	135	2
		F.		21	3	72	155	3
B.29	Hypertension without mention of heart	M.	472	26	5	52	129	5
		F.		34	6	46	174	7
B.46a	Other circulatory diseases	M.	657	31	12	125	177	3
		F.		26	20	78	188	6
B.30	Influenza	M.	2,399	20	23	197	867	133
		F.		22	25	195	1,050	185
B.31	Pneumonia	M.	1,421	78	21	230	410	18
		F.		68	22	163	429	21
B.32	Bronchitis	M.	1,452	35	23	186	572	37
		F.		24	14	84	514	42
B.46b	Other respiratory diseases	M.	377	40	4	69	105	1
		F.		24	1	32	102	·
B.36a	Gastritis and duodenitis	M.	45	·	·	8	17	1
		F.		·	·	3	17	·
B.33	Ulcer of stomach and duodenum ...	M.	279	55	1	92	63	4
		F.		13	3	12	40	2
B.34	Appendicitis	M.	65	16	·	23	2	·
		F.		5	1	15	3	1
B.35	Intestinal obstruction and hernia ...	M.	226	40	1	54	33	2
		F.		25	2	41	30	1
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	152	17	·	22	49	4
		F.		8	·	23	33	5
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	58	3	·	13	11	·
		F.		6	·	9	16	3
B.36d	Chronic enteritis and ulcerative colitis	M.	34	9	·	6	2	·
		F.		10	·	2	5	·
B.37	Cirrhosis of liver	M.	59	9	1	11	19	·
		F.		7	·	3	9	·
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	117	15	1	12	15	·
		F.		27	1	15	31	·
B.46d	Other digestive diseases	M.	138	34	·	26	28	3
		F.		14	2	11	23	1
B.38	Nephritis and nephrosis	M.	652	49	5	122	184	10
		F.		42	1	78	171	8
B.39	Hyperplasia of prostate	M.	282	56	2	116	108	5
B.40a	Complications of pregnancy and child-birth	F.	84	20	·	36	28	·
B.40b	Puerperal sepsis	F.	1	1	·	·	·	·
B.40c	Other complications of the puerperium	F.	18	2	1	11	4	·

SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
D COUNTY BOROUGH.

ND.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
55	19	15	7	9	2	1	1	1	.	.	B.23
37	6	14	5	6	1	2	.	1	2	.	
36	.	1	4	3	6	6	.	6	9	1	B.24
45	.	1	11	4	5	5	4	6	7	2	
189	1	.	2	4	6	15	21	30	58	52	B.25
218	.	.	5	7	21	25	27	36	49	48	
,109	1	.	5	6	28	98	296	715	1,795	2,165	B.26
,235	1	.	7	10	24	59	182	470	1,368	2,114	
697	2	3	1	5	17	15	39	112	247	256	B.27
669	2	4	3	4	7	18	47	93	226	265	
251	.	.	.	.	.	1	15	51	92	92	B.28
251	.	.	.	.	2	4	15	28	104	98	
212	.	1	.	1	2	3	28	41	70	66	B.29
260	.	.	.	1	2	9	22	66	79	81	
345	.	1	1	4	2	3	15	36	94	189	B.46a
312	.	.	.	.	3	9	14	19	93	174	
1,107	23	7	9	9	8	18	54	132	325	522	B.30
1,292	23	9	5	8	7	28	31	126	389	666	
739	199	54	13	9	8	13	45	80	157	161	B.31
682	144	63	7	5	12	14	18	55	158	206	
816	26	11	1	5	7	6	57	137	264	302	B.32
636	10	7	3	1	6	17	26	75	207	284	
218	24	5	5	4	5	13	20	35	55	52	B.46b
159	18	2	3	1	1	6	7	13	43	65	
25	10	2	.	.	.	1	1	1	5	5	B.36a
20	3	2	.	.	.	.	.	1	5	9	
211	.	.	.	5	9	35	34	49	48	31	B.33
68	.	.	.	.	.	5	10	9	26	18	
41	.	8	3	5	3	5	4	4	5	4	B.34
24	1	1	5	3	1	.	5	3	2	3	
128	8	2	4	6	2	10	4	17	42	33	B.35
98	9	2	3	3	2	4	4	17	28	26	
88	82	6	.	.	.	.	.	.	.	.	B.36b
64	57	7	.	.	.	.	.	.	.	.	
27	.	5	2	1	.	.	2	4	5	8	B.36c
31	.	7	4	1	.	2	5	1	8	3	
17	.	.	.	.	1	3	4	2	5	2	B.36d
17	.	.	.	1	.	1	4	3	4	4	
40	.	.	.	.	.	2	5	10	16	7	B.37
19	.	.	.	.	2	2	4	4	3	4	
43	.	2	1	1	2	1	3	9	12	12	B.46c
74	1	1	.	1	.	4	6	25	17	19	
88	14	3	2	3	3	5	13	13	15	17	B.46d
50	9	4	1	1	1	2	2	11	12	7	
360	1	2	4	12	17	21	46	54	101	102	B.38
292	2	1	3	7	8	24	35	46	90	76	
282	.	.	.	.	.	.	2	22	96	162	B.39
84	.	.	.	6	25	51	2	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40b
18	.	.	.	3	6	8	1	.	.	.	B.40c

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

IRE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.41	Congenital malformations	M.	443	65	2	71	99	10
		F.		65		54	87	4
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	368	115	.	76	29	4
		F.		84	.	39	25	1
B.43a	Diarrhoea of newborn	M.	28	9	.	4	6	.
		F.		4	.	3	2	.
B.43b	Pneumonia of newborn	M.	76	23	.	13	18	2
		F.		13	.	3	6	1
B.43c	Other infections of newborn ...	M.	6	2	.	1	1	.
		F.		2	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	945	144	.	227	183	39
		F.		111	.	139	141	25
B.45a	Senility without mention of psychosis	M.	4,982	11	45	258	2,098	1,503
		F.		16	58	209	2,287	1,615
B.45b	Ill-defined and unknown causes ...	M.	1,135	62	8	64	534	336
		F.		31	3	37	396	255
B.46c	All other diseases	M.	1,973	97	83	268	636	82
		F.		89	55	209	536	71
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	171	45	.	37	53	1
		F.		13	.	8	15	.
BE.48	All other accidents	M.	734	62	7	101	253	4
		F.		56	5	104	146	9
BE.49	Suicide and self-inflicted injury ...	M.	77	3	1	2	55	.
		F.		1	1	1	13	.
BE.50	Homicide and operations of war ...	M.	14	1	.	2	9	.
		F.		.	.	.	2	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

ND.

All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
	Age at Death										
237	192	16	10	5	3	4	1	2	1	3	B.41
206	176	10	5	8	1	4	2	.	.	.	
220	220	.	.	.	.	.	.	.	.	.	B.42
148	148	.	.	.	.	.	.	.	.	.	
19	19	.	.	.	.	.	.	.	.	.	B.43a
9	9	.	.	.	.	.	.	.	.	.	
54	54	.	.	.	.	.	.	.	.	.	B.43b
22	22	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.43c
2	2	.	.	.	.	.	.	.	.	.	
554	554	.	.	.	.	.	.	.	.	.	B.44
391	391	.	.	.	.	.	.	.	.	.	
2,412	.	.	.	.	.	.	.	4	205	2,203	B.45a
2,570	.	.	.	.	.	.	.	3	237	2,330	
668	72	18	6	3	2	12	28	82	198	247	B.45b
467	41	23	10	2	5	9	28	54	119	176	
1,084	33	32	24	27	40	56	114	171	294	293	B.46c
889	20	16	15	22	39	49	99	119	266	244	
135	.	10	13	14	21	21	17	14	14	11	BE.47
36	.	3	8	9	3	2	3	2	4	2	
423	33	29	22	38	48	45	36	41	71	60	BE.48
311	23	15	16	6	7	12	8	23	61	140	
61	.	.	.	3	5	9	20	11	10	3	BE.49
16	.	.	.	3	5	1	2	4	1	.	
12	2	.	.	.	.	.	.	5	4	1	BE.50
2	.	.	.	1	.	.	.	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

LEIN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**17,331**	**1,774**	**286**	**2,209**	**4,824**	**424**
		F.		**1,413**	**310**	**1,660**	**4,855**	**377**
B.1	Tuberculosis of respiratory system ...	M.	826	204	20	83	163	1
		F.		139	23	61	133	2
B.2	Tuberculosis, other forms	M.	196	46	4	32	15	.
		F.		46	4	31	18	1
B.3	Syphilis and its sequelae	M.	36	5	5	7	7	.
		F.		3	2	4	3	.
B.4	Typhoid fever	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.6	Dysentery, all forms	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.7a	Scarlet fever	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.7b	Streptococcal sore throat	M.	5	.	1	1	.	.
		F.		1	.	1	1	.
B.8	Diphtheria	M.	2	.	.	1	.	.
		F.		.	.	.	1	.
B.9	Whooping cough	M.	47	5	.	10	11	.
		F.		6	.	4	11	.
B.10	Meningococcal infections	M.	11	3	.	3	.	.
		F.		5	.	.	.	.
B.12	Acute poliomyelitis	M.	5	3	.	.	.	.
		F.		1	.	1	.	.
B.17b	Acute infectious encephalitis ...	M.	6	.	.	.	.	.
		F.		.	2	2	2	.
B.17c	Late effects of acute infectious encephalitis	M.	3	.	2	.	1	.
		F.		.	.	.	.	.
B.14	Measles	M.	21	6	.	4	3	1
		F.		5	.	3	.	.
B.16	Malaria	M.	3	.	.	.	3	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	42	6	1	9	5	.
		F.		10	.	5	6	.
B.18a	Malignant neoplasms	M.	1,927	274	14	276	472	4
		F.		237	8	189	457	5
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	92	37	.	8	21	1
		F.		12	.	8	6	.
B.19	Benign and unspecified neoplasms ...	M.	58	17	.	2	10	1
		F.		12	4	3	10	.
B.20	Diabetes mellitus	M.	80	5	.	11	18	1
		F.		8	.	10	28	1
B.21	Anaemias	M.	106	11	2	11	11	.
		F.		4	4	26	37	.
B.22	Vascular lesions affecting central nervous system	M.	1,366	89	26	154	321	10
		F.		107	20	148	501	11
B.23	Nonmeningococcal meningitis ...	M.	39	11	.	10	2	.
		F.		6	.	6	4	.
B.24	Rheumatic fever	M.	43	4	.	4	9	.
		F.		11	.	3	12	.
B.25	Chronic rheumatic heart disease ...	M.	208	9	.	21	51	.
		F.		30	1	28	68	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
nd County Borough.

TER.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
9,093 8,238	852 616	167 135	86 96	167 147	249 232	389 330	768 532	1,327 1,017	2,396 2,148	2,692 2,985	
470 356	1 2	4 3	1 7	42 63	89 90	97 77	109 55	83 28	37 27	7 4	B.1
97 99	8 7	27 19	11 16	14 22	13 9	16 12	4 7	2 1	1 4	1 2	B.2
24 12	1 3	.	1 .	1 .	.	1 .	7 2	8 2	3 4	2 1	B.3
1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	B.4
. 1	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	B.6
1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.7a
2 3	. .	. .	. 1	. .	. 1	. .	1 .	1 .	. 1	. .	B.7b
1 1	. .	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	B.8
26 21	20 14	6 7	. .	. .	. .	. .	. .	. .	. .	. .	B.9
6 5	1 1	3 2	. 1	1 .	. .	1 .	. .	. 1	. .	. .	B.10
3 2	. .	1 .	. .	. 2	1 .	1 .	. .	. .	. .	. .	B.12
. 6	. .	. 1	. 2	. .	. .	. 3	. .	. .	. .	. .	B.17b
. 3	. .	. .	. .	. .	. .	1 .	1 .	1 .	. .	. .	B.17c
13 8	3 5	8 1	2 1	. .	. .	. .	. 1	. .	. .	. .	B.14
3 .	. .	. .	. .	. .	. .	. .	. .	. .	2 .	1 .	B.16
21 21	4 7	2 3	. 2	3 1	. 2	3 1	1 1	2 .	5 2	1 2	B.17d
1,036 891	. .	3 4	2 1	3 1	14 17	59 53	146 133	229 213	354 293	226 176	B.18a
66 26	. .	5 1	5 1	6 5	4 3	5 2	10 4	15 4	13 4	3 2	B.18b
29 29	. .	1 2	1 1	2 1	2 1	1 3	10 1	6 6	3 7	3 7	B.19
34 46	. .	. .	2 .	. .	3 .	1 2	2 5	6 7	12 18	8 14	B.20
35 71	. .	2 1	1 1	1 .	. 2	2 6	. 2	8 14	14 32	7 13	B.21
590 776	5 1	. 1	1 2	2 1	5 8	10 21	53 48	85 144	213 238	216 312	B.22
23 16	8 3	6 10	2 2	5 1	1 .	. .	. .	1 .	. .	. .	B.23
17 26	. .	1 1	2 4	3 3	3 2	3 3	. 3	1 4	3 4	1 2	B.24
81 127	1 .	. .	1 3	2 3	4 11	6 15	11 18	13 23	24 27	19 27	B.25

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
LEI

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
B.26	Arteriosclerotic and degenerative heart disease	M.	4,164	175	120	491	1,420	58
		F.		116	144	416	1,282	35
B.27	Other diseases of the heart ...	M.	547	35	2	78	153	27
		F.		39	8	78	154	21
B.28	Hypertension with heart disease ...	M.	288	13	4	66	54	1
		F.		16	.	51	84	1
B.29	Hypertension without mention of heart	M.	205	18	2	29	48	.
		F.		22	3	23	60	.
B.46a	Other circulatory diseases	M.	312	21	7	46	78	2
		F.		17	14	30	99	2
B.30	Influenza	M.	702	13	10	48	246	18
		F.		11	6	59	309	18
B.31	Pneumonia	M.	627	62	11	94	151	3
		F.		55	18	70	166	6
B.32	Bronchitis	M.	718	23	8	116	263	7
		F.		16	6	39	247	6
B.46b	Other respiratory diseases	M.	180	26	3	21	50	.
		F.		19	1	11	49	.
B.36a	Gastritis and duodenitis	M.	6	.	.	1	2	.
		F.		.	.	.	3	.
B.33	Ulcer of stomach and duodenum ...	M.	121	30	.	35	25	.
		F.		7	2	6	16	.
B.34	Appendicitis	M.	25	10	.	6	1	.
		F.		4	1	3	.	.
B.35	Intestinal obstruction and hernia ...	M.	110	30	.	19	15	1
		F.		15	1	16	14	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	68	13	.	13	15	.
		F.		6	.	9	12	.
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	26	3	.	5	3	.
		F.		6	.	3	6	.
B.36d	Chronic enteritis and ulcerative colitis	M.	15	2	.	4	1	.
		F.		6	.	1	1	.
B.37	Cirrhosis of liver	M.	33	6	.	5	10	.
		F.		7	.	.	5	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	58	9	.	5	6	.
		F.		16	1	7	14	.
B.46d	Other digestive diseases	M.	64	21	.	10	7	.
		F.		11	1	4	10	.
B.38	Nephritis and nephrosis	M.	270	34	3	38	71	1
		F.		30	.	24	70	.
B.39	Hyperplasia of prostate	M.	87	29	2	20	36	1
B.40a	Complications of pregnancy and childbirth	F.	35	13	.	10	12	.
B.40b	Puerperal sepsis	F.	1	1	.	.	.	.
B.40c	Other complications of the puerperium	F.	6	1	1	3	1	.
B.41	Congenital malformations	M.	219	48	1	33	35	4
		F.		48	.	18	36	1
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	235	94	.	37	15	1
		F.		64	.	13	12	1
B.43a	Diarrhoea of newborn	M.	19	7	.	1	5	.
		F.		4	.	1	1	.
B.43b	Pneumonia of newborn	M.	42	22	.	1	5	1
		F.		10	.	.	4	1

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

ER.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
206	1	.	2	3	12	39	151	337	775	886	B.26
958	1	.	3	5	12	23	75	207	639	993	
268	1	1	.	2	9	6	17	45	92	95	B.27
279	2	1	3	1	2	7	23	35	108	97	
137	.	.	.	.	.	1	8	32	48	48	B.28
151	.	.	.	.	2	3	9	14	59	64	
97	.	.	.	1	1	2	14	25	30	24	B.29
108	.	.	.	1	2	1	8	33	29	34	
152	.	.	1	3	2	3	9	15	37	82	B.46a
160	.	.	.	.	2	5	5	11	44	93	
317	3	.	1	4	5	6	20	42	107	129	B.30
385	6	4	2	1	1	9	10	43	118	191	
318	91	27	4	6	1	6	25	40	68	50	B.31
309	87	30	.	3	6	7	7	24	63	82	
410	11	4	1	3	5	4	32	74	144	132	B.32
308	6	2	1	.	3	6	14	41	105	130	
100	16	3	.	1	2	7	6	21	28	16	B.46b
80	15	1	1	1	1	4	3	9	17	28	
3	.	1	.	.	.	.	.	.	1	1	B.36a
3	1	1	.	.	.	.	.	.	1	.	
90	.	.	.	1	5	17	16	25	14	12	B.33
31	.	.	.	.	.	3	4	4	11	9	
17	.	2	3	2	.	2	1	3	2	2	B.34
8	.	.	2	1	.	.	2	1	.	2	
64	4	1	1	5	1	6	1	6	24	15	B.35
46	5	2	2	1	1	3	2	10	9	11	
41	37	4	.	.	.	.	.	.	.	.	B.36b
27	22	5	.	.	.	.	.	.	.	.	
11	.	3	1	.	.	.	1	1	2	3	B.36c
15	.	3	3	.	.	1	2	.	5	1	
7	.	.	.	.	.	1	1	1	3	1	B.36d
8	.	.	.	.	.	1	3	1	3	.	
21	.	.	.	.	.	2	2	4	8	5	B.37
12	.	.	.	.	2	1	3	2	1	3	
20	.	2	1	.	1	.	2	2	5	7	B.46c
38	.	1	.	.	.	2	2	15	8	10	
38	6	1	2	2	3	5	5	5	3	6	B.46d
26	4	1	1	.	.	1	.	7	8	4	
146	.	1	1	5	10	8	19	24	44	34	B.38
124	2	1	2	1	6	9	15	19	35	34	
87	.	.	.	.	.	.	1	11	25	50	B.39
35	.	.	.	4	11	19	1	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40b
6	.	.	.	2	2	1	1	.	.	.	B.40c
117	99	6	4	2	3	1	1	1	.	.	B.41
102	90	4	1	4	.	2	1	.	.	.	
146	146	.	.	.	.	.	.	.	.	.	B.42
89	89	.	.	.	.	.	.	.	.	.	
13	13	.	.	.	.	.	.	.	.	.	B.43a
6	6	.	.	.	.	.	.	.	.	.	
28	28	.	.	.	.	.	.	.	.	.	B.43b
14	14	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
LEI

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertific Deaths
B.43c	Other infections of newborn ...	M.	5	2	.	1	.	.
		F.		2	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	461	111	.	87	77	9
		F.		81	.	48	57	10
B.45a	Senility without mention of psychosis	M.	936	4	5	76	343	157
		F.		4	10	66	428	178
B.45b	Ill-defined and unknown causes ...	M.	368	35	1	18	168	95
		F.		15	.	18	113	61
B.46e	All other diseases	M.	778	53	27	97	228	15
		F.		63	23	69	218	12
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	108	38	.	22	29	1
		F.		10	.	2	7	.
BE.48	All other accidents	M.	327	48	4	36	115	3
		F.		33	2	28	61	4
BE.49	Suicide and self-inflicted injury ...	M.	34	3	1	2	22	.
		F.		1	.	1	4	.
BE.50	Homicide and operations of war ...	M.	6	.	.	.	4	.
		F.		.	.	.	2	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
ID County Borough.

ER.

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
3	3	.	.	.	.	.	.	.	.	.	B.43c
2	2	.	.	.	.	.	.	.	.	.	
275	275	.	.	.	.	.	.	.	.	.	B.44
186	186	.	.	.	.	.	.	.	.	.	
428	.	.	.	.	.	.	.	1	38	389	B.45a
508	.	.	.	.	.	.	.	2	49	457	
222	24	9	.	.	.	4	9	37	64	75	B.45b
146	13	9	6	1	1	3	11	20	37	45	
405	14	14	10	10	16	21	38	74	108	100	B.46c
373	9	6	10	8	24	14	47	59	113	83	
89	.	6	11	9	10	13	10	11	8	11	BE.47
19	.	1	6	6	2	.	1	.	2	1	
203	25	12	11	21	22	24	16	22	29	21	BE.48
124	13	7	7	2	4	4	2	11	23	51	
28	.	.	.	2	2	4	7	6	4	3	BE.49
6	.	.	.	1	2	1	1	1	.	.	
4	2	.	.	.	.	.	.	1	1	.	BE.50
2	.	.	.	1	.	.	.	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	M.	507	20	7	72	182	21
		F.		22	8	51	145	24
B.1	Tuberculosis of respiratory system ...	M.	23	3	.	3	5	.
		F.		4	2	2	4	.
B.2	Tuberculosis, other forms	M.	7	2	.	1	.	.
		F.		1	.	3	.	.
B.9	Whooping cough	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.17b	Acute infectious encephalitis ...	M.	2	.	.	.	.	.
		F.		.	1	1	.	.
B.17d	All other diseases classified as infective and parasitic	M.	3	1	.	.	.	.
		F.		.	.	.	2	.
B.18a	Malignant neoplasms	M.	55	6	.	8	17	.
		F.		3	.	10	11	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	1	.
		F.		1	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.20	Diabetes mellitus	M.	3	.	.	.	.	.
		F.		1	.	.	2	.
B.21	Anaemias	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.22	Vascular lesions affecting central nervous system	M.	16	.	.	2	7	.
		F.		.	.	1	6	.
B.23	Nonmeningococcal meningitis ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.24	Rheumatic fever	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.25	Chronic rheumatic heart disease ...	M.	10	.	.	1	1	.
		F.		1	.	1	6	.
B.26	Arteriosclerotic and degenerative heart disease	M.	127	.	3	13	59	3
		F.		1	3	10	38	1
B.27	Other diseases of the heart ...	M.	31	.	1	8	9	1
		F.		.	1	9	3	1
B.28	Hypertension with heart disease ...	M.	7	.	.	.	3	.
		F.		.	.	.	4	.
B.29	Hypertension without mention of heart	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.46a	Other circulatory diseases	M.	9	2	1	.	3	.
		F.		.	.	1	2	1

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
ID County Borough.
ARLOW.

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
281 226	22 18	2 .	4 2	6 6	5 5	9 8	17 24	34 27	77 61	105 75	
11 12	. .	. .	. .	2 3	2 1	1 2	2 3	2 1	2 2	. .	B.1
3 4	. 1	. .	. .	1 2	. .	2 .	. .	. .	. .	. 1	B.2
1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
. 2	. .	. .	. 1	. .	. .	. 1	. .	. .	. .	. .	B.17b
1 2	1 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.17d
31 24	. .	. .	. .	. .	. .	. 2	2 3	10 7	12 9	7 3	B.18a
1 1	. .	. .	. .	. .	. .	. 1	. .	. .	. .	1 .	B.18b
. 1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	B.19
. 3	. .	. .	. .	. .	. .	. .	. 2	. .	. .	. 1	B.20
. 2	. .	. .	. .	. .	. .	. .	. .	. .	. 2	. .	B.21
9 7	. .	. .	. .	1 .	. .	. .	. 1	2 2	3 2	3 2	B.22
1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	B.23
1 1	. .	1 .	. .	. .	. .	. .	. 1	. .	. .	. .	B.24
2 8	. .	. .	. .	. .	. .	1 .	. 1	. 1	1 6	. .	B.25
75 52	. .	. .	. .	. .	. .	. .	3 3	8 7	27 17	37 25	B.26
18 13	. .	. .	. .	. .	1 1	. .	1 3	2 .	6 7	8 2	B.27
3 4	. .	. .	. .	. .	. .	. .	. 1	1 .	1 3	1 .	B.28
1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	B.29
6 3	. .	. .	. .	. .	. .	. .	. .	. .	4 .	2 3	B.46a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District. Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.30	Influenza	M.	16	.	.	2	5	.
		F.		.	.	.	9	1
B.31	Pneumonia	M.	11	1	.	2	4	.
		F.		.	.	2	2	.
B.32	Bronchitis	M.	13	1	.	4	3	1
		F.		.	.	.	5	.
B.46b	Other respiratory diseases... ...	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	6	.	.	1	3	.
		F.		1	.	.	1	.
B.34	Appendicitis	M.	2	1	.	.	.	.
		F.		1	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.37	Cirrhosis of liver	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	1	.	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis	M.	12	.	1	2	6	.
		F.		.	.	1	2	.
B.39	Hyperplasia of prostate	M.	2	.	.	.	2	.
B.40a	Complications of pregnancy and child-birth	F.	4	1	.	.	3	.
B.41	Congenital malformations	M.	5	1	.	.	2	.
		F.		.	.	1	1	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	5	.	.	3	.	.
		F.		2	.	.	.	.
B.43b	Pneumonia of newborn	M.	1	.	.	.	.	.
		F.		.	.	.	1	1
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	11	1	.	4	1	.
		F.		.	.	2	3	1
B.45a	Senility without mention of psychosis	M.	44	.	.	1	22	14
		F.		.	.	1	20	14
B.45b	Ill-defined and unknown causes ...	M.	18	1	.	1	9	1
		F.		1	.	1	5	3
B.46e	All other diseases	M.	27	.	1	4	11	1
		F.		.	1	1	9	1
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	8	.	.	6	1	.
		F.		.	.	1	.	.
BE.48	All other accidents	M.	9	.	.	2	3	.
		F.		1	.	.	3	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.
RLOW.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
7	.	.	.	.	2	.	.	2	1	2	B.30
9	.	.	.	.	.	.	.	2	.	7	
7	3	.	.	1	.	.	.	.	1	2	B.31
4	2	.	.	.	.	.	.	1	1	.	
8	.	.	.	.	.	.	2	1	2	3	B.32
5	.	.	.	.	.	.	.	.	3	2	
.	.	.	.	.	.	.	.	.	.	.	B.46b
1	.	.	.	1	.	.	.	.	.	.	
4	.	.	.	.	.	2	.	1	.	1	B.33
2	.	.	.	.	.	.	.	1	1	.	
1	.	.	1	.	.	.	.	.	.	.	B.34
1	.	.	1	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.35
.	.	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.36b
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36c
1	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	1	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.37
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.46c
1	.	.	.	.	.	.	.	.	.	1	
9	.	.	1	.	.	.	.	1	5	2	B.38
3	.	.	.	.	1	.	.	.	.	2	
2	.	.	.	.	.	.	.	.	1	1	B.39
4	.	.	.	.	1	2	1	.	.	.	B.40a
3	3	.	.	.	.	.	.	.	.	.	B.41
2	2	.	.	.	.	.	.	.	.	.	
3	3	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.44
5	5	.	.	.	.	.	.	.	.	.	
23	.	.	.	.	.	.	.	.	2	21	B.45a
21	.	.	.	.	.	.	.	.	2	19	
11	3	.	.	.	.	.	.	1	2	5	B.45b
7	1	.	.	.	.	.	1	3	.	2	
16	.	1	.	.	.	.	3	.	5	7	B.46e
11	.	.	.	.	.	.	3	2	3	3	
7	.	.	1	1	.	1	2	1	.	1	BE.47
1	.	.	.	.	.	.	.	.	1	.	
5	.	.	.	.	.	2	1	1	1	.	BE.48
4	1	.	.	.	.	.	.	.	1	2	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

DUBLIN CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
	All Causes	**M.**		**1,131**	**77**	**586**	**1,260**	**60**
		F.	**6,198**	**865**	**133**	**576**	**1,570**	**34**
B.1	Tuberculosis of respiratory system ...	M.	375	123	8	24	67	.
		F.		69	8	21	55	.
B.2	Tuberculosis, other forms	M.	61	21	1	3	2	.
		F.		28	1	2	3	.
B.3	Syphilis and its sequelae	M.	22	2	3	5	4	.
		F.		2	1	4	1	.
B.6	Dysentery, all forms	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.7b	Streptococcal sore throat	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.9	Whooping cough	M.	14	5	.	.	2	.
		F.		6	.	.	1	.
B.10	Meningococcal infections	M.	7	3	.	2	.	.
		F.		2	.	.	.	.
B.12	Acute poliomyelitis	M.	3	3	.	.	.	.
		F.		.	.	.	.	.
B.17b	Acute infectious encephalitis ...	M.	3	.	.	.	.	.
		F.		.	1	1	1	.
B.17c	Late effects of acute infectious encephalitis	M.	2	.	1	.	1	.
		F.		.	.	.	.	.
B.14	Measles	M.	13	5	.	3	2	.
		F.		3	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	17	3	1	2	2	.
		F.		7	.	1	1	.
B.18a	Malignant neoplasms	M.	743	164	4	86	138	.
		F.		141	4	55	151	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	44	22	.	3	8	.
		F.		8	.	2	1	.
B.19	Benign and unspecified neoplasms ...	M.	29	12	.	1	2	.
		F.		5	4	1	4	.
B.20	Diabetes mellitus	M.	25	1	.	2	4	1
		F.		4	.	2	12	.
B.21	Anaemias	M.	41	6	.	4	3	.
		F.		3	2	14	9	.
B.22	Vascular lesions affecting central nervous system	M.	479	63	2	40	77	.
		F.		75	3	42	177	1
B.23	Nonmeningococcal meningitis ...	M.	12	6	.	.	.	.
		F.		4	.	.	2	.
B.24	Rheumatic fever	M.	28	3	.	2	4	.
		F.		9	.	2	8	.
B.25	Chronic rheumatic heart disease ...	M.	83	6	.	5	14	.
		F.		22	.	11	25	.
B.26	Arteriosclerotic and degenerative heart disease	M.	1,455	115	37	137	394	6
		F.		70	70	183	449	3
B.27	Other diseases of the heart ...	M.	200	27	.	20	38	8
		F.		26	3	32	54	3
B.28	Hypertension with heart disease ...	M.	168	13	3	48	19	.
		F.		12	.	39	34	.
B.29	Hypertension without mention of heart	M.	90	13	.	9	12	.
		F.		18	2	14	22	.
B.46a	Other circulatory diseases ...	M.	77	10	1	3	15	.
		F.		13	2	8	25	.
B.30	Influenza	M.	173	10	2	3	45	.
		F.		7	3	16	87	1
B.31	Pneumonia	M.	263	46	2	30	48	.
		F.		39	7	33	58	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

ROUGH.

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 Years and over	Abbreviated List No.
54	**323**	**60**	**25**	**56**	**91**	**159**	**352**	**601**	**755**	**632**	
44	**243**	**44**	**41**	**57**	**93**	**152**	**220**	**430**	**822**	**1,042**	
22	.	1	.	17	32	43	54	54	18	3	B.1
53	.	2	3	23	40	36	23	13	10	3	
27	3	9	2	4	3	4	2	.	.	.	B.2
34	3	8	7	7	1	3	3	.	2	.	
14	1	.	1	.	.	.	6	5	.	1	B.3
8	3	.	.	.	.	.	.	2	2	1	
.	.	.	.	.	.	.	.	.	.	.	B.6
1	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.7b
1	.	.	.	.	.	.	.	.	1	.	
7	6	1	.	.	.	.	.	.	.	.	B.9
7	6	1	.	.	.	.	.	.	.	.	
5	1	3	.	1	.	.	.	.	.	.	B.10
2	.	1	1	.	.	.	.	.	.	.	
3	.	1	.	.	1	1	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17b
3	.	1	1	.	.	1	.	.	.	.	
.	.	.	.	.	.	1	1	.	.	.	B.17c
2	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.14
10	3	7	.	.	.	.	.	.	.	.	
3	2	1	.	.	.	.	.	.	.	.	
8	1	1	.	2	.	2	1	.	1	.	B.17d
9	4	1	1	.	1	.	1	.	.	1	
392	.	1	.	1	6	23	81	91	114	75	B.18a
351	.	1	1	.	8	31	55	79	111	65	
33	.	2	5	2	1	5	5	6	7	.	B.18b
11	.	.	1	2	3	.	2	1	1	1	
15	.	.	.	1	2	1	5	3	2	1	B.19
14	.	1	.	.	.	3	1	1	6	2	
.	.	.	.	.	.	.	.	1	3	3	B.20
7	.	.	.	.	.	2	1	3	9	3	
18	.	.	.	.	.	1	.	6	3	2	B.21
13	.	1	.	.	.	1	1	5	15	6	
28	.	.	.	.	.	.	.	.	.	.	
182	2	.	1	.	3	3	24	31	64	54	B.22
297	.	.	1	1	4	8	23	56	84	120	
6	2	.	1	1	1	.	.	1	.	.	B.23
6	1	4	1	.	.	.	.	.	.	.	
9	.	.	1	3	2	.	.	.	3	.	B.24
19	.	.	4	3	2	2	.	3	3	2	
25	.	.	1	1	1	2	4	4	6	6	B.25
58	.	.	1	1	7	9	11	10	6	13	
683	.	.	.	2	4	18	56	143	239	221	B.26
772	1	.	.	2	2	6	30	95	247	389	
85	1	1	.	2	3	3	9	18	27	21	B.27
115	.	.	2	1	.	4	7	17	48	36	
83	.	.	.	.	.	1	5	25	27	25	B.28
85	.	.	.	.	2	2	3	8	33	37	
34	.	.	.	.	.	.	7	12	9	6	B.29
56	.	.	.	1	1	.	2	19	13	20	
29	.	.	.	.	.	1	3	7	6	12	B.46a
48	.	.	.	.	2	2	2	5	11	26	
60	.	.	.	.	1	2	6	12	19	20	B.30
113	.	3	.	.	.	5	4	14	32	55	
126	42	8	.	1	.	3	12	19	28	13	B.31
137	33	12	.	3	2	3	6	9	26	43	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT

DUBLIN CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
B.32	Bronchitis	M.	363	20	2	70	113	.
		F.		9	3	25	121	1
B.46b	Other respiratory diseases	M.	71	18	.	3	17	.
		F.		13	.	1	19	.
B.33	Ulcer of stomach and duodenum ...	M.	48	20	.	8	7	.
		F.		3	2	4	4	.
B.34	Appendicitis	M.	8	6	.	.	.	.
		F.		2	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	48	20	.	4	2	.
		F.		12	1	3	6	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	10	7	.	.	1	.
		F.		1	.	.	1	.
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over ...	M.	11	2	.	.	2	.
		F.		4	.	.	3	.
B.36d	Chronic enteritis and ulcerative colitis	M.	5	2	.	.	.	.
		F.		2	.	.	1	.
B.37	Cirrhosis of liver	M.	16	2	.	2	6	.
		F.		3	.	.	3	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	25	6	.	.	1	.
		F.		12	1	2	3	.
B.46d	Other digestive diseases	M.	29	12	.	2	1	.
		F.		7	1	2	4	.
B.38	Nephritis and nephrosis	M.	88	22	1	9	14	.
		F.		15	.	3	24	.
B.39	Hyperplasia of prostate	M.	25	14	.	1	10	.
B.40a	Complications of pregnancy and childbirth	F.	7	5	.	.	2	.
B.40b	Puerperal sepsis	F.	1	1	.	.	.	.
B.40c	Other complications of the puerperium	F.	1	1	.	.	.	.
B.41	Congenital malformations	M.	79	27	.	4	8	1
		F.		29	.	4	7	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	116	57	.	5	6	.
		F.		41	.	3	4	.
B.43a	Diarrhoea of newborn	M.	9	5	.	.	1	.
		F.		3	.	.	.	.
B.43b	Pneumonia of newborn	M.	26	17	.	.	2	.
		F.		5	.	.	2	.
B.43c	Other infections of newborn ...	M.	3	1	.	1	.	.
		F.		1	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified ...	M.	159	69	.	15	6	.
		F.		51	.	9	9	.
B.45a	Senility without mention of psychosis	M.	90	1	.	1	27	2
		F.		1	7	.	53	1
B.45b	Ill-defined and unknown causes ...	M.	121	26	.	4	43	42
		F.		8	.	6	34	23
B.46c	All other diseases	M.	238	34	8	17	52	.
		F.		33	5	26	63	.
	EXTERNAL CAUSES							
BE.47	Motor vehicle accidents	M.	37	25	.	1	3	.
		F.		7	.	.	1	.
BE.48	All other accidents	M.	124	34	1	7	31	.
		F.		21	2	5	23	1
BE.49	Suicide and self-inflicted injury ...	M.	8	2	.	.	4	.
		F.		1	.	.	1	.
BE.50	Homicide and operations of war ...	M.	3	.	.	.	2	.
		F.		.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

BOROUGH.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
205	3	2	.	.	3	.	18	51	72	56	B.32
158	2	.	1	.	3	5	6	24	56	61	
38	10	1	.	1	.	1	2	13	7	3	B.46b
33	8	1	.	.	.	2	1	3	6	12	
35	.	.	.	1	2	4	7	14	4	3	B.33
13	.	.	.	.	.	2	2	1	4	4	
6	.	1	1	.	.	1	.	2	1	.	B.34
2	.	.	.	.	.	.	1	1	.	.	
26	1	1	1	2	1	3	1	4	9	3	B.35
22	3	.	.	.	.	2	1	6	5	5	
8	6	2	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	.	.	.	.	.	.	
4	.	1	1	.	.	.	1	1	.	.	B.36c
7	.	1	3	.	.	1	1	.	1	.	
2	.	.	.	.	.	1	.	1	.	.	B.36d
3	.	.	.	.	.	1	2	.	.	.	
10	.	.	.	.	.	1	2	3	2	2	B.37
6	.	.	.	.	.	.	2	1	1	2	
7	.	1	.	.	.	.	2	.	3	1	B.46c
18	.	1	.	.	.	1	1	9	4	2	
15	1	1	.	1	1	4	1	3	1	2	B.46d
14	1	.	1	.	.	1	.	4	5	2	
46	.	1	.	1	4	5	10	9	6	10	B.38
42	1	.	1	.	3	3	4	8	10	12	
25	.	.	.	.	.	.	.	3	8	14	B.39
7	.	.	.	2	2	3	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40b
1	.	.	.	.	1	.	.	.	.	.	B.40c
39	33	1	.	2	1	1	1	.	.	.	B.41
40	34	2	.	2	.	2	.	.	.	.	
68	68	.	.	.	.	.	.	.	.	.	B.42
48	48	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.43a
3	3	.	.	.	.	.	.	.	.	.	
19	19	.	.	.	.	.	.	.	.	.	B.43b
7	7	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43c
1	1	.	.	.	.	.	.	.	.	.	
90	90	.	.	.	.	.	.	.	.	.	B.44
69	69	.	.	.	.	.	.	.	.	.	
29	.	.	.	.	.	.	.	.	3	26	B.45a
61	.	.	.	.	.	.	.	.	9	52	
73	8	3	.	.	.	2	5	15	25	15	B.45b
48	3	1	3	.	.	2	6	7	12	14	
111	5	2	1	3	8	10	13	28	20	21	B.46e
127	3	.	1	6	7	3	16	21	35	35	
29	.	2	6	1	3	5	2	3	3	4	BE.47
8	.	1	4	1	.	.	.	.	1	1	
73	9	5	3	5	8	6	5	10	13	9	BE.48
51	5	1	3	2	2	3	1	4	13	17	
6	.	.	.	1	.	1	1	2	1	.	BE.49
2	.	.	.	.	.	1	1	.	.	.	
2	.	.	.	.	.	.	.	1	1	.	BE.50
1	.	.	.	.	.	.	.	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT

DUN LAOGHAIR

Abbreviated List No.	CAUSES OF DEATH*		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	**M.**	**579**	**86**	**12**	**32**	**140**	.
		F.		**102**	**13**	**41**	**153**	.
B.1	Tuberculosis of respiratory system ...	M.	20	3	.	3	4	.
		F.		6	1	1	2	.
B.2	Tuberculosis, other forms	M.	4	2	.	.	.	.
		F.		2	.	.	.	.
B.3	Syphilis and its sequelae	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.7b	Streptococcal sore throat	M.	2	.	1	.	.	.
		F.		1	.	.	.	.
B.9	Whooping cough	M.	2	.	.	1	.	.
		F.		.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	71	14	2	3	10	.
		F.		20	.	3	19	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	3	2	.	.	.	.
		F.		1	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	3	1	.	.	1	.
		F.		1	.	.	.	.
B.20	Diabetes mellitus	M.	5	.	.	.	.	.
		F.		2	.	1	2	.
B.21	Anaemias	M.	4	1	.	.	.	.
		F.		1	.	.	2	.
B.22	Vascular lesions affecting central nervous system	M.	71	5	.	1	20	.
		F.		11	.	8	26	.
B.23	Nonmeningococcal meningitis ...	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.24	Rheumatic fever	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.25	Chronic rheumatic heart disease ...	M.	11	2	.	1	2	.
		F.		4	.	.	2	.
B.26	Arteriosclerotic and degenerative heart disease	M.	163	14	4	14	55	.
		F.		13	6	17	40	.
B.27	Other diseases of the heart ...	M.	12	3	.	.	3	.
		F.		3	.	.	3	.
B.28	Hypertension with heart disease ...	M.	11	.	.	.	4	.
		F.		1	.	2	4	.
B.29	Hypertension without mention of heart	M.	7	.	.	.	2	.
		F.		.	.	.	5	.
B.46a	Other circulatory diseases	M.	22	2	1	3	2	.
		F.		3	1	2	8	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

OROUGH.

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
270	**26**	**3**	**1**	**7**	**4**	**6**	**21**	**43**	**71**	**88**	
309	**16**	.	**3**	**1**	**6**	**11**	**22**	**32**	**77**	**141**	
10	.	.	.	3	1	1	1	3	1	.	B.1
10	1	.	1	1	1	3	1	2	.	.	
2	.	1	.	1	.	.	.	.	.	.	B.2
2	.	.	1	.	.	1	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.3
1	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	1	.	.	.	B.7b
1	.	.	.	.	1	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.9
1	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.17d
.	.	.	.	.	.	.	.	.	.	.	
29	.	1	.	.	.	.	5	8	11	4	B.18a
42	.	.	.	.	.	1	9	7	14	11	
2	.	.	.	1	.	.	.	.	1	.	B.18b
1	.	.	.	.	.	.	.	.	1	.	
2	.	.	.	.	.	.	2	.	.	.	B.19
1	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	B.20
5	.	.	.	.	.	.	.	.	1	4	
1	.	.	.	.	.	.	.	.	1	.	B.21
3	.	.	.	.	.	.	.	.	1	2	
26	1	.	.	.	.	1	1	7	7	9	B.22
45	.	.	.	.	.	3	3	6	12	21	
1	1	.	.	.	.	.	.	.	.	.	B.23
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.24
1	.	.	.	.	.	.	1	.	.	.	
5	.	.	.	.	.	.	.	2	2	1	B.25
6	.	.	1	.	.	1	.	.	2	2	
87	.	.	.	.	.	.	10	9	30	38	B.26
76	.	.	.	.	.	1	3	5	16	51	
6	.	.	.	.	.	.	.	1	.	5	B.27
6	.	.	.	.	.	.	.	.	3	3	
4	.	.	.	.	.	.	1	1	1	1	B.28
7	.	.	.	.	.	.	.	1	1	5	
2	.	.	.	.	.	.	.	1	1	.	B.29
5	.	.	.	.	.	.	2	1	1	1	
8	.	.	.	.	.	.	.	2	1	5	B.46a
14	.	.	.	.	.	.	.	.	3	11	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

DUN LAOGHAIRE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.30	Influenza	M.	8	1	.	1	2	.
		F.		.	1	2	1	.
B.31	Pneumonia	M.	13	2	1	.	3	.
		F.		2	2	.	3	.
B.32	Bronchitis	M.	19	.	1	.	6	.
		F.		4	1	1	6	.
B.46b	Other respiratory diseases	M.	7	.	.	.	3	.
		F.		2	.	.	2	.
B.33	Ulcer of stomach and duodenum ...	M.	3	1	.	.	.	.
		F.		1	.	.	1	.
B.34	Appendicitis	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	6	4	.	.	1	.
		F.		1	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.37	Cirrhosis of liver	M.	2	2	.	.	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	.	.
		F.		1	.	.	1	.
B.46d	Other digestive diseases	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	9	2	.	.	1	.
		F.		4	.	.	2	.
B.39	Hyperplasia of prostate	M.	5	4	.	.	1	.
B.40a	Complications of pregnancy and child-birth	F.	1	1	.	.	.	.
B.41	Congenital malformations	M.	7	2	1	1	2	.
		F.		1	.	.	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	4	.	.	.	.
		F.		3	.	.	.	.
B.43b	Pneumonia of newborn	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	13	4	.	2	2	.
		F.		3	.	1	1	.
B.45a	Senility without mention of psychosis	M.	12	1	.	.	2	.
		F.		2	.	.	7	.
B.45b	Ill-defined and unknown causes ...	M.	10	3	.	.	3	.
		F.		1	.	.	3	.
B.46e	All other diseases	M.	26	2	1	1	8	.
		F.		3	1	3	7	.
	EXTERNAL CAUSES:							
BE.48	All other accidents	M.	9	1	.	1	2	.
		F.		2	.	.	3	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

BOROUGH.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
4	.	.	.	.	.	.	.	.	1	3	B.30
4	.	.	.	.	1	.	.	1	1	1	
6	1	.	.	.	.	.	.	2	.	3	B.31
7	.	.	.	.	1	.	.	1	3	2	
7	.	.	.	.	.	.	.	1	3	3	B.32
12	.	.	.	.	.	.	.	2	3	7	
3	.	.	.	.	.	1	.	1	.	1	B.46b
4	1	.	.	.	.	.	.	2	1	.	
1	.	.	.	.	.	1	.	.	.	.	B.33
2	.	.	.	.	.	.	.	1	.	1	
1	.	.	.	.	.	.	.	.	.	1	B.34
.	.	.	.	.	.	.	.	.	.	.	
5	1	.	.	1	.	.	.	.	2	1	B.35
1	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	1	.	
2	.	.	.	.	.	1	.	.	1	.	B.37
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
2	.	.	.	.	.	.	.	1	.	1	
1	.	.	.	.	.	.	.	.	.	1	B.46d
.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	.	.	3	B.38
6	.	.	.	.	.	1	.	.	3	2	
5	.	.	.	.	.	.	.	.	1	4	B.39
1	.	.	.	.	1	.	.	.	.	.	B.40a
6	4	.	1	.	1	.	.	.	.	.	B.41
1	1	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.42
3	3	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
8	8	.	.	.	.	.	.	.	.	.	B.44
5	5	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	.	.	3	B.45a
9	.	.	.	.	.	.	.	.	.	9	
6	2	.	.	.	.	.	.	2	2	.	B.45b
4	2	.	.	.	.	.	.	.	.	2	
12	1	1	.	1	1	1	.	3	3	1	B.46e
14	.	.	.	.	1	.	3	1	8	1	
4	2	.	.	.	1	.	.	.	1	.	BE.48
5	1	.	.	.	.	.	.	1	.	3	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO. DUBLIN (EXCLUDING

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**		**165**	**21**	**111**	**334**	**1**
		F.	**1,186**	**150**	**18**	**70**	**317**	.
B.1	Tuberculosis of respiratory system ...	M.	54	9	.	9	15	.
		F.		8	.	2	11	.
B.2	Tuberculosis, other forms	M.	24	8	2	2	3	.
		F.		7	.	.	2	.
B.3	Syphilis and its sequelae	M.	6	2	1	1	.	.
		F.		1	.	.	1	.
B.9	Whooping cough	M.	4	.	.	.	.	.
		F.		.	.	1	3	.
B.10	Meningococcal infections	M.	4	.	.	1	.	.
		F.		3	.	.	.	.
B.14	Measles	M.	3	1	.	.	.	.
		F.		2	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	5	1	.	.	1	.
		F.		2	.	.	1	.
B.18a	Malignant neoplasms	M.	140	28	.	9	37	.
		F.		19	1	7	39	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	6	2	.	.	2	.
		F.		1	.	1	.	.
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	1	.
		F.		.	.	.	.	.
B.20	Diabetes mellitus	M.	5	.	.	.	2	.
		F.		1	.	1	1	.
B.21	Anaemias	M.	8	.	.	1	1	.
		F.		.	.	2	4	.
B.22	Vascular lesions affecting central nervous system	M.	92	5	1	10	28	.
		F.		9	2	7	30	.
B.23	Nonmeningococcal meningitis ...	M.	5	3	.	.	.	.
		F.		2	.	.	.	.
B.24	Rheumatic fever	M.	5	1	.	.	.	.
		F.		2	.	.	2	.
B.25	Chronic rheumatic heart disease ...	M.	14	.	.	2	5	.
		F.		1	1	2	3	.
B.26	Arteriosclerotic and degenerative heart disease	M.	261	11	7	29	98	.
		F.		10	10	17	79	.
B.27	Other diseases of the heart ...	M.	29	2	.	1	6	.
		F.		3	.	5	12	.
B.28	Hypertension with heart disease ...	M.	25	.	.	8	2	.
		F.		1	.	5	9	.
B.29	Hypertension without mention of heart	M.	24	3	2	1	5	.
		F.		2	.	2	9	.
B.46a	Other circulatory diseases	M.	17	.	2	.	1	.
		F.		1	.	.	13	.
B.30	Influenza	M.	21	.	.	2	8	.
		F.		2	.	.	9	.
B.31	Pneumonia	M.	63	5	2	8	15	.
		F.		9	2	4	18	.
B.32	Bronchitis	M.	44	1	.	7	19	.
		F.		1	.	2	14	.
B.46b	Other respiratory diseases	M.	13	2	1	1	1	.
		F.		2	.	1	5	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

DUN LAOGHAIRE BOROUGH).

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
631 **555**	**93** **72**	**21** **18**	**14** **12**	**10** **14**	**24** **23**	**35** **22**	**64** **35**	**71** **62**	**140** **129**	**159** **168**	
33 21	. .	. .	. 1	. 7	9 7	9 4	8 .	2 1	5 1	. .	B.1
15 9	. .	4 4	3 2	2 2	2 1	2 .	2 .	. .	. .	. .	B.2
4 2	. .	. .	. .	1 .	. .	1 .	. 1	. .	2 1	. .	B.3
. 4	. 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
1 3	. 1	. 1	. .	. .	. .	1 .	. .	. 1	. .	. .	B.10
1 2	. 2	. .	1 .	. .	. .	. .	. .	. .	. .	. .	B.14
2 3	1 1	. 1	. .	. .	. .	. 1	. .	. .	1 .	. .	B.17d
74 66	. .	1 1	. .	. .	2 3	7 2	10 10	15 16	24 20	15 14	B.18a
4 2	. .	1 .	. .	. 1	. .	. .	1 1	2 .	. .	. .	B.18b
2 .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	B.19
2 3	. .	. .	. .	. .	1 .	. .	. .	1 .	. 3	. .	B.20
2 6	. .	1 .	. .	. .	. .	. .	. 1	. .	. 3	1 2	B.21
44 48	1 .	. .	. .	. .	. 1	1 1	7 4	4 10	15 16	16 16	B.22
3 2	2 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	B.23
1 4	. .	. 1	. .	. .	1 .	. .	. 1	. 1	. 1	. .	B.24
7 7	1 .	. .	. .	. .	. 2	. 2	2 1	1 1	1 1	2 .	B.25
145 116	. .	. .	. .	. 1	1 1	3 1	14 1	16 9	44 39	67 64	B.26
9 20	. .	. .	. .	. .	. 1	. 1	. 1	4 3	2 4	3 10	B.27
10 15	. .	. .	. .	. .	. .	. 1	. 1	1 1	1 2	8 10	B.28
11 13	. .	. .	. .	1 .	. .	. .	1 1	1 2	6 7	2 3	B.29
3 14	. .	. .	. .	. .	. .	1 .	1 1	. .	. 3	1 10	B.46a
10 11	. .	. .	. .	. .	. .	. .	. .	. 2	5 3	5 6	B.30
30 33	8 12	6 6	1 .	3 .	. 2	1 .	3 1	3 4	2 4	3 4	B.31
27 17	1 1	. .	. .	. .	. .	1 .	2 3	4 2	10 5	9 6	B.32
5 8	3 3	. .	. .	. .	. .	1 1	. 1	. .	. .	1 3	B.46b

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO. DUBLIN (EXCLUDING

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.36a	Gastritis and duodenitis	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	13	5	.	4	2	.
		F.		1	.	.	1	.
B.34	Appendicitis	M.	2	1	.	.	.	.
		F.		1	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	4	1	.	.	1	.
		F.		.	.	1	1	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	10	5	.	.	.	.
		F.		3	.	.	2	.
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	3	1	.	.	.	.
		F.		1	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.37	Cirrhosis of liver	M.	4	1	.	.	2	.
		F.		1	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	3	1	.	1	1	.
		F.		.	.	.	.	.
B.46d	Other digestive diseases	M.	5	2	.	.	1	.
		F.		2	.	.	.	.
B.38	Nephritis and nephrosis	M.	19	5	.	1	3	.
		F.		5	.	2	3	.
B.39	Hyperplasia of prostate	M.	3	2	1	.	.	.
B.40a	Complications of pregnancy and childbirth	F.	5	4	.	.	1	.
B.41	Congenital malformations	M.	18	3	.	.	5	.
		F.		5	.	1	4	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	26	12	.	1	1	.
		F.		10	.	.	2	.
B.43a	Diarrhoea of newborn	M.	2	2	.	.	.	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	5	2	.	.	.	.
		F.		3	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	49	18	.	5	8	.
		F.		11	.	3	4	.
B.45a	Senility without mention of psychosis	M.	17	.	2	.	6	.
		F.		.	.	.	9	.
B.45b	Ill-defined and unknown causes ...	M.	14	2	.	1	6	1
		F.		2	.	.	3	.
B.46e	All other diseases	M.	63	6	.	4	24	.
		F.		8	2	1	18	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	11	7	.	1	1	.
		F.		2	.	.	.	.
BE.48	All other accidents	M.	30	4	.	1	18	.
		F.		2	.	2	3	.
BE.49	Suicide and self-inflicted injury ...	M.	3	.	.	.	3	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

B' Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A' County Borough.
D' LAOGHAIRE BOROUGH.)

l es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	.	.	.	.	.	.	.	.	1	B.36a
	.	.	.	.	.	.	.	.	.	.	
11	.	.	.	.	1	2	4	1	2	1	B.33
2	.	.	.	.	.	1	.	.	.	1	
1	.	.	1	.	.	.	.	.	.	.	B.34
1	.	.	.	.	.	.	.	.	.	1	
2	1	.	.	.	.	.	.	.	1	.	B.35
2	.	.	1	.	.	.	1	.	.	.	
5	5	.	.	.	.	.	.	.	.	.	B.36b
5	5	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.36c
2	.	1	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	1	.	
3	.	.	.	.	.	.	.	.	3	.	B.37
1	.	.	.	.	.	.	1	.	.	.	
3	.	1	1	.	.	.	.	.	.	1	B.46c
.	.	.	.	.	.	.	.	.	.	.	
3	2	.	.	.	.	.	.	1	.	.	B.46d
2	.	.	.	.	.	.	.	.	2	.	
9	.	.	.	.	1	1	1	1	3	2	B.38
10	.	.	1	.	.	2	.	3	2	2	
3	.	.	.	.	.	.	.	.	1	2	B.39
5	.	.	.	.	1	4	.	.	.	.	B.40a
8	6	1	1	.	.	.	.	.	.	.	B.41
10	8	1	.	1	.	.	.	.	.	.	
14	14	.	.	.	.	.	.	.	.	.	B.42
12	12	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
3	3	.	.	.	.	.	.	.	.	.	
31	31	.	.	.	.	.	.	.	.	.	B.44
18	18	.	.	.	.	.	.	.	.	.	
8	.	.	.	.	.	.	.	.	.	8	B.45a
9	.	.	.	.	.	.	.	.	.	9	
9	3	.	.	.	.	.	.	1	2	3	B.45b
5	.	1	2	.	.	.	.	.	1	1	
34	5	1	2	1	3	1	1	9	7	4	B.46c
29	.	.	3	1	3	1	4	4	10	3	
9	.	1	.	.	.	2	3	1	.	2	BE.47
2	.	.	1	1	.	.	.	.	.	.	
23	4	3	4	2	2	1	1	2	2	2	BE.48
7	1	.	1	.	1	.	.	2	.	2	
3	.	.	.	.	1	.	2	.	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	BE.50
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	**M.**	**847**	**50**	**12**	**145**	**282**	**13**
		F.		**24**	**12**	**69**	**253**	**8**
B.1	Tuberculosis of respiratory system ...	M.	44	10	1	6	11	.
		F.		6	2	1	7	.
B.2	Tuberculosis, other forms	M.	11	2	.	3	1	.
		F.		.	.	5	.	.
B.3	Syphilis and its sequelae	M.	1	.	.	.	.	.
		F.		.	1	.	.	.
B.7a	Scarlet fever	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	6	.	.	4	.	.
		F.		.	.	1	1	.
B.16	Malaria	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.18a	Malignant neoplasms	M.	101	9	1	17	27	.
		F.		5	.	13	29	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	5	3	.	1	.	.
		F.		.	.	.	1	.
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	.	.
		F.		.	.	.	1	.
B.20	Diabetes mellitus	M.	4	.	.	1	2	.
		F.		.	.	1	.	.
B.21	Anaemias	M.	4	1	.	.	.	.
		F.		.	1	.	2	.
B.22	Vascular lesions affecting central nervous system	M.	51	2	.	5	14	.
		F.		.	.	5	25	.
B.23	Nonmeningococcal meningitis ...	M.	4	1	.	2	.	.
		F.		.	.	.	1	.
B.24	Rheumatic fever	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	10	.	.	1	2	.
		F.		.	.	3	4	.
B.26	Arteriosclerotic and degenerative heart disease	M.	198	2	6	30	88	
		F.		.	6	12	54	
B.27	Other diseases of the heart ...	M.	27	.	1	5	8	.
		F.		.	.	5	8	
B.28	Hypertension with heart disease ...	M.	5	.	.	.	3	.
		F.		.	.	.	2	.
B.29	Hypertension without mention of heart	M.	5	.	.	1	2	.
		F.		.	.	.	2	.
B.46a	Other circulatory diseases	M.	31	2	.	3	10	.
		F.		.	2	1	13	.
B.30	Influenza	M.	21	1	.	.	2	
		F.		.	.	4	14	.
B.31	Pneumonia	M.	44	3	1	8	16	.
		F.		.	.	2	14	.
B.32	Bronchitis	M.	47	.	1	9	16	
		F.		.	.	7	14	.
B.46b	Other respiratory diseases	M.	6	1	.	2	3	.
		F.		.	.	.	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
AND COUNTY BOROUGH.
KILDARE.

	Age at Death										
s	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
9 8	44 37	12 7	6 2	14 7	16 10	20 12	38 19	66 36	121 103	152 125	
28 16	1 1	. .	. .	2 2	6 6	3 4	9 2	7 1	. .	. .	B.1
6 5	. 1	2 2	1 1	2 1	. .	. .	. .	. .	. .	1 .	B.2
1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	B.3
1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.7a
4 2	3 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	B.9
1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	B.16
1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	B.17d
54 47	. .	. 1	2 .	. .	. 1	9 3	5 8	12 7	14 17	12 10	B.18a
4 1	. .	. .	. .	. .	. .	. .	1 .	2 1	. .	1 .	B.18b
1 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	B.19
3 1	. .	. .	. .	. .	. .	1 .	. .	1 .	1 1	. .	B.20
1 3	. .	. .	. .	. .	. .	. .	. .	. 2	1 .	. 1	B.21
21 30	. .	. .	. .	. .	. .	. 1	1 2	3 6	9 11	8 10	B.22
3 1	. .	2 1	. .	1 .	. .	. .	. .	. .	. .	. .	B.23
1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.24
3 7	. .	. .	. .	. .	1 .	. .	. .	. 3	. 2	2 2	B.25
126 72	. .	. .	. .	. 2	2 .	1 2	8 3	22 5	47 30	46 30	B.26
14 13	. .	. .	. .	. .	. .	. .	1 .	. 1	4 6	9 6	B.27
3 2	. .	. .	. .	. .	. .	. .	1 .	1 .	. 1	1 1	B.28
3 2	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	2 1	B.29
15 16	. .	. .	. .	. .	1 .	. .	1 .	. .	2 4	11 12	B.46a
3 18	. 2	. .	. .	. .	. .	. .	. .	. 2	2 3	1 11	B.30
28 16	3 5	3 .	1 .	1 .	. .	. 1	3 .	3 1	11 4	3 5	B.31
26 21	3 2	. .	. .	. .	1 .	. .	. 2	3 2	8 7	11 8	B.32
6 .	. .	. .	. .	. .	1 .	1 .	. .	. .	3 .	1 .	B.46b

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
B.36a	Gastritis and duodenitis	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.35	Intestinal obstruction and hernia ...	M.	6	.	.	3	3	.
		F.		.	.	.	.	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	6	.	.	.	2	.
		F.		.	.	.	4	.
B.36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.37	Cirrhosis of liver	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	2	.	.	.	1	.
		F.		1	.	.	.	.
B.38	Nephritis and nephrosis	M.	22	.	1	8	7	.
		F.		1	.	1	4	.
B.40a	Complications of pregnancy and childbirth	F.	1	.	.	.	1	.
B.41	Congenital malformations	M.	10	.	.	.	3	.
		F.		2	.	.	5	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	8	3	.	2	1	.
		F.		1	.	.	1	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	3	2	.	.	.	.
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	28	5	.	5	8	.
		F.		3	.	.	7	.
B.45a	Senility without mention of psychosis	M.	38	.	.	6	12	.
		F.		.	.	1	19	.
B.45b	Ill-defined and unknown causes ...	M.	13	.	.	2	7	.
		F.		.	.	1	3	.
B.46c	All other diseases	M.	48	.	.	18	12	.
		F.		4	.	5	9	.
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	8	.	.	1	5	.
		F.		.	.	.	2	.
BE.48	All other accidents	M.	14	1	.	.	10	.
		F.		1	.	.	2	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

LDARE.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	1	.	.	.	.	.	.	.	.	B.36a
1	.	.	.	.	.	.	.	.	1	.	
6	.	.	.	1	.	1	.	.	.	4	B.35
.	.	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.36b
4	3	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.36c
1	.	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.37
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	1	.	.	.	B.46d
1	.	.	.	.	.	.	.	.	1	.	
16	.	.	.	1	2	.	1	4	5	3	B.38
6	.	.	.	.	.	.	.	2	3	1	
1	.	.	.	.	1	.	.	.	.	.	B.40a
3	2	1	.	.	.	.	.	.	.	.	B.41
7	7	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
18	18	.	.	.	.	.	.	.	.	.	B.44
10	10	.	.	.	.	.	.	.	.	.	
18	.	.	.	.	.	.	.	.	1	17	B.45a
20	.	.	.	.	.	.	.	.	3	17	
9	2	.	.	.	.	1	.	1	3	2	B.45b
4	1	.	.	.	1	.	.	.	.	2	
30	.	2	.	1	.	1	2	4	9	11	B.46c
18	.	.	.	1	1	1	1	3	7	4	
6	.	.	1	2	2	1	.	.	.	.	BE.47
2	.	.	1	1	.	.	.	.	.	.	
11	.	.	1	3	.	1	1	1	1	3	BE.48
3	1	.	.	.	.	.	.	.	1	1	
2	.	.	.	.	.	.	2	.	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Deaths
	ALL CAUSES ...	**M.**	**987**	**51**	**13**	**161**	**306**	**26**
		F.		**49**	**23**	**92**	**292**	**40**
B.1	Tuberculosis of respiratory system ...	M.	32	12	1	2	3	.
		F.		8	1	1	4	.
B.2	Tuberculosis, other forms	M.	12	.	.	4	1	.
		F.		1	1	3	2	1
B.9	Whooping cough	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	98	10	.	16	29	.
		F.		9	1	8	25	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	6	1	.	.	2	.
		F.		1	.	2	.	.
B.19	Benign and unspecified neoplasms ...	M.	3	.	.	.	.	.
		F.		2	.	.	1	.
B.20	Diabetes mellitus	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.21	Anaemias	M.	5	.	.	1	2	.
		F.		.	1	.	1	.
B.22	Vascular lesions affecting central nervous system	M.	69	2	3	7	21	1
		F.		3	4	10	19	1
B.25	Chronic rheumatic heart disease ...	M.	8	.	.	2	2	.
		F.		2	.	1	1	.
B.26	Arteriosclerotic and degenerative heart disease	M.	239	13	4	20	97	5
		F.		10	2	8	85	3
B.27	Other diseases of the heart ...	M.	31	.	.	7	10	.
		F.		1	2	3	8	.
B.28	Hypertension with heart disease ...	M.	10	.	.	1	3	.
		F.		.	.	.	6	.
B.29	Hypertension without mention of heart	M.	5	.	.	1	.	.
		F.		1	.	2	1	.
B.46a	Other circulatory diseases	M.	34	.	1	14	6	.
		F.		.	1	9	3	.
B.30	Influenza	M.	41	.	.	9	12	.
		F.		.	.	4	16	.
B.31	Pneumonia	M.	24	.	.	4	5	.
		F.		3	1	4	7	.
B.32	Bronchitis	M.	23	.	.	1	15	.
		F.		1	.	.	6	.

BY EX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
AN COUNTY BOROUGH.
KENNY.

	Age at Death										
s	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1 6	**54 44**	**11 7**	**3 7**	**8 4**	**17 17**	**18 16**	**31 22**	**63 49**	**143 129**	**183 161**	
8 4	. .	1 .	. 1	2 2	4 5	5 4	2 2	3 .	1 .	. .	B.1
5 7	1 1	. .	1 2	1 2	1 1	1 .	. 1	. .	. .	. .	B.2
2	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
2	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.17d
55 43	. .	. .	. .	1 .	2 1	1 1	4 4	11 12	19 17	17 8	B.18a
3 3	. .	1 1	. .	. .	. .	. .	. .	2 1	. .	. 1	B.18b
3	. .	. 1	. .	. .	. .	. .	. .	. 2	. .	. .	B.19
1 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	B.20
3 2	. .	. 1	. .	. .	. .	. 1	. .	1 .	1 .	1 .	B.21
33 36	. 1	. .	. 1	. .	. .	1 .	1 4	5 7	14 11	12 12	B.22
4 4	. .	. .	. .	. .	1 .	1 2	1 .	. 1	. 1	1 .	B.25
134 105	. .	. .	. 1	. .	. 3	3 2	11 1	20 10	49 42	51 46	B.26
17 14	. .	. .	. .	. .	2 .	. .	. 1	2 3	8 5	5 5	B.27
4 6	. .	. .	. .	. .	. .	. .	1 .	. .	2 2	1 4	B.28
1 4	. .	. .	. .	. .	. 1	. .	. 2	. 1	. .	1 .	B.29
21 13	. .	. .	. .	. .	. .	. 1	. .	. .	8 10	13 2	B.46a
21 20	. .	. 1	. 1	. .	. .	. 1	1 .	. 1	8 10	12 6	B.30
9 15	3 7	2 .	. .	. .	. 1	. .	1 .	. 1	2 3	1 3	B.31
16 7	2 .	. .	. .	. .	. .	1 1	1 .	2 2	5 1	5 3	B.32

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
B.46b	Other respiratory diseases	M.	7	1	1	.	2	.
		F.		.	1	.	2	.
B.36a	Gastritis and duodenitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.34	Appendicitis	M.	2	1	.	1	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	2	1	.	.	1	.
		F.		.	.	.	.	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	8	.	.	3	.	.
		F.		1	.	2	2	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.37	Cirrhosis of liver	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	5	1	.	2	.	.
		F.		.	.	1	1	.
B.46d	Other digestive diseases	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis	M.	10	1	.	.	4	.
		F.		.	.	1	4	.
B.39	Hyperplasia of prostate	M.	5	.	.	3	2	.
B.40a	Complications of pregnancy and child-birth	F.	3	1	.	2	.	.
B.40c	Other complications of the puerperium	F.	1	.	1	.	.	.
B.41	Congenital malformations	M.	11	1	.	5	1	.
		F.		.	.	.	4	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	10	1	.	3	.	.
		F.		1	.	5	.	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.43b	Pneumonia of newborn	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.43c	Other infections of newborn ...	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	42	.	.	16	11	1
		F.		.	.	9	6	1
B.45a	Senility without mention of psychosis	M.	111	1	.	10	29	12
		F.		1	.	9	61	30
B.45b	Ill-defined and unknown causes ...	M.	30	.	.	3	16	6
		F.		.	.	.	11	3
B.46e	All other diseases	M.	51	3	3	12	12	.
		F.		1	7	5	8	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	7	1	.	4	2	1
		F.		.	.	.	.	.
BE.48	All other accidents	M.	21	.	.	3	10	.
		F.		.	.	2	6	.
BE.49	Suicide and self-inflicted injury ...	M.	6	1	.	1	4	.
		F.		.	.	.	.	.

EX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
COUNTY BOROUGH.

KENNY.

Age at Death										Abbreviated List No.
Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	
.	.	.	.	1	.	.	.	2	1	B.46b
1	.	.	.	.	.	1	.	.	1	
.	.	.	.	.	.	.	.	1	.	B.36a
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	B.33
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	1	B.34
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	1	B.35
.	.	.	.	.	.	.	.	.	.	
2	1	.	.	.	.	.	.	.	.	B.36b
5	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	B.36d
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	B.37
.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	2	B.46c
.	.	.	.	.	.	.	1	1	.	
.	.	.	.	.	.	.	.	.	.	B.46d
.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	1	.	3	1	B.38
.	.	.	.	.	1	2	1	.	1	
.	.	.	.	.	.	1	1	2	1	B.39
.	.	.	.	2	1	.	.	.	.	B.40a
.	.	.	.	.	1	.	.	.	.	B.40c
7	.	.	.	.	.	.	.	.	.	B.41
4	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	.	.	B.42
6	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	B.43a
1	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	.	.	B.43b
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	B.43c
1	.	.	.	.	.	.	.	.	.	
27	.	.	.	.	.	.	.	.	.	B.44
15	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	4	36	B.45a
.	.	.	.	.	.	.	.	8	63	
1	3	.	.	.	.	.	2	3	10	B.45b
1	1	.	.	.	.	1	1	7	.	
.	2	1	.	1	3	2	7	7	7	B.46c
.	.	1	.	2	.	2	4	9	3	
.	.	1	2	1	.	1	2	.	.	BE.47
.	.	.	.	.	.	.	.	.	.	
2	1	.	1	4	.	1	2	1	1	BE.48
1	2	.	.	.	.	1	1	2	1	
.	.	.	1	.	1	1	2	.	1	BE.49
.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Death
	ALL CAUSES	M.	742	18	21	147	239	2
		F.		13	8	88	208	2
B.1	Tuberculosis of respiratory system ...	M.	20	2	.	3	5	.
		F.		6	.	.	4	.
B.2	Tuberculosis, other forms	M.	6	.	1	2	1	.
		F.		.	.	1	1	.
B.4	Typhoid fever	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.12	Acute poliomyelitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.17b	Acute infectious encephalitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.14	Measles	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.16	Malaria	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	2	.	.	.	.	.
		F.		.	.	2	.	.
B.18a	Malignant neoplasms	M.	59	2	1	14	20	.
		F.		1	.	10	11	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.19	Benign and unspecified neoplasms ...	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.20	Diabetes mellitus	M.	4	.	.	1	1	.
		F.		.	.	1	1	.
B.21	Anaemias	M.	5	.	.	.	1	.
		F.		.	.	3	1	.
B.22	Vascular lesions affecting central nervous system	M.	62	3	.	3	19	.
		F.		.	.	7	30	.
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.24	Rheumatic fever	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	11	.	.	2	5	.
		F.		.	.	1	3	.
B.26	Arteriosclerotic and degenerative heart disease	M.	194	.	10	56	53	.
		F.		1	4	29	41	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
AND COUNTY BOROUGH.

LAIGHIS.

	Age at Death										
	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
25 17	33 16	5 2	2 4	3 7	11 7	15 10	25 17	47 37	120 86	164 131	
10 10	.	.	.	.	3 2	1 3	3 2	1	1 1	1	B.1
4 2	2	1	.	.	1	.	.	.	.	.	B.2
1	.	.	.	.	.	.	1	.	.	.	B.4
1	.	1	.	.	.	.	.	.	.	.	B.9
1	.	.	.	1	.	.	.	.	.	.	B.12
1	.	.	.	.	.	1	.	.	.	.	B.17b
1	.	.	.	.	.	.	1	.	.	.	B.14
1	.	.	.	.	.	.	.	.	1	.	B.16
2	.	.	.	1	.	.	.	.	1	.	B.17d
37 22	.	.	.	.	1 1	4	3 2	7 5	13 8	9 6	B.18a
1 1	.	.	.	.	.	.	1	1	.	.	B.18b
1 1	.	.	.	.	.	.	.	1	.	1	B.19
2 2	.	.	.	.	.	.	1	.	1	2	B.20
1 4	.	.	1 1	.	.	1	.	.	2	.	B.21
25 37	.	.	.	.	.	1 1	2	2 5	9 15	11 16	B.22
1 1	1	.	.	1	.	.	.	.	.	.	B.23
1	.	.	.	.	.	1	.	.	.	.	B.24
7 4	.	.	.	1	.	.	1 1	.	3	2 3	B.25
119 75	1	.	1 1	.	2	1 1	4 1	8 10	41 25	61 37	B.26

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertific Deaths
B.27	Other diseases of the heart ...	M.	35	1	.	5	16	3
		F.		.	.	4	9	1
B.28	Hypertension with heart disease ...	M.	5	.	.	.	1	.
		F.		.	.	1	3	.
B.29	Hypertension without mention of heart	M.	5	.	.	1	1	.
		F.		.	.	1	2	.
B.46a	Other circulatory diseases	M.	10	.	.	3	5	.
		F.		.	.	.	2	1
B.30	Influenza	M.	53	1	1	2	21	1
		F.		.	.	6	22	.
B.31	Pneumonia	M.	23	.	.	5	7	.
		F.		.	1	1	9	.
B.32	Bronchitis	M.	20	.	3	3	6	1
		F.		.	1	.	7	.
B.46b	Other respiratory diseases	M.	10	2	.	2	3	.
		F.		.	.	.	3	.
B.33	Ulcer of stomach and duodenum ...	M.	4	.	.	2	2	.
		F.		.	.	.	.	.
B.34	Appendicitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	11	1	.	4	.	.
		F.		.	.	4	2	.
B.36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	5	.	.	4	1	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	5	.	.	1	2	.
		F.		.	.	.	2	.
B.46d	Other digestive diseases	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	9	.	.	4	4	.
		F.		.	.	.	1	.
B.39	Hyperplasia of prostate	M.	3	.	.	.	3	.
B.40a	Complications of pregnancy and childbirth	F.	1	1	.	.	.	.
B.41	Congenital malformations	M.	15	3	.	6	2	.
		F.		.	.	2	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	6	1	.	4	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	14	.	.	3	4	.
		F.		.	.	5	2	.
B.45a	Senility without mention of psychosis	M.	53	.	.	1	27	12
		F.		.	.	1	24	12
B.45b	Ill-defined and unknown causes ...	M.	22	.	.	3	10	3
		F.		1	.	.	8	4
B.46e	All other diseases	M.	37	1	5	6	9	.
		F.		1	2	1	12	1
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	4	1	.	2	.	.
		F.		.	.	.	1	.
BE.48	All other accidents	M.	12	.	.	2	3	.
		F.		1	.	4	2	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	.	.	1	.
		F.		.	.	.	1	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED ND COUNTY BOROUGH.

AOIGHIS.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
22	.	.	.	.	.	1	.	5	7	9	B.27
13	.	.	.	.	.	1	1	2	5	4	
1	.	.	.	.	.	.	.	.	.	1	B.28
4	.	.	.	.	.	.	.	.	3	1	
2	.	.	.	.	.	.	.	1	.	1	B.29
3	.	.	.	.	.	.	.	1	2	.	
8	.	.	.	.	.	.	.	2	2	4	B.46a
2	.	.	.	.	.	.	.	.	.	2	
25	.	.	.	.	.	.	2	4	7	12	B.30
28	2	.	.	.	.	1	2	2	5	16	
12	2	1	.	.	.	.	.	2	5	2	B.31
11	1	1	.	.	.	.	.	3	2	4	
12	.	.	.	.	.	.	1	2	5	4	B.32
8	1	.	.	.	.	.	.	3	2	2	
7	.	.	.	.	.	.	2	1	2	2	B.46b
3	.	.	.	.	.	.	.	.	.	3	
4	.	.	.	.	.	2	.	1	.	1	B.33
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	.	.	.	.	.	.	B.34
.	.	.	.	.	.	.	.	.	.	.	
5	1	.	.	.	.	.	.	1	2	1	B.35
6	.	.	.	.	1	.	.	2	1	2	
5	5	.	.	.	.	.	.	.	.	.	B.36b
.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	1	.	.	1	.	1	B.46c
2	.	.	.	.	.	.	.	.	.	2	
1	.	.	.	.	.	.	1	.	.	.	B.46d
.	.	.	.	.	.	.	.	.	.	.	
8	.	.	.	.	2	.	1	2	1	2	B.38
1	.	.	.	.	.	.	.	.	.	1	
3	.	.	.	.	.	.	.	.	1	2	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a
11	9	2	.	.	.	.	.	.	.	.	B.41
4	4	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.42
.	.	.	.	.	.	.	.	.	.	.	
7	7	.	.	.	.	.	.	.	.	.	B.44
7	7	.	.	.	.	.	.	.	.	.	
28	.	.	.	.	.	.	.	.	3	25	B.45a
25	.	.	.	.	.	.	.	.	5	20	
13	.	.	.	.	.	.	1	2	6	4	B.45b
9	.	.	.	1	.	.	3	.	1	4	
21	.	.	.	.	.	2	2	4	8	5	B.46e
16	.	.	.	.	2	.	2	3	7	2	
3	.	1	.	.	1	.	.	.	.	1	BE.47
1	.	.	.	.	.	.	1	.	.	.	
5	.	.	.	.	.	2	.	.	2	1	BE.48
7	.	.	2	.	.	.	.	.	.	5	
1	.	.	.	.	.	.	.	.	1	.	BE.49
1	.	.	.	.	1	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertific Deaths
	ALL CAUSES	**M.**	**593**	**12**	**9**	**102**	**197**	**56**
		F.		**8**	**9**	**69**	**187**	**66**
B.1	Tuberculosis of respiratory system ...	M.	14	2	.	1	4	.
		F.		.	1	5	1	1
B.2	Tuberculosis, other forms	M.	6	1	.	1	.	.
		F.		.	.	4	.	.
B.3	Syphilis and its sequelae	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	3	.	.	.	2	.
		F.		.	.	.	1	.
B.14	Measles	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.16	Malaria	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	54	2	1	16	16	1
		F.		4	.	4	11	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.20	Diabetes mellitus	M.	2	.	.	.	1	.
		F.		.	.	.	1	1
B.21	Anaemias	M.	5	.	1	1	.	.
		F.		.	.	1	2	.
B.22	Vascular lesions affecting central nervous system	M.	45	.	2	8	14	3
		F.		.	1	7	13	3
B.25	Chronic rheumatic heart disease ...	M.	3	.	.	1	1	.
		F.		.	.	.	1	.
B.26	Arteriosclerotic and degenerative heart disease	M.	137	1	4	30	41	7
		F.		1	6	19	35	.
B.27	Other diseases of the heart ...	M.	12	.	.	.	5	1
		F.		.	1	2	4	1
B.28	Hypertension with heart disease ...	M.	3	.	.	1	1	.
		F.		.	.	.	1	1
B.29	Hypertension without mention of heart	M.	6	1	.	1	1	.
		F.		.	.	.	3	.
B.46a	Other circulatory diseases	M.	10	.	.	1	4	1
		F.		.	.	.	5	.
B.30	Influenza	M.	61	.	.	7	28	8
		F.		.	.	9	17	7

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

ONGFORD.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
320 273	30 11	5 5	. 2	2 1	4 3	8 10	13 11	36 34	97 56	125 140	
7 7	. .	. .	. .	. .	1 1	2 3	2 2	. .	2 1	. .	B.1
2 4	. .	1 .	. 1	. .	. 1	1 2	. .	. .	. .	. .	B.2
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.3
2 1	2 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.9
1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	B.14
1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.16
35 19	. .	. .	. .	. .	. .	2 .	4 2	8 6	14 4	7 7	B.18a
2 .	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	B.18b
. 1	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	B.19
1 1	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	B.20
2 3	. .	. .	. .	. .	. .	. 1	. .	1 1	1 1	. .	B.21
24 21	. .	. .	. .	. .	. .	. .	1 1	3 3	12 6	8 11	B.22
2 1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	1 1	B.25
76 61	. .	. .	. .	. .	. .	. .	1 1	9 6	27 18	39 36	B.26
5 7	. .	. .	. .	. .	1 .	. .	. 2	. 1	2 3	2 1	B.27
2 1	. .	. .	. .	. .	. .	. .	. .	. .	2 1	. .	B.28
3 3	. .	. .	. .	. .	1 .	1 .	1 .	. 1	. 1	. 1	B.29
5 5	. .	. .	. .	1 .	. .	. .	. 1	. 1	3 .	1 3	B.46a
35 26	. .	. .	. .	. .	. .	. .	1 1	5 3	11 4	18 18	B.30

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.31	Pneumonia	M.	23	.	.	3	10	1
		F.		.	.	3	7	1
B.32	Bronchitis	M.	7	.	.	2	3	.
		F.		.	.	.	2	2
B.46b	Other respiratory diseases	M.	4	.	.	1	1	.
		F.		.	.	.	2	.
B.33	Ulcer of stomach and duodenum ...	M.	4	.	.	1	1	.
		F.		.	.	.	2	.
B.35	Intestinal obstruction and hernia ...	M.	7	.	.	2	2	1
		F.		.	.	2	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	3	.	.	1	1	.
		F.		.	.	.	1	.
B.37	Cirrhosis of liver	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	4	.	.	.	1	.
		F.		.	.	2	1	.
B.38	Nephritis and nephrosis	M.	8	.	.	2	.	.
		F.		.	.	.	6	.
B.39	Hyperplasia of prostate	M.	4	.	.	3	1	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	10	1	.	5	2	1
		F.		.	.	2	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	5	2	.	1	.	.
		F.		1	.	.	1	1
B.43a	Diarrhoea of newborn	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	10	1	.	5	3	2
		F.		.	.	1	.	.
B.45a	Senility without mention of psychosis	M.	76	.	1	.	32	26
		F.		.	.	2	41	31
B.45b	Ill-defined and unknown causes ...	M.	17	.	.	1	5	1
		F.		.	.	.	11	8
B.46e	All other diseases	M.	28	1	.	2	8	3
		F.		1	.	3	13	6
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	3	.	.	2	1	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	8	.	.	2	3	.
		F.		.	.	.	3	2
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	.	.
		F.		.	.	1	.	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

ONGFORD.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
13	3	1	.	.	.	.	1	1	4	3	B.31
10	1	1	.	.	.	1	.	1	3	3	
5	.	.	.	.	.	.	1	1	2	1	B.32
2	.	.	.	.	.	.	.	.	1	1	
2	.	1	.	.	.	.	.	.	.	1	B.46b
2	.	.	.	.	.	.	.	1	.	1	
2	.	.	.	.	.	.	.	1	.	1	B.33
2	.	.	.	.	.	.	.	.	1	1	
4	.	.	.	.	.	.	.	.	2	2	B.35
3	1	.	.	.	.	.	.	.	.	2	
2	2	.	.	.	.	.	.	.	.	.	B.36b
1	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.37
1	.	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	.	.	.	1	B.46c
3	.	.	.	.	.	.	.	1	1	1	
2	.	.	.	.	.	.	.	1	1	.	B.38
6	1	.	.	.	.	.	1	1	2	1	
4	.	.	.	.	.	.	.	1	1	2	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a
8	8	.	.	.	.	.	.	.	.	.	B.41
2	2	.	.	.	.	.	.	.	.	.	
3	3	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	
9	9	.	.	.	.	.	.	.	.	.	B.44
1	1	.	.	.	.	.	.	.	.	.	
33	.	.	.	.	.	.	.	.	4	29	B.45a
43	.	.	.	.	.	.	.	.	1	42	
6	2	.	.	.	.	.	.	.	.	4	B.45b
11	.	2	.	.	.	1	.	3	3	2	
11	.	1	.	.	.	.	1	1	3	5	B.46c
17	.	1	1	.	1	1	.	3	4	6	
3	.	.	.	1	.	1	.	1	.	.	BE.47
.	.	.	.	.	.	.	.	.	.	.	
5	.	.	.	.	1	1	.	1	2	.	BE.48
3	1	.	.	.	.	.	.	1	.	1	
.	.	.	.	.	.	.	.	.	.	.	BE.49
1	.	.	.	.	.	.	.	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**929**	**51**	**12**	**138**	**297**	**21**
		F.		**34**	**17**	**105**	**275**	**14**
B.1	Tuberculosis of respiratory system ...	M.	54	5	3	11	12	.
		F.		.	1	14	8	.
B.2	Tuberculosis, other forms	M.	21	7	.	6	1	.
		F.		1	2	1	3	.
B.14	Measles	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.17d	All other diseases classified as infective and parasitic	M.	4	.	.	1	1	.
		F.		.	.	1	1	.
B.18a	Malignant neoplasms	M.	109	4	1	16	34	.
		F.		6	.	14	34	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	4	2	.	.	1	.
		F.		.	.	.	1	.
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	1	.
		F.		.	.	.	.	.
B.20	Diabetes mellitus	M.	3	1	.	1	.	.
		F.		.	.	.	1	.
B.21	Anaemias	M.	6	1	.	.	2	.
		F.		.	.	.	3	.
B.22	Vascular lesions affecting central nervous system	M.	67	2	2	7	23	3
		F.		.	.	9	24	.
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.24	Rheumatic fever	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	10	.	.	5	1	.
		F.		.	.	2	2	.
B.26	Arteriosclerotic and degenerative heart disease	M.	225	6	3	26	87	3
		F.		3	9	17	74	1
B.27	Other diseases of the heart ...	M.	23	.	.	4	9	.
		F.		1	.	1	8	.
B.28	Hypertension with heart disease ...	M.	4	.	.	.	2	1
		F.		.	.	.	2	.
B.29	Hypertension without mention of heart	M.	6	.	.	.	2	.
		F.		1	.	.	3	.
B.46a	Other circulatory diseases	M.	9	.	.	1	5	.
		F.		.	2	.	1	.
B.30	Influenza	M.	47	.	.	1	24	1
		F.		1	.	1	20	.
B.31	Pneumonia	M.	18	.	.	4	3	.
		F.		1	.	5	5	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

OUTH.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
498 **431**	**38** **32**	**8** **5**	**7** **3**	**16** **11**	**23** **10**	**17** **11**	**39** **35**	**52** **47**	**140** **125**	**158** **152**	
31 23	. .	. .	. .	8 5	11 4	2 3	6 6	2 3	1 1	1 1	B.1
14 7	1 .	3 .	3 .	. 3	4 2	3 1	. .	. 1	. .	. .	B.2
. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.14
2 2	. .	. .	. 1	. .	. .	. .	. .	. .	1 1	1 .	B.17d
55 54	. .	. .	. .	. 1	1 .	4 2	4 8	10 17	22 21	14 5	B.18a
3 1	. .	. .	. .	1 .	. .	. .	1 .	1 .	. 1	. .	B.18b
2 .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	. .	B.19
2 1	. .	. .	. .	. .	1 .	. .	. .	1 1	. .	. .	B.20
3 3	. .	. .	. .	. .	. .	. .	. .	. 2	2 1	1 .	B.21
34 33	. .	. .	. .	. .	1 .	. 1	2 3	4 5	14 12	13 12	B.22
1 1	1 .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	B.23
1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	B.24
6 4	. .	. .	. .	. .	. 1	1 .	1 1	. 1	3 1	1 .	B.25
122 103	. .	. .	. .	. .	1 1	. 1	10 6	14 6	48 37	49 52	B.26
13 10	. 1	. .	. .	. .	. .	. .	. 2	3 1	4 4	6 2	B.27
2 2	. .	. .	. .	. .	. .	. .	. 1	. .	1 1	1 .	B.28
2 4	. .	. .	. .	. .	. .	1 .	. 1	1 1	. 2	. .	B.29
6 3	. .	. .	. .	. .	. .	. .	. .	. .	1 3	5 .	B.46a
25 22	1 1	. .	1 1	1 .	1 .	. .	2 1	1 3	11 8	7 8	B.30
7 11	2 2	. 3	. .	. .	. .	. .	. .	2 1	2 4	1 1	B.31

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.32	Bronchitis	M.	37	.	.	1	17	1
		F.		.	1	2	16	.
B.46b	Other respiratory diseases	M.	11	.	.	2	3	.
		F.		1	.	1	4	.
B.33	Ulcer of stomach and duodenum ...	M.	5	.	.	3	.	.
		F.		.	.	1	1	.
B.35	Intestinal obstruction and hernia ...	M.	4	1	.	1	.	.
		F.		1	.	.	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over ...	M.	3	.	.	2	.	.
		F.		.	.	1	.	.
B.37	Cirrhosis of liver	M.	2	.	.	1	.	.
		F.		1	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.46d	Other digestive diseases	M.	5	2	.	1	1	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis	M.	11	.	.	2	5	.
		F.		3	.	1	.	.
B.39	Hyperplasia of prostate	M.	5	1	1	1	2	1
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	17	5	.	4	1	.
		F.		1	.	3	3	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	10	3	.	2	1	.
		F.		3	.	1	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	26	5	.	4	4	.
		F.		8	.	2	3	.
B.45a	Senility without mention of psychosis	M.	107	.	.	23	25	7
		F.		.	2	19	38	10
B.45b	Ill-defined and unknown causes ...	M.	16	1	.	1	7	3
		F.		1	.	2	4	1
B.46c	All other diseases	M.	31	.	2	4	12	1
		F.		1	.	2	10	1
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	6	2	.	1	3	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	12	2	.	1	5	.
		F.		.	.	2	2	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

UTH.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
18	1	.	1	3	1	.	1	.	7	4	B.32
19	.	.	.	.	.	.	.	1	5	13	
5	.	.	.	.	.	1	1	1	2	.	B.46b
6	.	.	.	.	.	.	.	1	4	1	
3	.	.	.	.	1	2	.	.	.	.	B.33
2	.	.	.	.	.	.	.	.	2	.	
2	.	.	.	.	.	.	.	.	2	.	B.35
2	.	.	1	.	.	.	.	.	1	.	
1	1	.	.	.	.	.	.	.	.	.	B.36b
.	.	.	.	.	.	.	.	.	.	.	
2	.	2	.	.	.	.	.	.	.	.	B.36c
1	.	.	.	.	.	.	1	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.37
1	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
2	.	.	.	.	.	.	.	.	1	1	
4	.	.	.	.	.	1	1	1	.	1	B.46d
1	.	.	.	.	.	.	.	.	.	1	
7	.	.	.	.	.	.	2	.	3	2	B.38
4	.	.	.	1	1	1	.	.	1	.	
5	.	.	.	.	.	.	.	.	2	3	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a
10	9	.	.	.	.	.	.	1	.	.	B.41
7	6	1	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.42
4	4	.	.	.	.	.	.	.	.	.	
13	13	.	.	.	.	.	.	.	.	.	B.44
13	13	.	.	.	.	.	.	.	.	.	
48	.	.	.	.	.	.	.	1	5	42	B.45a
59	.	.	.	.	.	.	.	.	10	49	
9	1	.	.	.	.	.	1	3	2	2	B.45b
7	2	1	.	.	.	.	.	1	2	1	
18	.	1	.	.	1	.	2	5	5	4	B.46e
13	1	.	.	.	.	1	5	2	2	2	
6	.	2	.	.	.	1	1	1	1	.	BE.47
.	.	.	.	.	.	.	.	.	.	.	
8	1	.	1	3	.	1	2	.	.	.	BE.48
4	1	.	.	.	.	.	.	.	.	3	
1	1	.	.	.	.	.	.	.	.	.	BE.50
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**951**	**34**	**21**	**165**	**306**	**42**
		F.		**20**	**7**	**103**	**295**	**40**
B.1	Tuberculosis of respiratory system ...	M.	35	1	2	8	9	.
		F.		2	1	5	7	.
B.2	Tuberculosis, other forms	M.	10	1	.	3	2	.
		F.		.	.	2	2	.
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.18a	Malignant neoplasms	M.	101	6	1	15	38	.
		F.		5	.	12	24	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	2	.	.	.	1
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	3	1	.	1	.	.
		F.		.	.	1	.	.
B.20	Diabetes mellitus	M.	6	.	.	1	2	.
		F.		.	.	1	2	.
B.21	Anaemias	M.	6	1	1	.	1	.
		F.		.	.	1	2	.
B.22	Vascular lesions affecting central nervous system	M.	62	1	3	14	14	.
		F.		.	.	9	21	1
B.23	Nonmeningococcal meningitis ...	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.25	Chronic rheumatic heart disease ...	M.	7	.	.	1	1	.
		F.		.	.	1	4	.
B.26	Arteriosclerotic and degenerative heart disease	M.	273	4	8	41	87	1
		F.		.	3	32	98	6
B.27	Other diseases of the heart ...	M.	30	1	.	8	9	2
		F.		1	.	3	8	5
B.28	Hypertension with heart disease ...	M.	14	.	.	6	3	.
		F.		.	.	3	2	.
B.29	Hypertension without mention of heart	M.	15	.	.	6	6	.
		F.		.	.	1	2	.
B.46a	Other circulatory diseases	M.	22	.	.	6	7	.
		F.		.	1	2	6	.
B.30	Influenza	M.	66	.	2	7	24	1
		F.		.	.	7	26	1
B.31	Pneumonia	M.	21	2	.	5	5	.
		F.		.	1	3	5	1
B.32	Bronchitis	M.	24	.	.	4	11	.
		F.		.	.	.	9	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.
ATH.

All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
	Age at Death										
526 125	38 24	6 3	5 7	5 5	8 18	29 6	32 25	56 48	160 110	187 179	
20 15	. .	. .	. .	1 3	5 7	6 2	4 3	1 .	3 .	. .	B.1
6 4	. .	1 .	. .	1 .	1 2	2 2	. .	1 .	. .	. .	B.2
. 1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	B.17d
60 41	. .	. .	. .	. .	. .	3 .	5 2	8 15	28 14	16 10	B.18a
2 .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .	. .	B.18b
2 1	. .	. .	1 1	1 .	. .	. .	. .	. .	. .	. .	B.19
3 3	. .	. .	1 .	. .	. .	. .	. 1	. 1	2 .	. 1	B.20
3 3	. .	. .	. .	. .	. .	1 .	. .	. .	1 2	1 1	B.21
32 30	. .	. .	. .	. .	. 1	1 .	4 2	1 4	10 11	16 12	B.22
. 1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.23
2 5	. .	. .	. 1	. .	. .	1 .	. .	1 .	. 2	. 2	B.25
140 133	. .	. .	. .	. .	. 2	3 1	6 9	16 12	51 34	64 75	B.26
18 12	. .	. .	. .	. .	. .	. .	2 .	1 2	8 5	7 5	B.27
9 5	. .	. .	. .	. .	. .	. .	. .	3 .	3 3	3 2	B.28
12 3	. .	. .	. .	. .	. .	. .	. .	4 1	7 1	1 1	B.29
13 9	. .	. .	1 .	. .	. .	. .	1 1	. .	3 3	8 5	B.46a
33 33	. 1	. .	. .	1 .	. .	1 .	2 1	5 4	10 12	14 15	B.30
12 9	5 4	2 .	. .	. .	. .	1 .	1 .	. 1	1 2	2 2	B.31
15 9	. .	1 .	. .	. .	. .	. .	2 1	1 1	4 3	7 4	B.32

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CC

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
B.46b	Other respiratory diseases ...	M.	11	1	.	2	4	.
		F.		.	.	2	2	.
B.33	Ulcer of stomach and duodenum ...	M.	13	.	.	8	2	.
		F.		1	.	.	2	.
B.34	Appendicitis	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.35	Intestinal obstruction and hernia ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	4	.	.	1	.	.
		F.		.	.	2	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	16	1	.	3	2	.
		F.		.	.	3	7	.
B.39	Hyperplasia of prostate	M.	6	1	.	3	2	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	.	1	.
B.41	Congenital malformations	M.	12	4	.	1	1	.
		F.		3	.	1	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	9	4	.	2	1	.
		F.		1	.	.	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	23	1	.	7	9	4
		F.		1	.	1	4	2
B.45a	Senility without mention of psychosis	M.	50	.	.	.	24	18
		F.		.	.	.	26	15
B.45b	Ill-defined and unknown causes ...	M.	31	.	.	.	20	15
		F.		.	.	2	9	8
B.46c	All other diseases	M.	42	.	1	8	12	.
		F.		3	1	1	16	1
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	6	.	.	1	1	.
		F.		1	.	1	2	.
BE.48	All other accidents	M.	19	1	2	3	6	.
		F.		1	.	4	2	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	1	.	.	.
		F.		.	.	.	1	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

ATH.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
7	1	.	.	.	.	1	.	1	1	3	B.46b
4	2	.	.	.	1	.	.	1	.	.	
10	.	.	.	.	.	3	1	3	3	.	B.33
3	.	.	.	.	.	.	1	1	1	.	
1	.	1	.	.	.	.	.	.	.	.	B.34
1	.	.	1	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	.	1	1	B.35
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.36b
3	1	2	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	.	.	1	.	B.46d
.	.	.	.	.	.	.	.	.	.	.	
6	.	.	.	1	.	1	.	.	3	1	B.38
10	.	.	.	.	.	.	1	1	4	4	
6	.	.	.	.	.	.	.	1	1	4	B.39
1	.	.	.	.	1	.	.	.	.	.	B.40a
6	5	.	1	.	.	.	.	.	.	.	B.41
6	5	.	.	.	.	.	1	.	.	.	
7	7	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
17	17	.	.	.	.	.	.	.	.	.	B.44
6	6	.	.	.	.	.	.	.	.	.	
24	.	.	.	.	.	.	.	.	2	22	B.45a
26	.	.	.	.	.	.	.	.	.	26	
20	1	.	.	.	.	.	.	5	5	9	B.45b
11	1	.	1	.	.	.	.	2	4	3	
21	.	1	.	.	.	1	2	2	10	5	B.46c
21	2	.	3	.	.	1	2	1	4	8	
2	.	.	.	.	1	.	.	.	1	.	BE.47
4	.	.	.	2	2	.	.	.	.	.	
12	1	.	1	.	.	4	2	1	1	2	BE.48
7	.	.	.	.	.	.	.	1	3	3	
1	.	.	.	.	.	.	.	.	.	1	BE.49
1	.	.	.	.	1	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
	ALL CAUSES	**M.**		**18**	**15**	**131**	**270**	**64**
		F.	**754**	**7**	**9**	**84**	**220**	**35**
B.1	Tuberculosis of respiratory system ...	M.	25	1	.	6	4	1
		F.		.	1	3	10	1
B.2	Tuberculosis, other forms	M.	9	.	.	2	.	.
		F.		.	.	4	3	.
B.8	Diphtheria	M.	2	.	.	1	.	.
		F.		.	.	.	1	.
B.14	Measles	M.	1	.	.	.	1	1
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	73	5	1	17	18	2
		F.		2	.	12	18	2
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	3	.	.	2	1	.
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	1	.	.	.	1	1
		F.		.	.	.	.	.
B.20	Diabetes mellitus	M.	5	1	.	2	1	.
		F.		.	.	1	.	.
B.21	Anaemias	M.	3	1	.	1	.	.
		F.		.	.	1	.	.
B.22	Vascular lesions affecting central nervous system	M.	59	.	1	7	17	1
		F.		1	.	7	26	1
B.23	Nonmeningococcal meningitis ...	M.	3	.	.	1	.	.
		F.		.	.	1	1	.
B.24	Rheumatic fever	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.26	Arteriosclerotic and degenerative heart disease	M.	162	.	5	21	76	12
		F.		.	4	9	47	6
B.27	Other diseases of the heart ...	M.	21	.	.	6	8	1
		F.		.	.	2	5	.
B.28	Hypertension with heart disease ...	M.	10	.	.	.	4	.
		F.		.	.	.	6	.
B.29	Hypertension without mention of heart	M.	7	.	.	4	2	.
		F.		.	.	.	1	.
B.46a	Other circulatory diseases	M.	10	.	1	4	1	.
		F.		.	1	.	3	.
B.30	Influenza	M.	39	.	1	2	13	2
		F.		.	.	2	21	4

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.
FALY.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
434	**26**	**8**	**6**	**8**	**10**	**15**	**16**	**55**	**126**	**164**	
320	**25**	**12**	**1**	**3**	**9**	**12**	**19**	**36**	**83**	**120**	
11	.	1	.	.	2	3	1	1	2	1	B.1
14	.	.	.	2	5	2	2	1	2	.	
2	.	1	.	.	.	.	.	1	.	.	B.2
7	1	3	.	.	.	.	1	.	2	.	
1	.	1	.	.	.	.	.	.	.	.	B.8
1	.	.	1	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	B.14
.	.	.	.	.	.	.	.	.	.	.	
41	.	.	.	.	1	1	1	11	20	7	B.18a
32	.	.	.	.	1	3	9	7	5	7	
3	.	.	.	1	.	.	.	.	2	.	B.18b
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.19
.	.	.	.	.	.	.	.	.	.	.	
4	.	.	1	.	.	.	.	.	2	1	B.20
1	.	.	.	.	.	.	.	.	1	.	
2	.	.	.	1	.	.	.	.	1	.	B.21
1	.	.	.	.	.	.	.	.	1	.	
25	.	.	.	.	.	.	.	6	10	9	B.22
34	.	1	.	.	.	.	1	12	13	7	
1	.	.	.	1	.	.	.	.	.	.	B.23
2	.	2	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	2	.	.	.	.	B.24
.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	1	.	1	B.25
.	.	.	.	.	.	.	.	.	.	.	
102	.	.	.	1	.	1	6	18	36	40	B.26
60	.	.	.	.	1	.	2	3	26	28	
14	.	.	.	.	2	1	.	.	6	5	B.27
7	.	.	.	.	.	.	1	2	3	1	
4	.	.	.	.	.	.	.	.	1	3	B.28
6	.	.	.	.	.	.	.	1	4	1	
6	.	.	.	.	.	.	.	.	2	4	B.29
1	.	.	.	.	.	.	.	.	.	1	
6	.	.	.	.	.	1	.	1	2	2	B.46a
4	.	.	.	.	.	.	.	1	.	3	
16	.	.	.	1	1	1	2	4	2	5	B.30
23	.	.	.	.	.	.	1	3	10	9	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.31	Pneumonia	M.	28	.	.	6	9	1
		F.		.	.	2	11	1
B.32	Bronchitis	M.	18	.	.	1	11	.
		F.		.	.	2	4	1
B.46b	Other respiratory diseases	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	5	1	.	2	1	.
		F.		.	.	.	1	.
B.34	Appendicitis	M.	2	.	.	2	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	2	.	.	.	.	.
		F.		.	.	2	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	5	1	.	1	.	.
		F.		.	.	2	1	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	4	.	.	3	1	.
		F.		.	.	.	.	.
B.46d	Other digestive diseases	M.	5	.	.	2	2	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis	M.	11	.	.	3	3	.
		F.		.	.	2	3	.
B.39	Hyperplasia of prostate	M.	6	2	.	1	3	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	4	1	.	.	1	.
		F.		2	.	.	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	3	.	2	.	.
		F.		.	.	1	1	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	19	2	.	6	2	.
		F.		1	.	6	2	.
B.45a	Senility without mention of psychosis	M.	117	.	2	16	48	32
		F.		.	.	16	35	15
B.45b	Ill-defined and unknown causes ...	M.	9	.	.	.	4	4
		F.		.	.	2	3	3
B.46e	All other diseases	M.	48	.	4	5	22	4
		F.		1	3	2	11	1
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	5	.	.	1	4	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	15	.	.	2	5	2
		F.		.	.	4	4	.
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
nd County Borough.
FFALY.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
15	2	2	1	.	1	1	1	1	3	3	B.31
13	7	2	.	.	.	1	.	.	2	1	
12	.	.	.	.	.	.	.	1	5	6	B.32
6	.	1	.	.	.	.	.	.	2	3	
1	.	.	.	.	.	.	.	.	1	.	B.46b
.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	2	2	.	B.33
1	.	.	.	.	.	.	.	.	1	.	
2	.	.	.	.	.	1	1	.	.	.	B.34
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.35
2	.	.	.	.	.	1	.	1	.	.	
2	1	1	.	.	.	.	.	.	.	.	B.36b
3	2	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.36c
.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	.	3	1	B.36d
.	.	.	.	.	.	.	.	.	.	.	
4	2	.	.	1	.	.	.	.	.	1	B.46d
1	1	.	.	.	.	.	.	.	.	.	
6	.	.	.	.	.	1	1	1	2	1	B.38
5	.	.	.	.	.	1	.	.	3	1	
6	.	.	.	.	.	.	.	.	3	3	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a
2	2	.	.	.	.	.	.	.	.	.	B.41
2	2	.	.	.	.	.	.	.	.	.	
5	5	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43b
.	.	.	.	.	.	.	.	.	.	.	
10	10	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	
66	.	.	.	.	.	.	.	.	6	60	B.45a
51	.	.	.	.	.	.	.	.	3	48	
4	.	.	.	.	.	.	.	1	1	2	B.45b
5	.	.	.	.	.	.	.	.	1	4	
31	1	1	3	2	2	.	3	4	8	7	B.46e
17	1	.	.	.	1	2	2	4	4	3	
5	.	.	.	.	.	1	.	1	2	1	BE.47
.	.	.	.	.	.	.	.	.	.	.	
7	1	1	.	.	1	1	.	.	2	1	BE.48
8	.	2	.	.	1	1	.	1	.	3	
1	.	.	.	.	.	.	.	1	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	BE.50
1	.	.	.	1	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**807**	**24**	**20**	**135**	**268**	**38**
		F.		**17**	**14**	**108**	**221**	**30**
B.1	Tuberculosis of respiratory system ...	M.	35	10	1	4	2	.
		F.		6	4	3	5	.
B.2	Tuberculosis, other forms	M.	11	1	.	3	2	.
		F.		1	.	4	.	.
B.3	Syphilis and its sequelae	M.	3	1	.	1	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	90	2	.	22	22	1
		F.		5	.	19	20	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	4	1	.	.	1	.
		F.		.	.	1	1	.
B.19	Benign and unspecified neoplasms ...	M.	2	.	.	.	.	.
		F.		.	.	1	1	.
B.20	Diabetes mellitus	M.	4	.	.	1	2	.
		F.		.	.	1	.	.
B.21	Anaemias	M.	8	.	.	1	.	.
		F.		.	.	2	5	.
B.22	Vascular lesions affecting central nervous system	M.	66	2	1	12	12	.
		F.		.	1	8	30	1
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.24	Rheumatic fever	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	11	.	.	.	3	.
		F.		.	.	3	5	.
B.26	Arteriosclerotic and degenerative heart disease	M.	170	1	13	24	65	3
		F.		1	6	22	38	3
B.27	Other diseases of the heart	M.	21	.	.	1	8	3
		F.		1	1	2	8	3
B.28	Hypertension with heart disease ...	M.	2	.	.	.	.	.
		F.		.	.	1	1	.
B.29	Hypertension without mention of heart	M.	9	.	.	2	5	.
		F.		.	.	2	.	.
B.46a	Other circulatory diseases	M.	20	1	.	3	6	1
		F.		.	1	6	3	.
B.30	Influenza	M.	46	.	1	2	20	4
		F.		.	.	.	23	1
B.31	Pneumonia	M.	23	.	1	6	7	.
		F.		.	.	4	5	1
B.32	Bronchitis	M.	28	.	.	6	11	2
		F.		.	.	.	11	1
B.46b	Other respiratory diseases	M.	5	.	1	1	3	.
		F.		.	.	.	.	.
B.36a	Gastritis and duodenitis	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.33	Ulcer of stomach and duodenum ...	M.	7	.	.	3	3	.
		F.		.	.	.	1	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

VESTMEATH.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
447	**31**	**6**	**6**	**5**	**11**	**14**	**36**	**55**	**123**	**160**	
360	**17**	**9**	**1**	**8**	**5**	**16**	**25**	**53**	**90**	**136**	
17	.	.	.	1	3	6	6	.	1	.	B.1
18	.	.	.	4	1	2	5	3	3	.	
6	.	2	1	1	1	.	.	.	1	.	B.2
5	.	.	1	3	.	1	.	.	.	.	
3	.	.	.	.	.	.	1	1	1	.	B.3
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.9
.	.	.	.	.	.	.	.	.	.	.	
46	.	.	.	.	.	1	6	11	20	8	B.18a
44	.	.	.	.	.	3	11	10	14	6	
2	.	.	.	.	.	.	.	.	1	1	B.18b
2	.	.	.	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.19
2	.	.	.	.	.	.	.	1	.	1	
3	.	.	.	.	1	.	1	.	.	1	B.20
1	.	.	.	.	.	.	.	1	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.21
7	.	.	.	.	1	1	.	4	1	.	
27	1	.	.	.	.	.	2	3	5	16	B.22
39	.	.	.	.	.	1	1	11	10	16	
1	1	.	.	.	.	.	.	.	.	.	B.23
1	.	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.24
.	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	1	2	.	B.25
8	.	.	.	.	.	1	.	4	2	1	
103	.	.	.	.	.	2	5	12	37	47	B.26
67	.	.	.	.	1	1	2	6	23	34	
9	.	.	.	.	.	.	.	3	5	1	B.27
12	.	.	.	.	.	1	3	1	5	2	
.	.	.	.	.	.	.	.	.	.	.	B.28
2	.	.	.	.	.	.	.	.	1	1	
7	.	.	.	.	.	.	1	3	1	2	B.29
2	.	.	.	.	.	.	.	1	.	1	
10	.	.	.	.	.	.	1	2	1	6	B.46a
10	.	.	.	.	.	2	.	1	3	4	
23	1	.	.	1	.	2	1	4	7	7	B.30
23	.	.	.	.	.	1	.	1	9	12	
14	6	1	.	.	.	.	.	1	2	4	B.31
9	2	1	.	.	.	.	.	1	1	4	
17	.	.	.	.	.	1	4	2	5	5	B.32
11	.	1	.	.	.	.	.	2	3	5	
5	1	.	.	.	.	.	.	2	1	1	B.46b
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36a
2	1	1	.	.	.	.	.	.	.	.	
6	.	.	.	.	1	.	2	.	2	1	B.33
1	.	.	.	.	.	.	.	.	.	1	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY.

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.34	Appendicitis	M.	2	.	.	1	.	.
		F.		.	1	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	5	.	.	2	.	.
		F.		.	.	2	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.37	Cirrhosis of liver	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.46d	Other digestive diseases	M.	3	.	.	1	.	.
		F.		.	.	1	1	.
B.38	Nephritis and nephrosis	M.	17	.	.	2	8	.
		F.		.	.	5	2	.
B.39	Hyperplasia of prostate	M.	6	1	.	4	1	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	7	.	.	1	2	1
		F.		.	.	1	3	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	11	.	.	8	.	.
		F.		.	.	2	1	.
B.43a	Diarrhoea of newborn	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	11	1	.	4	1	.
		F.		1	.	2	2	2
B.45a	Senility without mention of psychosis	M.	75	.	.	4	35	11
		F.		.	.	4	32	16
B.45b	Ill-defined and unknown causes ...	M.	33	.	1	.	26	10
		F.		.	.	.	6	2
B.46e	All other diseases	M.	40	3	1	6	12	2
		F.		2	.	6	10	.
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	5	.	.	1	3	.
		F.		.	.	.	1	.
BE.48	All other accidents	M.	15	.	.	4	5	.
		F.		.	.	3	3	.
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
nd County Borough.

ESTMEATH.

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	.	.	.	.	.	.	1	.	.	B.34
1	.	.	.	.	.	.	1	.	.	.	
2	.	.	.	.	.	.	.	.	2	.	B.35
3	.	1	.	.	.	.	.	.	.	2	
1	1	.	.	.	.	.	.	.	.	.	B.36b
1	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.37
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	B.46d
2	.	.	.	.	.	.	.	2	.	.	
10	.	.	.	.	.	.	.	1	6	3	B.38
7	.	1	.	.	.	.	1	1	2	2	
6	.	.	.	.	.	.	.	2	2	2	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a
3	2	.	1	.	.	.	.	.	.	.	B.41
4	4	.	.	.	.	.	.	.	.	.	
8	8	.	.	.	.	.	.	.	.	.	B.42
3	3	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.44
5	5	.	.	.	.	.	.	.	.	.	
39	.	.	.	.	.	.	.	.	3	36	B.45a
36	.	.	.	.	.	.	.	.	3	33	
27	.	3	.	.	.	1	2	2	10	9	B.45b
6	.	.	.	.	.	.	.	1	3	2	
22	.	.	2	1	.	.	3	3	6	7	B.46c
18	1	2	.	.	2	.	.	2	5	6	
4	.	.	.	.	1	1	.	1	.	1	BE.47
1	.	.	.	1	.	.	.	.	.	.	
9	2	.	1	1	3	.	1	.	1	.	BE.48
6	.	1	.	.	.	.	.	.	2	3	
1	.	.	.	.	1	.	.	.	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
	ALL CAUSES	**M.**	**1,421**	**53**	**30**	**176**	**491**	**40**
		F.		**47**	**25**	**134**	**465**	**47**
B.1	Tuberculosis of respiratory system ...	M.	62	15	2	1	11	.
		F.		19	1	1	12	.
B.2	Tuberculosis, other forms	M.	10	1	.	2	2	.
		F.		2	.	1	2	.
B.3	Syphilis and its sequelae	M.	1	.	1	.	.	.
		F.		.	.	.	.	.
B.7b	Streptococcal sore throat	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.9	Whooping cough	M.	12	.	.	4	4	.
		F.		.	.	.	4	.
B.12	Acute poliomyelitis	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.17c	Late effects of acute infectious encephalitis	M.	1	.	1	.	.	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	5	.	.	4	.	.
		F.		1	.	.	.	.
B.18a	Malignant neoplasms	M.	140	10	2	22	47	.
		F.		5	1	16	37	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	7	1	.	2	1	.
		F.		.	.	1	2	.
B.19	Benign and unspecified neoplasms ...	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.20	Diabetes mellitus	M.	9	1	.	1	2	.
		F.		.	.	.	5	.
B.21	Anaemias	M.	7	.	.	1	1	.
		F.		.	.	2	3	.
B.22	Vascular lesions affecting central nervous system	M.	140	.	11	28	31	1
		F.		2	9	14	45	3
B.23	Nonmeningococcal meningitis ...	M.	3	.	.	2	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	18	.	.	.	8	.
		F.		.	.	3	7	.
B.26	Arteriosclerotic and degenerative heart disease	M.	360	4	5	35	141	5
		F.		3	8	33	131	5
B.27	Other diseases of the heart ...	M.	40	.	.	3	15	6
		F.		2	.	3	17	4
B.28	Hypertension with heart disease ...	M.	13	.	.	1	5	.
		F.		1	.	.	6	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D Cou y Borough.

EXFORD.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
750 **671**	**54** **20**	**17** **15**	**6** **8**	**17** **19**	**13** **17**	**27** **30**	**52** **41**	**89** **73**	**201** **175**	**274** **273**	
29 33	. .	1 .	. 1	4 9	6 7	10 6	4 2	4 2	. 6	. .	B.1
5 5	1 .	2 1	. .	1 .	. 1	1 .	. 2	. .	. .	. 1	B.2
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.3
1 1	. .	. .	. 1	. .	. .	. .	. .	1 .	. .	. .	B.7b
8 4	4 1	4 3	. .	. .	. .	. .	. .	. .	. .	. .	B.9
. 1	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	B.12
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.17c
4 1	. .	1 1	. .	1 .	. .	. .	. .	1 .	1 .	. .	B.17d
81 59	. .	. 1	. .	1 .	1 .	2 3	10 8	20 14	24 19	23 14	B.18a
4 3	. .	1 .	. .	1 2	1 .	. .	. .	. .	1 1	. .	B.18b
1 1	. .	1 .	. .	. .	. .	. .	. .	. .	. 1	. .	B.19
4 5	. .	. .	. .	. .	. .	. .	1 .	. 1	2 1	1 3	B.20
2 5	. .	. .	. .	. .	. 1	. 1	. .	. .	2 2	. 1	B.21
70 70	. .	. .	. .	. .	. 1	2 3	5 3	9 9	28 19	26 35	B.22
3 .	1 .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	B.23
8 10	. .	. .	. .	. 1	1 1	. .	2 3	1 1	3 3	1 1	B.25
185 175	. .	. .	1 1	. .	1 1	6 6	12 8	26 19	64 57	75 83	B.26
18 22	. .	. 1	. 1	. .	. .	. .	2 1	4 2	4 6	8 11	B.27
6 7	. .	. .	. .	. .	. .	. .	. 1	. 2	5 3	1 1	B.28

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.29	Hypertension without mention of heart	M.	15	1	.	.	7	.
		F.		.	.	.	7	.
B.46a	Other circulatory diseases	M.	22	1	.	4	9	.
		F.		.	2	1	5	.
B.30	Influenza	M.	65	.	2	5	25	.
		F.		1	2	4	26	1
B.31	Pneumonia	M.	45	2	4	6	15	1
		F.		1	2	3	12	.
B.32	Bronchitis	M.	57	.	.	8	20	1
		F.		1	.	.	28	1
B.46b	Other respiratory diseases	M.	10	1	.	1	2	.
		F.		.	.	.	6	.
B.33	Ulcer of stomach and duodenum ...	M.	8	1	.	1	3	.
		F.		.	.	1	2	.
B.34	Appendicitis	M.	3	.	.	1	.	.
		F.		.	.	2	.	.
B.35	Intestinal obstruction and hernia ...	M.	7	.	.	2	3	.
		F.		.	.	2	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	7	.	.	.	5	.
		F.		1	.	1	.	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	4	.	.	1	1	.
		F.		1	.	.	1	.
B.37	Cirrhosis of liver	M.	2	1	.	1	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	6	1	.	.	.	.
		F.		2	.	2	1	.
B.46d	Other digestive diseases	M.	6	2	.	1	1	.
		F.		.	.	1	1	.
B.38	Nephritis and nephrosis	M.	18	.	.	1	8	1
		F.		1	.	2	6	.
B.39	Hyperplasia of prostate	M.	12	2	.	2	8	.
B.40a	Complications of pregnancy and childbirth	F.	7	.	.	4	3	.
B.40c	Other complications of the puerperium	F.	4	.	.	3	1	.
B.41	Congenital malformations	M.	8	.	.	1	3	.
		F.		1	.	.	3	1
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	5	1	.	.	3	.
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	32	3	.	5	15	.
		F.		.	.	3	6	1
B.45a	Senility without mention of psychosis	M.	123	1	.	13	46	19
		F.		.	.	13	50	25
B.45b	Ill-defined and unknown causes ...	M.	24	2	.	2	9	4
		F.		.	.	3	8	5
B.46e	All other diseases	M.	67	1	1	7	24	2
		F.		1	.	11	22	1
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	3	.	.	1	2	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	24	1	1	6	8	.
		F.		2	.	2	4	.
BE.49	Suicide and self-inflicted injury ...	M.	4	.	.	.	4	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

EXFORD.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
8	.	.	.	.	.	.	1	.	2	5	B.29
7	.	.	.	.	.	.	.	3	1	3	
14	.	.	.	1	1	.	1	.	3	8	B.46a
8	.	.	.	.	.	.	.	1	2	5	
32	1	.	.	.	.	.	3	3	13	12	B.30
33	.	.	.	.	.	1	.	2	13	17	
27	9	1	1	.	.	.	1	4	4	7	B.31
18	3	2	.	.	.	1	.	.	6	6	
28	1	1	.	.	.	1	.	2	12	11	B.32
29	.	.	.	.	.	.	2	2	11	14	
4	.	.	.	.	.	1	1	1	1	.	B.46b
6	.	.	1	.	.	1	.	1	3	.	
5	.	.	.	.	.	.	1	2	.	2	B.33
3	.	.	.	.	.	.	1	.	1	1	
1	.	.	.	1	.	.	.	.	.	.	B.34
2	.	.	.	1	.	.	.	.	.	1	
5	.	.	.	1	.	.	.	.	2	2	B.35
2	.	1	.	.	.	.	.	.	1	.	
5	5	.	.	.	.	.	.	.	.	.	B.36b
2	1	1	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	.	.	2	B.36c
2	.	.	.	.	.	.	.	.	2	.	
2	.	.	.	.	.	.	.	1	1	.	B.37
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.46c
5	.	.	.	.	.	1	.	3	.	1	
4	1	.	1	.	1	.	1	.	.	.	B.46d
2	1	.	.	.	.	.	.	1	.	.	
9	.	.	.	2	.	.	2	1	4	.	B.38
9	.	.	.	.	1	.	3	1	2	2	
12	.	.	.	.	.	.	.	2	2	8	B.39
7	.	.	.	2	1	4	.	.	.	.	B.40a
4	.	.	.	2	1	.	1	.	.	.	B.40c
4	3	1	.	.	.	.	.	.	.	.	B.41
4	2	.	1	1	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	
23	23	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	
60	.	.	.	.	.	.	.	.	3	57	B.45a
63	.	.	.	.	.	.	.	1	5	57	
13	1	.	.	.	.	.	.	1	2	9	B.45b
11	1	1	.	.	.	.	.	1	1	7	
33	.	1	1	.	.	.	2	3	13	13	B.46e
34	1	2	1	.	2	3	6	7	8	4	
3	.	.	2	.	.	.	.	.	1	.	BE.47
.	.	.	.	.	.	.	.	.	.	.	
16	.	1	.	4	1	3	2	1	2	2	BE.48
8	.	1	1	.	.	.	.	.	1	5	
4	.	.	.	.	.	1	1	.	2	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
	All Causes	**M.**	**830**	**61**	**16**	**108**	**252**	**17**
		F.		**55**	**14**	**70**	**254**	**17**
B.1	Tuberculosis of respiratory system ...	M.	33	8	2	2	11	.
		F.		5	.	2	3	.
B.2	Tuberculosis, other forms	M.	4	.	.	.	.	.
		F.		3	.	1	.	.
B.14	Measles	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	93	12	.	15	19	.
		F.		12	1	6	28	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	1	.	.	1	.
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms	M.	5	.	.	.	2	.
		F.		2	.	.	1	.
B.20	Diabetes mellitus	M.	3	1	.	1	.	.
		F.		.	.	.	1	.
B.21	Anaemias	M.	2	.	.	1	.	.
		F.		.	.	.	1	.
B.22	Vascular lesions affecting central nervous system	M.	87	4	.	10	24	1
		F.		6	.	14	29	.
B.23	Nonmeningococcal meningitis ...	M.	3	.	.	2	.	.
		F.		.	.	1	.	.
B.24	Rheumatic fever	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.25	Chronic rheumatic heart disease ...	M.	10	1	.	.	4	.
		F.		.	.	.	5	.
B.26	Arteriosclerotic and degenerative heart disease	M.	200	4	11	15	79	5
		F.		3	7	8	73	2
B.27	Other diseases of the heart	M.	35	1	.	10	9	2
		F.		1	.	7	7	1
B.28	Hypertension with heart disease ...	M.	11	.	1	1	4	.
		F.		1	.	.	4	.
B.29	Hypertension without mention of heart	M.	10	.	.	2	3	.
		F.		.	1	1	3	.
B.46a	Other circulatory diseases	M.	19	3	.	1	4	.
		F.		.	1	.	10	.
B.30	Influenza	M.	45	.	1	5	17	.
		F.		.	.	4	18	2
B.31	Pneumonia	M.	28	1	.	7	4	.
		F.		.	2	4	10	2
B.32	Bronchitis	M.	18	1	1	.	12	.
		F.		.	.	.	4	.
B.46b	Other respiratory diseases	M.	23	.	.	6	7	.
		F.		.	.	6	4	.
B.33	Ulcer of stomach and duodenum ...	M.	4	2	.	1	1	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	5	2	.	.	.	.
		F.		1	.	.	2	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	5	.	.	2	2	.
		F.		.	.	1	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.
CKLOW.

ll cs	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
37 93	**40** **41**	**3** **8**	**1** **3**	**10** **4**	**12** **9**	**17** **14**	**32** **17**	**59** **53**	**122** **102**	**141** **142**	
23 10	.	.	1	2	4	5	7	3	.	1	B.1
	.	1	.	.	3	3	2	1	.	.	
4	.	1	1	.	.	2	.	.	.	.	B.2
1	.	.	1	.	.	.	.	.	.	.	B.14
1	.	.	.	.	.	1	.	.	.	.	B.17d
46 47	.	.	.	.	.	2	6	7	19	12	B.18a
	.	.	.	.	2	2	2	11	20	10	
2	.	.	.	.	1	.	1	.	.	.	B.18b
2 3	.	.	.	.	.	.	.	.	.	2	B.19
	.	.	.	.	.	.	.	2	.	1	
2 1	.	.	.	.	.	.	.	2	.	.	B.20
	.	.	.	.	.	.	.	.	.	1	
1 1	.	.	.	.	.	.	.	.	.	1	B.21
	.	.	.	.	.	.	.	.	1	.	
38 49	.	.	.	1	1	.	3	5	13	15	B.22
	.	.	.	.	1	2	.	8	16	22	
2 1	.	1	.	1	.	.	.	.	.	.	B.23
	.	.	1	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.24
5 5	.	.	.	.	.	.	.	2	2	1	B.25
	.	.	.	1	.	.	.	1	1	2	
109 91	.	.	.	.	1	1	5	16	35	51	B.26
	.	.	.	.	.	1	5	14	28	43	
20 15	.	.	.	.	.	1	2	2	9	6	B.27
	1	.	.	.	.	.	1	.	4	9	
6 5	.	.	.	.	.	.	.	.	4	2	B.28
	.	.	.	.	.	.	2	1	1	1	
5 5	.	.	.	.	.	.	1	2	2	.	B.29
	.	.	.	.	.	1	.	2	.	2	
8 11	.	.	.	1	.	.	1	1	1	4	B.46a
	.	.	.	.	.	.	.	2	2	7	
23 22	.	.	.	.	.	.	.	2	10	11	B.30
	.	.	.	1	.	.	.	3	8	10	
12 16	2	.	.	.	.	.	2	2	3	3	B.31
	8	2	.	.	.	.	.	.	2	4	
14 4	.	.	.	.	.	.	.	3	4	7	B.32
	.	.	.	.	.	.	.	.	3	1	
13 10	1	1	.	.	.	.	.	1	8	2	B.46b
	.	.	.	.	.	.	.	.	3	7	
4 .	.	.	.	.	.	1	1	.	1	1	B.33
	.	.	.	.	.	.	.	.	.	.	
2 3	.	.	.	.	.	1	.	.	1	.	B.35
	1	.	.	1	.	.	.	1	.	.	
4 1	4	.	.	.	.	.	.	.	.	.	B.36b
	1	.	.	.	.	.	.	.	.	.	

M

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.37	Cirrhosis of liver	M.	2	.	.	.	.	.
		F.		2	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	1	.
		F.		1	.	.	.	.
B.46d	Other digestive diseases	M.	5	1	.	2	.	.
		F.		1	.	.	1	.
B.38	Nephritis and nephrosis	M.	20	3	.	1	6	.
		F.		1	.	3	6	.
B.39	Hyperplasia of prostate	M.	5	2	.	2	1	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	.	1	.
B.41	Congenital malformations	M.	16	.	.	5	2	1
		F.		4	.	3	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	10	3	.	4	1	.
		F.		1	.	1	.	.
B.43a	Diarrhoea of newborn	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.43b	Pneumonia of newborn	M.	3	1	.	.	1	1
		F.		1	.	.	.	.
B.43c	Other infections of newborn ...	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified ...	M.	24	1	.	6	3	1
		F.		2	.	4	8	3
B.45a	Senility without mention of psychosis	M.	23	.	.	1	8	3
		F.		.	1	.	13	5
B.45b	Ill-defined and unknown causes ...	M.	10	.	.	.	3	1
		F.		1	.	1	5	1
B.46e	All other diseases	M.	32	2	.	3	10	1
		F.		4	1	2	10	.
	EXTERNAL CAUSES							
BE.47	Motor vehicle accidents	M.	5	2	.	.	3	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	15	4	.	2	6	1
		F.		2	.	.	1	1
BE.49	Suicide and self-inflicted injury ...	M.	4	.	.	.	3	.
		F.		.	.	.	1	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

ICKLOW.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
.	.	.	.	.	.	.	.	.	.	.	B.36c
1	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.37
2	.	.	.	.	.	1	.	1	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.46c
1	.	.	.	.	.	.	1	.	.	.	
3	.	.	.	.	1	.	.	.	1	1	B.46d
2	1	1	.	.	.	.	.	.	.	.	
10	.	.	.	.	1	.	.	3	2	4	B.38
10	.	.	.	.	.	.	3	1	3	3	
5	.	.	.	.	.	.	.	1	.	4	B.39
1	.	.	.	.	1	.	.	.	.	.	B.40a
7	6	.	.	.	1	.	.	.	.	.	B.41
9	9	.	.	.	.	.	.	.	.	.	
8	8	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43c
.	.	.	.	.	.	.	.	.	.	.	
10	10	.	.	.	.	.	.	.	.	.	B.44
14	14	.	.	.	.	.	.	.	.	.	
9	.	.	.	.	.	.	.	.	2	7	B.45a
14	.	.	.	.	.	.	.	1	.	13	
3	.	.	.	.	.	.	.	1	1	1	B.45b
7	1	2	.	.	.	.	.	1	2	1	
15	2	.	.	1	.	2	2	1	4	3	B.46e
17	.	1	.	.	2	1	1	2	7	3	
5	.	.	.	2	1	.	1	.	.	1	BE.47
.	.	.	.	.	.	.	.	.	.	.	
12	3	1	.	2	1	2	.	3	.	.	BE.48
3	1	.	.	.	.	.	.	.	.	2	
3	.	.	.	.	.	1	.	1	.	1	BE.49
1	.	.	.	1	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

MUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**13,697**	**668**	**214**	**1,998**	**4,425**	**801**
		F.		**548**	**226**	**1,459**	**4,159**	**857**
B.1	Tuberculosis of respiratory system ...	M.	528	67	40	91	99	4
		F.		66	41	72	52	.
B.2	Tuberculosis, other forms ...	M.	150	14	3	59	13	.
		F.		18	.	36	7	1
B.3	Syphilis and its sequelae	M.	11	.	1	4	5	.
		F.		.	.	1	.	.
B.7a	Scarlet fever	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.7b	Streptococcal sore throat	M.	2	1	.	.	.	.
		F.		.	.	1	.	.
B.8	Diphtheria	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	20	.	.	5	4	.
		F.		.	.	2	9	1
B.10	Meningococcal infections	M.	12	3	.	3	1	.
		F.		1	.	3	1	.
B.12	Acute poliomyelitis	M.	6	.	.	2	.	.
		F.		2	.	1	1	.
B.17a	Late effects of acute poliomyelitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17b	Acute infectious encephalitis ...	M.	3	.	.	1	1	.
		F.		.	.	.	1	.
B.14	Measles	M.	3	1	.	.	1	1
		F.		.	.	.	1	.
B.16	Malaria	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	38	7	.	7	8	.
		F.		5	1	7	3	.
B.18a	Malignant neoplasms	M.	1,313	111	9	256	328	4
		F.		101	12	167	329	2
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	45	9	.	9	13	.
		F.		5	.	2	7	.
B.19	Benign and unspecified neoplasms ...	M.	32	6	.	6	5	.
		F.		7	.	5	3	.
B.20	Diabetes mellitus	M.	87	9	1	9	24	5
		F.		10	2	14	18	.
B.21	Anaemias	M.	113	5	4	23	15	1
		F.		4	1	17	44	3

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
nd County Borough.

TER.

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
7,305 6,392	505 354	116 89	78 49	121 112	147 142	247 235	477 387	955 693	1,902 1,601	2,757 2,730	
297 231	1 1	. 1	1 3	49 47	35 60	59 53	62 30	59 19	24 11	7 6	B.1
89 61	8 5	23 11	17 7	14 15	7 7	9 5	4 5	3 4	4 1	. 1	B.2
10 1	. .	. .	. .	. .	. .	1 .	3 1	4 .	2 .	. .	B.3
1 1	. .	1 .	. .	. 1	. .	. .	. .	. .	. .	. .	B.7a
1 1	. .	. .	. .	. .	. .	1 .	. .	. .	. 1	. .	B.7b
1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	B.8
9 11	5 5	3 5	1 .	. 1	. .	. .	. .	. .	. .	. .	B.9
7 5	3 2	1 3	1 .	. .	1 .	1 .	. .	. .	. .	. .	B.10
2 4	. .	. .	. 1	. .	1 .	1 1	. 1	. 1	. .	. .	B.12
. 1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	B.17a
2 1	. .	. 1	. .	. .	. .	1 .	1 .	. .	. .	. .	B.17b
2 1	. 1	2 .	. .	. .	. .	. .	. .	. .	. .	. .	B.14
1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.16
22 16	1 2	2 3	2 3	1 2	2 1	3 1	3 .	2 3	4 1	2 .	B.17d
704 609	. .	3 .	4 1	4 3	11 5	21 39	67 93	159 150	274 177	161 141	B.18a
31 14	1 .	3 .	2 3	1 1	4 2	3 2	5 2	7 2	3 1	2 1	B.18b
17 15	1 .	1 1	2 1	1 .	4 1	. 4	4 3	2 2	2 2	. 1	B.19
43 44	. .	. .	1 .	. 1	2 .	1 3	11 3	4 8	12 20	12 9	B.20
47 66	. 4	1 1	. .	. .	1 1	.4 .	8 13	8 14	16 22	9 11	B.21

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

MUI

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
				General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.22	Vascular lesions affecting central nervous system	M.	930	33	12	119	266	14
		F.		27	19	110	344	22
B.23	Nonmeningococcal meningitis ...	M.	31	5	.	10	3	.
		F.		3	1	7	2	.
B.24	Rheumatic fever	M.	13	1	.	1	7	.
		F.		.	.	3	1	.
B.25	Chronic rheumatic heart disease ...	M.	116	6	1	15	45	3
		F.		5	.	12	32	.
B.26	Arteriosclerotic and degenerative heart disease	M.	2,981	65	53	442	1,094	47
		F.		53	62	309	903	41
B.27	Other diseases of the heart ...	M.	492	22	3	58	176	22
		F.		14	8	53	158	21
B.28	Hypertension with heart disease ...	M.	112	1	.	12	38	.
		F.		5	1	17	38	1
B.29	Hypertension without mention of heart	M.	134	7	1	11	34	1
		F.		12	.	12	57	2
B.46a	Other circulatory diseases ...	M.	187	9	3	39	45	.
		F.		8	3	27	53	2
B.30	Influenza	M.	911	6	5	99	305	44
		F.		7	12	102	375	63
B.31	Pneumonia	M.	452	14	4	89	140	6
		F.		11	2	65	127	2
B.32	Bronchitis	M.	450	12	10	45	192	17
		F.		7	5	30	149	11
B.46b	Other respiratory diseases ...	M.	129	12	.	32	34	.
		F.		4	.	16	31	.
B.36a	Gastritis and duodenitis	M.	23	.	.	6	9	1
		F.		.	.	2	6	.
B.33	Ulcer of stomach and duodenum ...	M.	91	20	1	24	23	1
		F.		6	1	2	14	1
B.34	Appendicitis	M.	24	5	.	10	1	.
		F.		1	.	6	1	1
B.35	Intestinal obstruction and hernia ...	M.	68	8	1	14	11	1
		F.		8	1	14	11	1
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	63	2	.	7	28	2
		F.		1	.	10	15	3
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	21	.	.	6	5	.
		F.		.	.	5	5	1
B.36d	Chronic enteritis and ulcerative colitis	M.	15	6	.	1	.	.
		F.		4	.	1	3	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

ER.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
430	1	1	.	4	1	12	20	69	137	185	B.22
500	.	.	.	1	6	4	41	80	171	197	
18	9	6	2	1	.	.	.	.	.	.	B.23
13	3	2	1	4	.	1	.	1	1	.	
9	.	.	1	.	2	1	.	2	3	.	B.24
4	.	.	1	.	2	.	.	1	.	.	
67	.	.	1	2	2	8	6	10	17	21	B.25
49	.	.	1	3	7	7	6	7	11	7	
,654	.	.	2	2	12	33	82	232	597	694	B.26
;327	.	.	.	2	9	19	64	154	436	643	
259	1	2	.	2	7	6	14	53	92	82	B.27
233	.	2	.	3	3	7	17	37	68	96	
51	.	.	.	.	.	.	6	10	15	20	B.28
61	.	.	.	.	.	1	5	13	28	14	
53	.	1	.	.	1	.	7	10	17	17	B.29
81	.	.	.	.	.	4	5	23	21	28	
96	.	.	.	1	.	.	5	12	23	55	B.46a
91	.	.	.	.	.	2	5	3	29	52	
415	6	2	5	2	2	8	22	55	117	196	B.30
496	6	3	2	2	3	10	12	38	163	257	
247	63	17	5	1	5	3	8	28	58	59	B.31
205	37	22	4	.	5	5	4	19	43	66	
259	12	5	.	1	1	1	18	47	77	97	B.32
191	1	5	.	1	3	8	9	21	64	79	
78	5	.	4	3	3	3	8	11	17	24	B.46b
51	1	.	.	.	.	1	1	3	21	24	
15	8	1	.	.	.	1	.	.	4	1	B.36a
8	2	.	.	.	.	.	.	.	3	3	
68	.	.	.	1	1	8	11	16	23	8	B.33
23	.	.	.	.	.	1	4	3	8	7	
16	.	4	.	2	2	1	2	1	2	2	B.34
8	.	1	3	1	1	.	1	1	.	.	
34	2	.	2	1	1	4	1	6	7	10	B.35
34	2	.	1	2	1	1	2	5	12	8	
37	37	.	.	.	.	.	.	.	.	.	B.36b
26	25	1	.	.	.	.	.	.	.	.	
11	.	1	.	1	.	.	1	1	3	4	B.36c
10	.	3	.	.	.	.	3	1	2	1	
7	.	.	.	.	1	1	3	.	2	.	B.36d
8	.	.	.	1	.	.	1	2	1	3	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
MU

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.37	Cirrhosis of liver	M.	10	2	1	3	3	.
		F.		.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	46	5	1	4	7	.
		F.		11	.	6	12	.
B.46d	Other digestive diseases	M.	40	8	.	6	10	.
		F.		3	1	4	8	1
B.38	Nephritis and nephrosis	M.	224	13	2	48	60	2
		F.		11	1	35	54	2
B.39	Hyperplasia of prostate	M.	96	25	.	38	33	1
B.40a	Complications of pregnancy and child-birth	F.	22	6	.	11	5	.
B.40c	Other complications of the puerperium	F.	5	.	.	4	1	.
B.41	Congenital malformations	M.	133	14	.	25	35	3
		F.		13	.	21	25	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	87	19	.	21	4	.
		F.		16	.	15	12	.
B.43a	Diarrhoea of newborn	M.	7	1	.	2	1	.
		F.		.	.	2	1	.
B.43b	Pneumonia of newborn	M.	21	1	.	6	9	.
		F.		2	.	2	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	298	28	.	85	55	12
		F.		25	.	52	53	8
B.45a	Senility without mention of psychosis	M.	1,856	6	22	86	771	504
		F.		11	30	74	856	575
B.45b	Ill-defined and unknown causes ...	M.	332	26	5	24	146	86
		F.		15	2	7	107	65
B.46e	All other diseases	M.	634	33	30	93	210	18
		F.		19	18	61	170	22
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	40	7	.	9	12	.
		F.		3	.	3	6	.
BE.48	All other accidents	M.	203	12	1	30	70	1
		F.		18	1	30	41	5
BE.49	Suicide and self-inflicted injury ...	M.	26	.	.	.	21	.
		F.		.	1	.	4	.
BE.50	Homicide and operations of war ...	M.	6	1	.	2	3	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
ID County Borough.
'ER.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
9	.	.	.	.	.	.	2	3	3	1	B.37
1	.	.	.	.	.	.	.	1	.	.	
17	.	.	.	1	.	.	1	4	7	4	B.46c
29	.	.	.	1	.	2	4	8	8	6	
24	5	1	.	.	.	.	3	5	5	5	B.46d
16	3	3	.	.	1	1	2	3	2	1	
123	.	.	2	5	4	7	15	21	28	41	B.38
101	.	.	1	3	1	8	10	16	35	27	
96	.	.	.	.	.	.	1	4	38	53	B.39
22	.	.	.	2	8	12	.	.	.	.	B.40a
5	.	.	.	1	1	3	.	.	.	.	B.40c
74	58	7	4	.	.	2	.	1	1	1	B.41
59	49	5	1	2	1	1	.	.	.	.	
44	44	.	.	.	.	.	.	.	.	.	B.42
43	43	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.43a
3	3	.	.	.	.	.	.	.	.	.	
16	16	.	.	.	.	.	.	.	.	.	B.43b
5	5	.	.	.	.	.	.	.	.	.	
168	168	.	.	.	.	.	.	.	.	.	B.44
130	130	.	.	.	.	.	.	.	.	.	
885	.	.	.	.	.	.	.	1	86	798	B.45a
971	.	.	.	.	.	.	.	.	90	881	
201	30	5	1	2	1	4	14	26	58	60	B.45b
131	16	7	2	.	2	3	6	15	36	44	
366	11	12	11	7	9	18	37	62	88	111	B.46c
268	4	5	4	5	7	23	25	29	87	79	
28	.	.	1	4	8	6	2	2	5	.	BE.47
12	.	1	1	2	1	1	2	1	2	1	
113	5	11	5	8	14	12	10	8	26	14	BE.48
90	4	3	8	3	1	2	6	4	23	36	
21	.	.	.	.	2	3	10	4	2	.	BE.49
5	.	.	.	2	2	.	.	1	.	.	
6	.	.	.	.	.	.	.	3	2	1	BE.50
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	**M.**	**1,270**	**27**	**9**	**178**	**486**	**126**
		F.		**18**	**9**	**124**	**419**	**156**
B.1	Tuberculosis of respiratory system ...	M.	39	6	1	3	5	.
		F.		3	2	12	7	.
B.2	Tuberculosis, other forms	M.	8	1	.	2	1	.
		F.		1	.	3	.	.
B.3	Syphilis and its sequelae	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.12	Acute poliomyelitis	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.14	Measles	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	3	.	.	1	1	.
		F.		.	1	.	.	.
B.18a	Malignant neoplasms	M.	91	3	.	16	32	.
		F.		2	.	13	25	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	6	1	.	3	.	.
		F.		.	.	1	1	.
B.19	Benign and unspecified neoplasms ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.20	Diabetes mellitus	M.	10	2	.	.	5	.
		F.		1	.	1	1	.
B.21	Anaemias	M.	9	.	.	1	1	1
		F.		.	.	2	5	.
B.22	Vascular lesions affecting central nervous system	M.	70	.	.	10	19	1
		F.		2	.	12	27	2
B.23	Nonmeningococcal meningitis ...	M.	6	1	.	1	1	.
		F.		.	1	2	.	.
B.25	Chronic rheumatic heart disease ...	M.	8	.	.	.	4	.
		F.		.	.	.	4	.
B.26	Arteriosclerotic and degenerative heart disease	M.	258	2	.	76	87	1
		F.		1	3	38	51	.
B.27	Other diseases of the heart ...	M.	44	.	1	1	24	3
		F.		.	.	2	16	2
B.28	Hypertension with heart disease ...	M.	8	.	.	.	3	.
		F.		.	.	2	3	.
B.29	Hypertension without mention of heart	M.	7	.	.	.	4	.
		F.		.	.	.	3	1
B.46a	Other circulatory diseases	M.	13	.	.	4	4	.
		F.		1	.	1	3	1

B Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A County Borough.
C RE.

l es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
00 '0	35 10	6 2	8 5	7 14	17 15	18 19	30 30	66 47	173 132	340 295	
.5 '4	. .	. .	. .	2 8	2 8	1 4	3 3	4 .	3 1	. .	B.1
4 4	. 1	. 1	2 .	. 2	2 .	. .	. .	. .	. .	. .	B.2
1 1	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	B.3
1 1	. .	. .	. .	. .	. .	1 .	. .	. 1	. .	. .	B.12
1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	B.14
2 1	. .	. .	. .	1 .	. .	. .	. .	1 1	. .	. .	B.17d
1 0	. .	. .	1 .	. .	1 .	. 1	1 6	9 9	28 13	11 11	B.18a
4 2	. .	. .	. .	. 1	. 1	1 .	1 .	2 .	. .	. .	B.18b
1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	B.19
7 3	. .	. .	. .	. .	2 .	. .	. .	. 1	2 1	3 1	B.20
2 7	. .	. .	. .	. .	. .	1 .	. 3	. 2	1 1	. 1	B.21
9 1	. .	. .	. .	. .	. 1	1 .	1 3	3 10	11 12	13 15	B.22
3 3	2 .	. .	1 1	. 1	. .	. 1	. .	. .	. .	. .	B.23
4 4	. .	. .	. .	. .	. .	. 1	. .	1 1	2 2	1 .	B.25
5 3	. .	. .	. .	. .	2 1	3 2	6 4	13 3	52 32	89 51	B.26
3 3	. .	. .	. .	. 1	1 .	. 1	1 1	6 1	8 1	10 13	B.27
3 5	. .	. .	. .	. .	. .	. .	. .	. .	. 2	3 3	B.28
4 3	. .	. .	. .	. .	. .	. .	. .	. .	3 1	1 2	B.29
3 5	. .	. .	. .	. .	. .	. .	1 1	. .	3 2	4 2	B.46a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Deat
B.30	Influenza	M.	126	.	.	12	52	
		F.		.	.	8	54	1
B.31	Pneumonia	M.	44	.	.	6	25	
		F.		.	.	2	11	.
B.32	Bronchitis	M.	36	.	.	3	17	
		F.		2	.	.	14	
B.46b	Other respiratory diseases	M.	10	.	.	3	4	.
		F.		.	.	.	3	.
B.33	Ulcer of stomach and duodenum ...	M.	9	2	.	2	1	
		F.		1	.	.	3	
B.34	Appendicitis	M.	3	1	.	.	.	.
		F.		.	.	1	1	
B.35	Intestinal obstruction and hernia ...	M.	8	.	.	2	2	.
		F.		.	.	4	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	7	.	.	.	5	.
		F.		.	.	.	2	
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	3	.	.	.	2	
		F.		.	.	.	1	
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	3	.	.	1	.	.
		F.		.	.	2	.	.
B.46d	Other digestive diseases	M.	1	1	.	.	.	
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	19	1	.	5	4	.
		F.		.	.	.	9	.
B.39	Hyperplasia of prostate	M.	5	1	.	3	1	.
B.40a	Complications of pregnancy and childbirth	F.	3	.	.	2	1	.
B.41	Congenital malformations	M.	10	1	.	2	5	
		F.		.	.	.	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	.	.	1	.	.
		F.		.	.	1	1	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified ...	M.	8	.	.	1	5	
		F.		1	.	.	1	
B.45a	Senility without mention of psychosis	M.	261	.	4	6	120	9
		F.		.	.	3	128	11
B.45b	Ill-defined and unknown causes ...	M.	31	.	1	2	12	
		F.		.	.	1	15	1
B.46e	All other diseases	M.	61	2	2	7	23	
		F.		2	2	5	18	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	4	1	.	.	1	.
		F.		.	.	.	2	.
BE.48	All other accidents	M.	21	.	.	3	10	
		F.		1	.	4	3	.
BE.49	Suicide and self-inflicted injury ...	M.	4	.	.	.	2	.
		F.		.	.	.	2	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

B Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A County Borough.
C RE.

l es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
84	.	.	.	.	.	3	2	8	20	31	B.30
62	1	.	.	.	.	2	.	2	21	36	
31	6	2	1	.	3	.	1	3	6	9	B.31
13	.	.	.	.	.	1	.	5	3	4	
20	.	.	.	.	.	.	.	2	4	14	B.32
16	.	.	.	.	.	2	2	2	5	5	
7	1	.	.	1	.	.	1	.	3	1	B.46b
3	.	.	.	.	.	.	.	.	3	.	
5	.	.	.	.	.	.	3	.	2	.	B.33
4	.	.	.	.	.	.	1	.	1	2	
1	.	.	.	.	.	.	1	.	.	.	B.34
2	.	1	.	.	.	.	1	.	.	.	
4	.	.	.	.	.	.	.	1	.	3	B.35
4	.	.	.	.	.	.	.	1	2	1	
5	5	.	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	1	.	1	B.36c
1	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	.	1	.	.	B.46c
2	.	.	.	1	.	.	.	.	1	.	
1	.	.	.	.	.	.	1	.	.	.	B.46d
	.	.	.	.	.	.	.	.	.	.	
10	.	.	.	1	1	1	1	2	2	2	B.38
9	.	.	1	.	.	.	.	.	2	6	
5	.	.	.	.	.	.	.	.	2	3	B.39
3	.	.	.	.	1	2	.	.	.	.	B.40a
8	6	.	1	.	.	1	.	.	.	.	B.41
2	1	.	1	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.44
2	2	.	.	.	.	.	.	.	.	.	
130	.	.	.	.	.	.	.	.	9	121	B.45a
131	.	.	.	.	.	.	.	.	7	124	
15	5	1	.	1	.	.	1	1	2	4	B.45b
16	.	.	.	.	1	.	.	4	4	7	
34	1	1	.	.	1	1	1	6	9	14	B.46e
27	.	.	.	.	.	2	3	4	11	7	
2	.	.	1	.	.	1	.	.	.	.	BE.47
2	.	.	1	.	.	.	.	.	1	.	
13	.	1	1	1	2	2	2	1	1	2	BE.48
8	.	.	1	.	.	.	.	.	2	5	
2	.	.	.	.	.	1	1	.	.	.	BE.49
2	.	.	.	.	2	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT

CORK CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifie Deaths
	ALL CAUSES	**M.**		**127**	**15**	**148**	**232**	.
		F.	**1,030**	**131**	**17**	**101**	**259**	**1**
B.1	Tuberculosis of respiratory system ...	M.	46	7	3	14	10	.
		F.		6	4	1	1	.
B.2	Tuberculosis, other forms	M.	9	2	.	2	.	.
		F.		3	.	2	.	.
B.3	Syphilis and its sequelae	M.	2	.	1	1	.	.
		F.		.	.	.	.	.
B.10	Meningococcal infections	M.	4	2	.	1	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	4	.	.	.	1	.
		F.		2	.	.	1	.
B.18a	Malignant neoplasms	M.	127	22	.	25	19	.
		F.		26	.	5	30	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	4	1	.	.	1	.
		F.		2	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	5	1	.	.	.	.
		F.		3	.	1	.	.
B.20	Diabetes mellitus	M.	4	.	.	.	.	.
		F.		3	.	.	1	.
B.21	Anaemias	M.	6	.	.	2	1	.
		F.		2	.	.	1	.
B.22	Vascular lesions affecting central nervous system	M.	76	11	.	5	14	.
		F.		10	4	9	23	.
B.23	Nonmeningococcal meningitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.24	Rheumatic fever	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.25	Chronic rheumatic heart disease ...	M.	19	2	.	.	6	.
		F.		2	.	2	7	.
B.26	Arteriosclerotic and degenerative heart disease	M.	271	13	7	25	88	.
		F.		6	4	27	101	.
B.27	Other diseases of the heart	M.	40	4	.	9	2	.
		F.		10	2	3	10	.
B.28	Hypertension with heart disease ...	M.	11	.	.	2	3	.
		F.		2	.	3	1	.
B.29	Hypertension without mention of heart	M.	19	3	1	.	2	.
		F.		5	.	2	6	.
B.46a	Other circulatory diseases	M.	18	3	.	4	2	.
		F.		2	.	1	6	.

B Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A County Borough.
BOROUGH.

	Age at Death										
l es	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
22 08	**43** **21**	**11** **9**	**2** **5**	**9** **8**	**10** **11**	**17** **25**	**47** **31**	**102** **74**	**165** **141**	**116** **183**	
34 12	. .	. .	. .	6 2	2 3	8 2	7 3	5 1	4 .	2 1	B.1
4 5	1 .	3 2	. 1	. 1	. .	. 1	. .	. .	. .	. .	B.2
2	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	B.3
4	3 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	B.10
1 3	. .	1 1	. .	. 1	. .	. .	. .	. 1	. .	. .	B.17d
36 31	. .	1 .	1 1	. .	2 1	. 8	7 6	13 17	28 17	14 11	B.18a
2 2	1 .	. .	. .	. .	1 .	. .	. 1	. 1	. .	. .	B.18b
1 4	. .	. 1	. .	. .	. .	. 3	. .	1 .	. .	. .	B.19
4	. .	. .	. .	. .	. .	. .	. .	. 3	. 1	. .	B.20
3 3	. .	. .	. .	. .	. .	. .	1 .	1 1	1 2	. .	B.21
0 6	. .	. .	. .	1 .	. 1	. 1	2 2	6 8	11 15	10 19	B.22
1	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	B.23
1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	B.24
8 1	. .	. .	. .	. .	. 1	. 3	2 3	2 2	3 1	1 1	B.25
3 8	. .	. .	. .	. 1	1 1	2 3	8 5	26 14	56 49	40 65	B.26
5 5	. .	. 1	. .	. .	. .	1 1	1 3	7 5	3 9	3 6	B.27
5 6	. .	. .	. .	. .	. .	. .	1 1	. 2	3 3	1 .	B.28
6 3	. .	. .	. .	. .	. .	. .	1 1	1 3	3 3	1 6	B.29
9 9	. .	. .	. .	. .	. .	. .	1 1	4 .	. 3	4 5	B.46a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CORK C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.30	Influenza	M.	32	.	.	1	10	.
		F.		2	.	13	6	.
B.31	Pneumonia	M.	46	6	1	10	9	.
		F.		5	.	7	8	.
B.32	Bronchitis	M.	62	5	1	9	19	.
		F.		2	.	5	21	.
B.46b	Other respiratory diseases	M.	5	.	.	1	1	.
		F.		.	.	2	1	.
B.36a	Gastritis and duodenitis	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	7	.	.	4	1	.
		F.		.	.	1	1	.
B.34	Appendicitis	M.	2	1	.	1	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	3	1	.	.	.	.
		F.		2	.	.	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	5	1	.	1	.	.
		F.		1	.	1	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	4	2	.	.	.	.
		F.		2	.	.	.	.
B.37	Cirrhosis of liver	M.	2	2	.	.	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	4	1	.	1	1	.
		F.		1	.	.	.	.
B.46d	Other digestive diseases	M.	3	2	.	.	.	.
		F.		1	.	.	.	.
B.38	Nephritis and nephrosis	M.	11	1	.	4	2	.
		F.		2	1	1	.	.
B.39	Hyperplasia of prostate	M.	10	2	.	6	2	.
B.40a	Complications of pregnancy and child-birth	F.	2	.	.	1	1	.
B.41	Congenital malformations ...	M.	10	4	.	2	2	.
		F.		1	.	.	1	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	11	5	.	1	.	.
		F.		4	.	1	.	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.43b	Pneumonia of newborn	M.	5	.	.	2	2	.
		F.		1	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	17	2	.	5	4	.
		F.		2	.	2	2	1
B.45a	Senility without mention of psychosis	M.	42	.	1	4	12	.
		F.		3	1	2	19	.
B.45b	Ill-defined and unknown causes ...	M.	17	10	.	.	1	.
		F.		5	.	.	1	.
B.46e	All other diseases	M.	38	6	.	4	10	.
		F.		5	1	6	6	.
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	4	3	.	1	.	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	17	1	.	1	4	.
		F.		8	.	1	2	.
BE.50	Homicide and operations of war ...	M.	1	1	.	.	.	.
		F.		.	.	.	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
AT COUNTY BOROUGH.

BOUGH.

	Age at Death										
s	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	.	.	.	.	.	.	5	4	2	B.30
1	.	.	.	.	.	.	.	1	4	16	
26	4	2	.	.	1	.	1	4	7	7	B.31
20	4	2	.	.	1	.	.	2	7	4	
34	1	.	.	.	.	.	5	10	11	7	B.32
28	.	1	.	.	.	.	1	4	11	11	
2	.	.	.	.	1	.	.	.	.	1	B.46b
3	.	.	.	.	.	.	.	.	3	.	
2	1	.	.	.	.	.	.	.	1	.	B.36a
	.	.	.	.	.	.	.	.	.	.	
5	.	.	.	.	.	.	1	1	2	1	B.33
2	.	.	.	.	.	.	.	.	2	.	
2	.	1	.	.	1	.	.	.	.	.	B.34
	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	B.35
2	.	.	.	1	.	.	.	1	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.36b
3	3	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	1	.	1	.	.	.	B.36d
2	.	.	.	1	.	.	.	1	.	.	
2	.	.	.	.	.	.	.	1	1	.	B.37
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	.	2	1	B.46c
1	.	.	.	.	.	.	.	1	.	.	
2	1	.	.	.	.	.	1	.	.	.	B.46d
1	.	.	.	.	.	.	.	.	1	.	
7	.	.	.	1	.	.	2	1	3	.	B.38
4	.	.	.	.	.	.	2	.	1	1	
10	.	.	.	.	.	.	.	.	7	3	B.39
2	.	.	.	.	1	1	.	.	.	.	B.40a
8	8	.	.	.	.	.	.	.	.	.	B.41
2	1	.	.	.	.	1	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.42
5	5	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
11	11	.	.	.	.	.	.	.	.	.	B.44
6	6	.	.	.	.	.	.	.	.	.	
17	.	.	.	.	.	.	.	.	5	12	B.45a
25	.	.	.	.	.	.	.	.	.	25	
11	.	.	.	.	.	.	2	2	4	3	B.45b
6	.	.	.	.	1	1	.	1	1	2	
20	.	1	.	.	.	2	3	7	5	2	B.46c
18	.	1	1	.	.	.	2	3	5	6	
4	.	.	.	.	.	2	.	2	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
6	.	2	.	1	.	.	.	1	1	1	BE.48
11	.	.	2	1	.	.	.	1	3	4	
1	.	.	.	.	.	.	.	1	.	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
	ALL CAUSES	**M.**	**4,121**	**244**	**52**	**549**	**1,346**	**215**
		F.		**211**	**58**	**426**	**1,235**	**236**
B.1	Tuberculosis of respiratory system ...	M.	154	22	17	26	25	1
		F.		30	9	14	11	.
B.2	Tuberculosis, other forms	M.	39	5	.	18	1	.
		F.		7	.	5	3	.
B.3	Syphilis and its sequelae	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.7a	Scarlet fever	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.8	Diphtheria	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	7	.	.	.	3	.
		F.		.	.	1	3	1
B.10	Meningococcal infections	M.	6	1	.	1	.	.
		F.		.	.	3	1	.
B.12	Acute poliomyelitis	M.	2	.	.	.	.	.
		F.		1	.	.	1	.
B.16	Malaria	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	14	3	.	3	2	.
		F.		2	.	4	.	.
B.18a	Malignant neoplasms	M.	409	46	.	81	97	2
		F.		37	2	56	90	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	15	5	.	2	3	.
		F.		2	.	.	3	.
B.19	Benign and unspecified neoplasms ...	M.	10	1	.	3	2	.
		F.		2	.	2	.	.
B.20	Diabetes mellitus	M.	26	2	.	2	7	1
		F.		3	1	9	2	.
B.21	Anaemias	M.	34	4	2	5	4	.
		F.		2	.	4	13	1
B.22	Vascular lesions affecting central nervous system	M.	310	13	2	35	106	10
		F.		8	4	26	116	8
B.23	Nonmeningococcal meningitis ...	M.	9	2	.	3	1	.
		F.		2	.	1	.	.
B.24	Rheumatic fever	M.	5	1	.	.	4	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	36	2	1	8	12	1
		F.		2	.	4	7	.
B.26	Arteriosclerotic and degenerative heart disease	M.	899	16	20	105	353	16
		F.		20	26	92	267	13
B.27	Other diseases of the heart ...	M.	148	5	.	11	61	5
		F.		3	5	15	48	6
B.28	Hypertension with heart disease ...	M.	26	.	.	4	10	.
		F.		1	.	3	8	.
B.29	Hypertension without mention of heart	M.	40	2	.	3	10	.
		F.		2	.	2	21	.
B.46a	Other circulatory diseases	M.	72	3	.	11	25	.
		F.		3	1	12	17	.
B.30	Influenza	M.	263	4	2	35	76	9
		F.		2	.	35	109	11
B.31	Pneumonia	M.	119	2	.	22	35	.
		F.		2	2	20	36	1

1 Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A) County Borough.

CRK.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
191 930	127 97	29 19	23 15	36 32	45 40	78 63	149 111	301 203	552 491	851 859	
90 64	1 .	. .	. 1	17 10	14 21	24 14	16 5	12 7	5 5	1 1	B.1
24 15	2 1	7 3	2 1	6 3	1 3	3 .	2 1	. 2	1 1	. .	B.2
2 .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	. .	B.3
1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	B.7a
1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	B.8
3 4	2 2	. 1	1 .	. 1	. .	. .	. .	. .	. .	. .	B.9
2 4	. 2	1 2	1 .	. .	. .	. .	. .	. .	. .	. .	B.10
. 2	. .	. .	1	. .	. .	. .	1	. .	. .	. .	B.12
1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.16
8 6	1 .	. 1	1 1	. 1	1 1	. .	1 .	1 1	3 1	. .	B.17d
224 185	. .	. .	. .	. 1	1 2	3 12	26 26	64 40	77 65	53 39	B.18a
10 5	. .	1 .	1 1	. .	1 1	1 1	2 1	2 .	1 .	1 1	B.18b
6 4	. .	1 .	. .	. .	2 .	. .	2 2	. 1	1 1	. .	B.19
11 15	. .	. .	1 .	. 1	. .	. 2	3 1	3 2	2 6	2 3	B.20
15 19	. 1	. .	. .	. .	. 1	2 .	4 6	4 3	3 4	2 4	B.21
156 154	. .	. .	. .	. .	1 2	2 1	4 12	24 16	49 49	76 74	B.22
6 3	3 1	2 .	. .	1 1	. .	. .	. .	. .	. 1	. .	B.23
5 .	. .	. .	1 .	. .	. .	1 .	. .	2 .	1 .	. .	B.24
23 13	. .	. .	. .	. 1	2 .	2 1	2 .	3 3	7 7	7 1	B.25
494 405	. .	. .	. .	. 1	2 1	12 4	23 16	71 52	175 133	211 198	B.26
77 71	1 .	1 .	. .	. .	2 .	2 1	3 3	16 14	27 22	25 31	B.27
14 12	. .	. .	. .	. .	. .	. .	1 .	4 4	3 4	6 4	B.28
15 25	. .	1 .	. .	. .	1 .	. .	. 1	3 7	4 7	6 10	B.29
39 33	. .	. .	. .	. .	. .	. .	1 1	2 1	11 11	25 20	B.46a
117 146	3 2	1 1	2 1	. 2	1 2	3 3	9 7	17 15	31 45	50 68	B.30
59 60	15 9	3 3	1 1	. .	. 1	. 1	1 1	11 3	12 14	16 27	B.31

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN

C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.32	Bronchitis	M.	129	4	1	11	55	3
		F.		2	1	11	44	4
B.46b	Other respiratory diseases	M.	51	3	.	13	15	.
		F.		3	.	3	14	.
B.36a	Gastritis and duodenitis	M.	5	.	.	.	3	.
		F.		.	.	.	2	.
B.33	Ulcer of stomach and duodenum ...	M.	27	7	1	4	7	.
		F.		3	.	.	5	.
B.34	Appendicitis	M.	6	1	.	3	.	.
		F.		.	.	2	.	.
B.35	Intestinal obstruction and hernia ...	M.	25	4	.	6	4	.
		F.		5	.	4	2	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	5	.	.	.	1	.
		F.		.	.	1	3	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	4	.	.	.	3	.
		F.		.	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	6	3	.	1	.	.
		F.		1	.	1	.	.
B.37	Cirrhosis of liver	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	19	4	.	.	4	.
		F.		7	.	.	4	.
B.46d	Other digestive diseases	M.	10	1	.	.	3	.
		F.		1	1	.	4	.
B.38	Nephritis and nephrosis	M.	70	7	.	5	16	.
		F.		8	.	15	19	2
B.39	Hyperplasia of prostate	M.	32	10	.	12	10	.
B.40a	Complications of pregnancy and childbirth	F.	6	3	.	3	.	.
B.40c	Other complications of the puerperium	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	35	3	.	4	10	.
		F.		6	.	6	6	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	31	7	.	7	1	.
		F.		9	.	4	3	.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.43b	Pneumonia of newborn	M.	3	1	.	.	1	.
		F.		1	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	82	16	.	17	14	6
		F.		11	.	13	11	2
B.45a	Senility without mention of psychosis	M.	586	5	2	32	226	131
		F.		5	3	32	281	161
B.45b	Ill-defined and unknown causes ...	M.	99	12	.	6	45	27
		F.		5	.	1	30	19
B.46e	All other diseases	M.	156	8	3	35	55	3
		F.		5	1	15	34	4
	EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents	M.	16	1	.	3	6	.
		F.		2	.	1	3	.
BE.48	All other accidents	M.	59	8	1	9	21	.
		F.		3	1	4	12	3
BE.49	Suicide and self-inflicted injury ...	M.	8	.	.	.	6	.
		F.		.	1	.	1	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

RK.

Age at Death											
ll ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
71 58	2 .	1 .	. .	. .	1 1	1 2	5 3	12 7	17 18	32 27	B.32
31 20	2 .	. .	2 .	. .	1 .	. .	2 1	4 2	9 8	11 9	B.46b
3 2	2 1	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	B.36a
19 8	. .	. .	. .	1 .	1 .	6 .	3 1	5 2	3 2	. 3	B.33
4 2	. .	1 .	. 2	. .	1 .	1 .	. .	. .	. .	1 .	B.34
14 11	1 1	. .	1 1	1 .	. .	2 .	. 1	2 1	3 4	4 3	B.35
1 4	1 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.36b
3 1	. .	. 1	. .	1 .	. .	. .	. .	. .	1 .	1 .	B.36c
4 2	. .	. .	. .	. .	. .	1 .	2 1	. 1	1 .	. .	B.36d
1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	B.37
8 11	. .	. .	. .	. .	. .	. 1	1 2	2 2	3 3	2 3	B.46c
4 6	1 1	. .	. .	. .	. .	. 1	. 1	1 2	1 1	1 .	B.46d
28 42	. .	. .	. .	1 3	3 1	. 7	3 4	5 4	6 16	10 7	B.38
32	.	.	.	.	.	.	1	3	10	18	B.39
6	.	.	.	1	2	3	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
17 18	11 16	4 1	1 .	. 1	. .	. .	. .	. .	. .	1 .	B.41
15 16	15 16	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.42
. 1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.43a
2 1	2 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.43b
47 35	47 35	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.44
265 321	. .	. .	. .	. .	. .	. .	. .	. .	25 31	240 290	B.45a
63 36	9 1	1 1	1 1	1 .	. .	1 .	3 4	9 4	19 9	19 16	B.45b
101 55	2 .	1 3	5 2	3 2	3 1	7 6	18 5	17 5	22 19	23 12	B.46c
10 6	. .	. 1	. .	3 2	2 .	1 1	1 1	. .	3 .	. 1	BE.47
39 20	4 2	2 1	1 2	1 .	4 .	3 1	4 3	. 1	13 4	7 6	BE.48
6 2	. .	. .	. .	. 1	. .	. .	3 .	2 1	1 .	. .	BE.49

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Deaths
	ALL CAUSES	M.	2,030	60	46	297	676	260
		F.		53	40	192	666	256
B.1	Tuberculosis of respiratory system ...	M.	94	17	11	8	9	2
		F.		16	15	13	5	.
B.2	Tuberculosis, other forms	M.	17	1	2	6	1	.
		F.		2	.	4	1	1
B.3	Syphilis and its sequelae	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17b	Acute infectious encephalitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic	M.	3	.	.	.	1	.
		F.		1	.	1	.	.
B.18a	Malignant neoplasms	M.	158	10	2	29	38	1
		F.		10	4	21	44	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	5	1	.	1	2	.
		F.		.	.	.	1	.
B.19	Benign and unspecified neoplasms ...	M.	3	.	.	1	1	.
		F.		.	.	1	.	.
B.20	Diabetes mellitus	M.	16	2	1	4	5	3
		F.		1	.	2	1	.
B.21	Anaemias	M.	12	.	.	4	2	.
		F.		.	.	2	4	.
B.22	Vascular lesions affecting central nervous system	M.	132	1	2	23	33	2
		F.		1	2	26	44	7
B.23	Nonmeningococcal meningitis ...	M.	6	1	.	2	1	.
		F.		.	.	2	.	.
B.24	Rheumatic fever	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.25	Chronic rheumatic heart disease ...	M.	13	.	.	2	3	.
		F.		1	.	1	6	.
B.26	Arteriosclerotic and degenerative heart disease	M.	330	1	11	60	115	10
		F.		3	7	30	103	10
B.27	Other diseases of the heart ...	M.	63	1	.	9	23	8
		F.		.	.	10	20	7
B.28	Hypertension with heart disease ...	M.	17	.	.	4	5	.
		F.		1	.	1	6	1
B.29	Hypertension without mention of heart	M.	20	.	.	5	5	1
		F.		1	.	1	8	1
B.46a	Other circulatory diseases	M.	27	1	.	5	4	.
		F.		1	1	2	13	.
B.30	Influenza	M.	182	1	1	15	71	18
		F.		.	5	4	85	25
B.31	Pneumonia	M.	80	1	.	23	17	2
		F.		.	.	15	24	.
B.32	Bronchitis	M.	33	.	1	3	19	6
		F.		.	.	1	9	1
B.46b	Other respiratory diseases	M.	22	2	.	9	.	.
		F.		1	.	8	2	.
B.36a	Gastritis and duodenitis	M.	7	.	.	3	1	.
		F.		.	.	2	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
AT COUNTY BOROUGH.

KERRY.

	Age at Death										
l es	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
79 51	82 66	18 9	4 4	17 12	31 19	41 45	56 60	126 93	262 207	442 436	
45 49	.	.	1	6 7	10 6	7 18	9 10	7 4	4 4	1 .	B.1
10 7	3 2	2 1	.	.	1 1	2 .	1 1	. 1	1 .	. 1	B.2
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.3
. 1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.9
. 1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.17b
1 2	. .	. .	. 2	. .	. .	. .	. .	. .	. .	1 .	B.17d
79 79	. .	. .	. .	2 .	3 1	8 4	2 17	18 18	31 21	15 18	B.18a
4 1	. .	. .	. .	. .	1 .	. .	1 .	2 .	. 1	. .	B.18b
2 1	. .	. .	. .	. .	2 1	. .	. .	. .	. .	. .	B.19
12 4	. .	. .	. .	. .	. .	. .	4 .	1 1	5 2	2 1	B.20
6 6	. 1	. .	. .	. .	. .	. .	1 .	. 2	3 1	2 2	B.21
59 73	1 .	1 .	. .	1 .	. 1	5 1	2 7	17 20	15 22	17 22	B.22
4 2	2 .	1 .	1 .	. 2	. .	. .	. .	. .	. .	. .	B.23
. 1	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	B.24
5 8	. .	. .	. .	. .	. 5	2 .	. 1	1 1	1 1	1 .	B.25
187 143	. .	. .	. .	1 .	5 .	3 2	11 9	24 18	68 45	75 69	B.26
33 30	. .	. .	. .	. 1	2 .	1 3	3 2	1 6	13 6	13 12	B.27
9 8	. .	. .	. .	. .	. .	. 1	2 .	. 1	3 4	4 2	B.28
10 10	. .	. .	. .	. .	. .	. 2	2 .	3 3	2 2	3 3	B.29
10 17	. .	. .	. .	1 .	. .	. 1	. .	2 1	3 5	4 10	B.46a
88 94	1 1	. .	1 .	1 .	1 .	2 .	1 2	10 5	30 35	41 51	B.30
41 39	8 9	4 1	. 1	. .	. 1	. 1	2 2	4 2	10 3	13 19	B.31
23 10	1 .	1 .	. .	. .	. .	. 2	2 1	1 .	9 2	9 5	B.32
11 11	. 1	. .	. .	1 .	1 .	. 1	. .	1 .	. 2	8 7	B.46b
4 3	2 1	. .	. .	. .	. .	1 .	. .	. .	. 2	1 .	B.36a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C(

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.33	Ulcer of stomach and duodenum ...	M.	17	6	.	5	5	.
		F.		1	.	.	.	.
B.34	Appendicitis	M.	6	.	.	4	.	.
		F.		1	.	1	.	.
B.35	Intestinal obstruction and hernia ...	M.	8	.	1	2	2	.
		F.		.	.	.	3	1
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	7	1	.	1	3	.
		F.		.	.	.	2	1
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over ...	M.	3	.	.	1	.	.
		F.		.	.	2	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.37	Cirrhosis of liver	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	.	.
		F.		.	.	1	1	.
B.46d	Other digestive diseases	M.	7	1	.	1	2	.
		F.		.	.	2	1	1
B.38	Nephritis and nephrosis	M.	27	2	.	6	10	1
		F.		.	.	4	5	.
B.39	Hyperplasia of prostate	M.	20	3	.	13	4	1
B.40a	Complications of pregnancy and child-birth	F.	2	2	.	.	.	.
B.40c	Other complications of the puerperium	F.	1	.	.	.	1	.
B.41	Congenital malformations	M.	23	2	.	4	6	2
		F.		2	.	6	3	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	15	2	.	5	1	.
		F.		2	.	3	2	.
B.43b	Pneumonia of newborn	M.	4	.	.	2	.	.
		F.		.	.	2	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified ...	M.	49	2	.	14	10	3
		F.		2	.	8	13	3
B.45a	Senility without mention of psychosis	M.	393	.	.	3	193	160
		F.		.	.	2	195	166
B.45b	Ill-defined and unknown causes ...	M.	69	.	2	5	39	34
		F.		.	.	.	23	21
B.46e	All other diseases	M.	95	1	12	11	27	6
		F.		.	6	11	27	7
	EXTERNAL CAUSES							
BE.47	Motor vehicle accidents	M.	4	.	.	1	1	.
		F.		1	.	.	1	.
BE.48	All other accidents	M.	24	.	.	2	9	.
		F.		2	.	3	8	2
BE.49	Suicide and self-inflicted injury ...	M.	7	.	.	.	6	.
		F.		.	.	.	1	.
BE.50	Homicide and operations of war ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.

B Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A County Borough.

RRY.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
16	.	.	.	.	.	2	2	8	3	1	B.33
1	.	.	.	.	.	.	1	.	.	.	
4	.	1	.	2	.	.	.	.	1	.	B.34
2	.	.	1	.	.	.	.	1	.	.	
5	.	.	.	.	.	1	1	.	2	1	B.35
3	.	.	.	.	.	.	.	1	1	1	
5	5	.	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.36c
2	.	.	.	.	.	.	1	.	1	.	
	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	1	.	.	.	B.37
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.46c
2	.	.	.	.	.	.	.	1	.	1	
4	2	.	.	.	.	.	.	1	.	1	B.46d
3	2	.	.	.	.	.	.	1	.	.	
18	.	.	1	.	.	.	1	3	2	11	B.38
9	.	.	.	.	.	1	1	1	3	3	
20	.	.	.	.	.	.	.	.	7	13	B.39
2	.	.	.	.	.	2	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
12	12	.	.	.	.	.	.	.	.	.	B.41
11	11	.	.	.	.	.	.	.	.	.	
8	8	.	.	.	.	.	.	.	.	.	B.42
7	7	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
2	2	.	.	.	.	.	.	.	.	.	
26	26	.	.	.	.	.	.	.	.	.	B.44
23	23	.	.	.	.	.	.	.	.	.	
196	.	.	.	.	.	.	.	.	21	175	B.45a
197	.	.	.	.	.	.	.	.	21	176	
46	8	.	.	.	1	1	2	9	12	13	B.45b
23	1	3	.	.	.	2	.	2	7	8	
51	1	5	.	1	1	3	3	9	11	17	B.46e
44	3	1	.	.	2	3	3	2	13	17	
2	.	.	.	1	.	1	.	.	.	.	BE.47
2	.	.	.	.	1	.	1	.	.	.	
11	.	3	.	.	1	2	1	2	2	.	BE.48
13	.	1	.	1	.	.	1	.	3	7	
6	.	.	.	.	2	.	2	1	1	.	BE.49
1	.	.	.	1	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

LIMERICK CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**		**55**	**8**	**96**	**149**	**7**
		F.	**636**	**28**	**8**	**111**	**181**	**16**
B.1	Tuberculosis of respiratory system ...	M.	38	.	1	12	8	.
		F.		.	3	9	5	.
B.2	Tuberculosis, other forms	M.	12	3	1	5	1	.
		F.		1	.	1	.	.
B.3	Syphilis and its sequelae	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	3	.	.	2	.	.
		F.		.	.	.	1	.
B.10	Meningococcal infections	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	74	11	.	8	15	.
		F.		7	.	12	21	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	2	.	.
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	.	.
		F.		1	.	.	.	.
B.20	Diabetes mellitus	M.	5	1	.	.	.	.
		F.		1	.	2	1	.
B.21	Anaemias	M.	8	.	.	.	1	.
		F.		.	.	2	5	1
B.22	Vascular lesions affecting central nervous system	M.	31	4	1	4	6	.
		F.		1	.	6	9	1
B.23	Nonmeningococcal meningitis ...	M.	3	1	.	1	.	.
		F.		1	.	.	.	.
B.24	Rheumatic fever	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.25	Chronic rheumatic heart disease ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.26	Arteriosclerotic and degenerative heart disease	M.	147	7	1	14	37	2
		F.		6	1	28	53	3
B.27	Other diseases of the heart ...	M.	34	4	.	5	8	1
		F.		.	.	9	8	.
B.28	Hypertension with heart disease ...	M.	9	.	.	.	3	.
		F.		.	.	3	3	.
B.29	Hypertension without mention of heart	M.	7	.	.	.	1	.
		F.		1	.	4	1	.
B.46a	Other circulatory diseases	M.	4	1	1	2	.	.
		F.		.	.	.	.	.
B.30	Influenza	M.	52	.	1	7	10	.
		F.		.	.	13	21	
B.31	Pneumonia	M.	27	2	1	3	8	.
		F.		.	.	5	8	.
B.32	Bronchitis	M.	40	2	.	6	18	
		F.		.	1	4	9	
B.46b	Other respiratory diseases	M.	8	2	.	1	3	.
		F.		.	.	.	2	.
B.36a	Gastritis and duodenitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.33	Ulcer of stomach and duodenum ...	M.	5	2	.	1	1	.
		F.		1	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

ROUGH.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
08	23	15	3	7	6	15	33	51	99	56	
28	16	8	3	9	6	16	24	50	95	101	
21	.	.	.	5	.	2	9	5	.	.	B.1
17	.	.	.	7	3	4	2	.	1	.	
10	.	2	.	1	2	3	1	.	1	.	B.2
2	.	.	2	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.3
.	.	.	.	.	.	.	.	.	.	.	
2	.	2	.	.	.	.	.	.	.	.	B.9
1	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.10
1	.	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	1	.	.	.	B.17d
.	.	.	.	.	.	.	.	.	.	.	
34	.	.	1	.	1	2	6	9	11	4	B.18a
40	.	.	.	.	.	3	6	14	8	9	
2	.	1	.	.	1	.	.	.	.	.	B.18b
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.19
1	.	.	1	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.20
4	.	.	.	.	.	.	1	.	2	1	
1	.	1	.	.	.	.	.	.	.	.	B.21
7	.	.	.	.	.	.	1	1	5	.	
15	.	.	.	.	.	1	1	1	6	6	B.22
16	.	.	.	.	.	.	.	3	8	5	
2	.	2	.	.	.	.	.	.	.	.	B.23
1	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.24
1	.	.	.	.	1	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.25
1	.	.	.	.	.	1	.	.	.	.	
59	.	.	.	.	.	2	3	14	27	13	B.26
88	.	.	.	.	1	1	8	17	26	35	
17	.	.	.	.	.	1	1	5	7	3	B.27
17	.	.	.	.	.	.	1	2	9	5	
3	.	.	.	.	.	.	.	.	2	1	B.28
6	.	.	.	.	.	.	1	1	4	.	
1	.	.	.	.	.	.	.	.	1	.	B.29
6	.	.	.	.	.	.	1	1	3	1	
4	.	.	.	.	.	.	.	.	1	3	B.46a
.	.	.	.	.	.	.	.	.	.	.	
18	.	.	1	.	.	.	3	2	6	6	B.30
34	.	.	.	.	.	.	.	3	10	21	
14	4	.	.	.	.	.	.	.	8	2	B.31
13	2	5	.	.	.	.	.	1	1	4	
26	1	2	.	.	.	.	1	6	10	6	B.32
14	.	1	.	.	.	2	.	3	6	2	
6	.	.	.	.	.	1	.	3	1	1	B.46b
2	.	.	.	.	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	B.36a
1	.	.	.	.	.	.	.	.	.	1	
4	.	.	.	.	.	.	2	.	2	.	B.33
1	.	.	.	.	.	1	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN

LIMERICK C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
B.34	Appendicitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	6	1	.	.	.	.
		F.		1	.	1	3	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	4	.	.	1	3	.
		F.		.	.	.	.	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	3	.	.	2	.	.
		F.		.	.	1	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.37	Cirrhosis of liver	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	.	.
		F.		1	.	1	.	.
B.46d	Other digestive diseases	M.	3	1	.	1	.	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis	M.	10	1	.	3	1	.
		F.		.	.	1	4	.
B.39	Hyperplasia of prostate	M.	3	3	.	.	.	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	.	1	.
B.41	Congenital malformations	M.	5	.	.	.	2	.
		F.		2	.	.	1	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.43a	Diarrhoea of newborn	M.	2	1	.	.	.	.
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	11	1	.	1	4	.
		F.		1	.	1	3	.
B.45a	Senility without mention of psychosis	M.	19	.	1	3	2	.
		F.		.	3	1	9	
B.45b	Ill-defined and unknown causes ...	M.	12	.	.	2	8	
		F.		1	.	.	1	.
B.46e	All other diseases	M.	23	3	.	6	3	.
		F.		1	.	5	5	.
	EXTERNAL CAUSES							
BE.47	Motor vehicle accidents	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	7	1	.	1	3	.
		F.		.	.	.	2	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

ROUGH.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	.	.	.	.	.	.	.	.	1	B.34
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.35
5	1	.	.	.	.	.	1	.	2	1	
4	4	.	.	.	.	.	.	.	.	.	B.36b
.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	1	.	1	.	B.36c
1	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	B.37
1	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
2	.	.	.	.	.	1	.	1	.	.	
2	.	1	.	.	.	.	.	.	1	.	B.46d
1	.	.	.	.	.	.	.	.	.	1	
5	.	.	.	.	.	1	1	.	2	1	B.38
5	.	.	.	.	.	.	1	1	2	1	
3	.	.	.	.	.	.	.	.	1	2	B.39
1	.	.	.	1	.	.	.	.	.	.	B.40a
2	2	.	.	.	.	.	.	.	.	.	B.41
3	3	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.42
.	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.44
5	5	.	.	.	.	.	.	.	.	.	
6	.	.	.	.	.	.	.	.	1	5	B.45a
13	.	.	.	.	.	.	.	.	3	10	
10	1	2	.	.	.	.	1	.	5	1	B.45b
2	1	.	.	.	.	.	.	1	.	.	
12	2	1	1	.	.	1	.	4	2	1	B.46e
11	.	.	.	1	1	2	1	.	3	3	
1	.	.	.	.	1	.	.	.	.	.	BE.47
.	.	.	.	.	.	.	.	.	.	.	
5	.	1	.	1	1	.	.	.	2	.	BE.48
2	1	.	.	.	.	1	.	.	.	.	
2	.	.	.	.	.	.	2	.	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	**M.**	**1,393**	**60**	**28**	**184**	**458**	**86**
		F.		**43**	**31**	**119**	**470**	**99**
B.1	Tuberculosis of respiratory system ...	M.	40	2	2	11	6	1
		F.		.	6	8	5	.
B.2	Tuberculosis, other forms	M.	19	1	.	11	2	.
		F.		2	.	2	1	.
B.3	Syphilis and its sequelae	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.10	Meningococcal infections	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.12	Acute poliomyelitis	M.	1	.	.	.	.	.
		F.		1	.	.	.	.
B.17a	Late effects of acute poliomyelitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic	M.	6	1	.	2	3	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	115	7	.	24	32	1
		F.		8	1	10	33	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	5	1	.	1	1	.
		F.		1	.	.	1	.
B.19	Benign and unspecified neoplasms ...	M.	5	1	.	1	1	.
		F.		1	.	.	1	.
B.20	Diabetes mellitus	M.	7	.	.	.	2	.
		F.		1	.	.	4	.
B.21	Anaemias	M.	8	.	.	2	1	.
		F.		.	.	1	4	1
B.22	Vascular lesions affecting central nervous system	M.	77	.	2	3	22	.
		F.		1	.	3	46	2
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.25	Chronic rheumatic heart disease ...	M.	11	.	.	1	6	1
		F.		.	.	1	3	.
B.26	Arteriosclerotic and degenerative heart disease	M.	283	14	7	20	112	7
		F.		11	7	15	97	4
B.27	Other diseases of the heart ...	M.	55	2	1	12	17	1
		F.		.	.	4	19	2
B.28	Hypertension with heart disease ...	M.	13	.	.	.	5	.
		F.		.	1	2	5	.
B.29	Hypertension without mention of heart	M.	18	1	.	1	4	.
		F.		3	.	2	7	.
B.46a	Other circulatory diseases	M.	16	.	2	6	.	.
		F.		.	.	3	5	.
B.30	Influenza	M.	102	.	.	17	35	5
		F.		1	.	16	33	4
B.31	Pneumonia	M.	50	2	.	8	19	3
		F.		1	.	7	13	.
B.32	Bronchitis	M.	50	1	4	3	23	2
		F.		.	3	2	14	.
B.46b	Other respiratory diseases	M.	13	2	.	2	4	.
		F.		.	.	.	5	.
B.36a	Gastritis and duodenitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

IERICK.

	Age at Death										
ll ;es	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
30 63	61 45	14 13	13 5	12 8	8 13	15 21	45 42	86 67	194 166	282 283	
21 19	. .	. .	. .	4 4	1 5	2 5	5 1	5 3	3 .	1 1	B.1
14 5	2 .	3 1	3 .	3 1	. 1	1 .	. 2	1 .	1 .	. .	B.2
1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.3
1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.9
1	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	B.10
1	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	B.12
1	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	B.17a
6	. .	1 .	1 .	. .	. .	1 .	1 .	. .	1 .	1 .	B.17d
63 52	. .	1 .	. .	. 1	1 1	2 2	5 9	9 14	21 16	24 9	B.18a
3 2	. .	1 .	. 1	1 .	. .	. 1	. .	. .	. .	1 .	B.18b
3 2	. .	. .	1 .	. .	. .	. .	2 .	. 1	. .	. 1	B.19
2 5	. .	. .	. .	. .	. .	. 1	. .	. 1	. 2	2 1	B.20
3 5	. 2	. .	. .	. .	. .	. .	1 .	. 1	1 .	1 2	B.21
27 50	. .	. .	. .	1 .	. .	. 1	4 2	2 4	10 21	10 22	B.22
1 1	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.23
7 4	. .	. .	. .	. .	. .	. .	1 1	1 .	1 .	4 3	B.25
53 30	. .	. .	1 .	. .	1 1	2 2	6 10	28 15	56 38	59 64	B.26
32 23	. .	1 1	. .	. .	. 2	1 1	3 2	6 3	9 9	12 5	B.27
5 8	. .	. .	. .	. .	. .	. .	. 1	3 3	1 3	1 1	B.28
6 12	. .	. .	. .	. .	. .	. 1	. 2	2 5	2 2	2 2	B.29
8 8	. .	. .	. .	. .	. .	. 1	2 .	. 1	3 1	3 5	B.46a
52 50	1 1	. 1	. .	1 .	. .	. 2	2 1	6 5	12 15	30 25	B.30
29 21	12 5	4 5	2 1	. .	. 1	1 1	1 1	. .	4 3	5 4	B.31
31 19	1 1	1 .	. .	. 1	. .	. .	3 1	4 1	12 6	10 9	B.32
8 5	. .	. .	1 .	. .	. .	1 .	2 .	. .	2 2	2 3	B.46b
1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.36a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN

C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
B.33	Ulcer of stomach and duodenum ...	M.	7	2	·	1	4	1
		F.		·	·	·	·	·
B.34	Appendicitis	M.	1	1	·	·	·	·
		F.		·	·	·	·	·
B.35	Intestinal obstruction and hernia ...	M.	4	1	·	·	1	1
		F.		·	1	·	1	·
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	20	·	·	3	7	1
		F.		·	·	5	5	1
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	1	·	·	·	·	·
		F.		·	·	·	1	·
B.36d	Chronic enteritis and ulcerative colitis	M.	1	·	·	·	·	·
		F.		·	·	·	1	·
B.37	Cirrhosis of liver	M.	2	·	·	2	·	·
		F.		·	·	·	·	·
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	5	·	1	·	·	·
		F.		·	·	1	3	·
B.46d	Other digestive diseases	M.	5	·	·	1	2	·
		F.		·	·	1	1	·
B.38	Nephritis and nephrosis	M.	31	·	·	12	8	·
		F.		·	·	6	5	·
B.39	Hyperplasia of prostate	M.	12	5	·	1	6	·
B.40a	Complications of pregnancy and child-birth	F.	3	·	·	3	·	·
B.41	Congenital malformations	M.	17	1	·	5	2	·
		F.		1	·	3	5	·
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	5	1	·	2	·	·
		F.		·	·	1	1	·
B.43a	Diarrhoea of newborn	M.	1	·	·	1	·	·
		F.		·	·	·	·	·
B.43b	Pneumonia of newborn	M.	2	·	·	·	2	·
		F.		·	·	·	·	·
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	31	·	·	11	6	·
		F.		4	·	5	5	·
B.45a	Senility without mention of psychosis	M.	200	·	6	·	82	54
		F.		2	12	·	98	78
B.45b	Ill-defined and unknown causes ...	M.	32	3	·	1	13	7
		F.		1	·	2	12	2
B.46e	All other diseases	M.	86	9	3	13	23	1
		F.		1	·	9	28	5
	EXTERNAL CAUSES							
BE.47	Motor vehicle accidents	M.	6	1	·	1	2	·
		F.		·	·	2	·	·
BE.48	All other accidents	M.	19	1	·	2	3	·
		F.		3	·	3	7	·
BE.49	Suicide and self-inflicted injury ...	M.	1	·	·	·	1	·
		F.		·	·	·	·	·

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

MERICK.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
7	.	.	.	.	.	.	.	.	5	2	B.33
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	1	.	.	.	B.34
.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	.	1	1	B.35
2	.	.	.	.	.	.	.	.	1	1	
10	10	.	.	.	.	.	.	.	.	.	B.36b
10	10	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36c
1	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	.	1	
2	.	.	.	.	.	.	.	1	1	.	B.37
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.46c
4	.	.	.	.	.	.	.	.	3	1	
3	.	.	.	.	.	.	1	.	1	1	B.46d
2	.	2	.	.	.	.	.	.	.	.	
20	.	.	.	2	.	1	1	2	7	7	B.38
11	.	.	.	.	.	.	1	3	4	3	
12	.	.	.	.	.	.	.	.	8	4	B.39
3	.	.	.	.	1	2	.	.	.	.	B.40a
8	6	.	1	.	.	.	.	1	.	.	B.41
9	7	1	.	.	1	.	.	.	.	.	
3	3	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
.	.	.	.	.	.	.	.	.	.	.	
17	17	.	.	.	.	.	.	.	.	.	B.44
14	14	.	.	.	.	.	.	.	.	.	
88	.	.	.	.	.	.	.	.	11	77	B.45a
112	.	.	.	.	.	.	.	.	13	99	
17	1	1	.	.	.	1	2	3	3	6	B.45b
15	2	.	1	.	.	.	.	.	6	6	
48	3	1	2	.	2	1	1	9	14	15	B.46c
38	.	.	.	1	.	.	6	3	17	11	
4	.	.	.	.	2	.	.	.	2	.	BE.47
2	.	.	.	.	.	.	.	1	1	.	
6	.	.	1	.	.	1	1	2	1	.	BE.48
13	1	.	2	.	.	.	1	2	3	4	
1	.	.	.	.	.	.	.	1	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**		**34**	**10**	**163**	**320**	**6**
		F.	**903**	**27**	**9**	**104**	**236**	**4**
B.1	Tuberculosis of respiratory system ...	M.	31	8	1	2	7	.
		F.		7	1	4	1	.
B.2	Tuberculosis, other forms	M.	11	.	.	2	2	.
		F.		1	.	6	.	.
B.3	Syphilis and its sequelae	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.7a	Scarlet fever	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.9	Whooping cough	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17b	Acute infectious encephalitis ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.14	Measles	M.	2	.	.	.	1	1
		F.		.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	86	3	1	21	21	.
		F.		2	.	13	25	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	3	.	.	.	3	.
		F.		.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	.	.
		F.		.	.	1	.	.
B.20	Diabetes mellitus	M.	7	.	.	.	3	1
		F.		.	.	.	4	.
B.21	Anaemias	M.	8	1	.	2	1	.
		F.		.	.	2	2	.
B.22	Vascular lesions affecting central nervous system	M.	63	1	.	16	18	1
		F.		1	2	9	16	2
B.23	Nonmeningococcal meningitis ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.24	Rheumatic fever	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	10	1	.	.	7	1
		F.		.	.	1	1	.
B.26	Arteriosclerotic and degenerative heart disease	M.	196	3	1	49	76	4
		F.		4	2	14	47	2
B.27	Other diseases of the heart ...	M.	45	3	1	5	15	2
		F.		.	.	5	16	4
B.28	Hypertension with heart disease ...	M.	6	.	.	1	1	.
		F.		.	.	1	3	.
B.29	Hypertension without mention of heart	M.	11	1	.	.	4	.
		F.		.	.	1	5	.
B.46a	Other circulatory diseases	M.	6	.	.	1	1	.
		F.		.	.	2	2	.
B.30	Influenza	M.	61	.	.	6	21	3
		F.		.	1	8	25	5
B.31	Pneumonia	M.	23	.	.	6	6	.
		F.		1	.	5	5	.
B.32	Bronchitis	M.	32	.	1	4	14	2
		F.		1	.	3	9	.

EX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
COUNTY BOROUGH.
h Riding).

	Age at Death										
	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
	39	**6**	**6**	**10**	**11**	**17**	**30**	**51**	**150**	**207**	
	22	**8**	.	**11**	**10**	**10**	**24**	**46**	**91**	**154**	
3	.	.	.	1	2	6	2	4	1	2	B.1
3	.	.	.	4	4	2	2	1	.	.	
	.	1	1	1	.	.	.	1	.	.	B.2
	1	1	.	3	1	1	.	.	.	.	
	.	.	.	.	.	.	.	.	1	.	B.3
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.7a
	.	.	.	1	.	.	.	.	.	.	
	1	.	.	.	.	.	.	.	.	.	B.9
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	1	.	.	.	.	B.17b
	.	.	.	.	.	.	.	.	.	.	
	.	1	.	.	.	.	.	.	.	.	B.14
	1	.	.	.	.	.	.	.	.	.	
	.	.	.	.	1	.	.	.	.	.	B.17d
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	5	9	24	8	B.18a
)	.	.	.	.	.	1	9	10	11	9	
3	.	.	.	.	.	.	1	.	2	.	B.18b
	.	.	.	.	.	.	.	.	.	.	
	.	.	1	.	.	.	.	.	.	.	B.19
	.	.	.	.	.	1	.	.	.	.	
3	.	.	.	.	.	.	1	.	1	1	B.20
4	.	.	.	.	.	.	.	.	3	1	
4	.	.	.	.	1	.	.	.	2	1	B.21
4	.	1	.	.	.	.	.	1	2	.	
5	.	.	.	.	.	2	2	5	10	16	B.22
3	.	.	.	.	.	.	1	5	11	11	
	1	.	.	.	.	.	.	.	.	.	B.23
	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	1	.	.	.	1	.	B.24
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	1	.	2	.	.	2	3	B.25
2	.	.	.	.	.	1	1	.	.	.	
9	.	.	.	1	.	2	6	9	50	61	B.26
7	.	.	.	.	1	1	1	7	22	35	
4	.	.	.	2	.	.	1	8	9	4	B.27
	.	.	.	1	1	.	2	2	4	11	
2	.	.	.	.	.	.	.	.	1	1	B.28
4	.	.	.	.	.	.	2	.	2	.	
5	.	.	.	.	.	.	2	.	1	2	B.29
3	.	.	.	.	.	.	.	3	1	2	
2	.	.	.	.	.	.	.	1	.	1	B.46a
4	.	.	.	.	.	.	1	.	2	1	
7	1	.	1	.	.	.	1	.	6	18	B.30
4	1	.	.	.	1	.	2	3	12	15	
2	3	.	1	1	.	1	.	2	2	2	B.31
1	2	1	.	.	.	.	.	2	4	2	
9	6	.	.	1	.	.	.	2	4	6	B.32
3	.	1	.	.	.	.	.	2	6	4	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.46b	Other respiratory diseases	M.	6	.	.	3	2	.
		F.		.	.	.	1	.
B.36a	Gastritis and duodenitis	M.	6	.	.	1	3	.
		F.		.	.	.	2	.
B.33	Ulcer of stomach and duodenum ...	M.	6	.	.	4	1	.
		F.		.	.	.	1	.
B.34	Appendicitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	3	1	.	.	.	.
		F.		.	.	2	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	1	.	.	.	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	3	.	.	.	.	.
		F.		2	.	1	.	.
B.46d	Other digestive diseases	M.	4	1	.	1	1	.
		F.		.	.	1	.	.
B.38	Nephritis and nephrosis	M.	10	.	.	3	6	.
		F.		.	.	1	.	.
B.39	Hyperplasia of prostate	M.	3	.	.	.	3	.
B.40c	Other complications of the puerperium	F.	2	.	.	2	.	.
B.41	Congenital malformations	M.	6	1	.	2	1	.
		F.		1	.	1	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	2	.	1	1	.
		F.		1	.	1	1	.
B.43b	Pneumonia of newborn	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	23	1	.	9	4	.
		F.		3	.	4	2	.
B.45a	Senility without mention of psychosis	M.	116	1	3	9	52	.
		F.		1	3	7	40	.
B.45b	Ill-defined and unknown causes ...	M.	27	1	1	1	12	.
		F.		2	.	1	9	.
B.46e	All other diseases	M.	48	1	1	5	23	.
		F.		.	.	2	16	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	11	1	.	2	2	.
		F.		.	.	5	1	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.
th Riding).

	Age at Death										
	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
5	.	.	.	.	.	.	3	1	1	.	B.46b
1	.	.	.	.	.	.	.	.	.	1	
4	2	1	.	.	.	.	.	.	1	.	B.36a
2	.	.	.	.	.	.	.	.	1	1	
5	.	.	.	.	.	.	.	.	3	2	B.33
1	.	.	.	.	.	.	.	.	1	.	
1	.	1	.	.	.	.	.	.	.	.	B.34
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	1	.	.	.	.	.	B.35
2	.	.	.	.	.	.	.	1	1	.	
2	2	.	.	.	.	.	.	.	.	.	B.36b
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.36c
1	.	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	.	.	1	.	B.36d
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.46c
3	.	.	.	.	.	.	.	2	1	.	
3	.	.	.	.	.	.	.	.	2	1	B.46d
1	.	1	.	.	.	.	.	.	.	.	
9	.	.	.	.	.	1	1	2	1	4	B.38
1	.	.	.	.	.	.	.	1	.	.	
3	.	.	.	.	.	.	.	.	.	3	B.39
2	.	.	.	1	1	.	.	.	.	.	B.40c
4	2	1	1	.	.	.	.	.	.	.	B.41
2	2	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.42
3	3	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43b
	.	.	.	.	.	.	.	.	.	.	
4	14	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	
5	.	.	.	.	.	.	.	1	5	59	B.45a
1	.	.	.	.	.	.	.	.	2	49	
5	2	.	.	.	.	.	2	.	6	5	B.45b
2	3	2	.	.	.	.	2	2	.	3	
0	.	1	1	1	1	.	3	5	11	7	B.46e
8	.	.	.	.	1	3	1	4	3	6	
2	.	.	.	.	2	.	.	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
5	.	.	.	1	2	.	.	1	1	.	BE.48
6	.	1	.	1	.	.	.	.	2	2	
2	.	.	.	.	.	2	.	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COU

CO. TIPPERA

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncert Dea
	ALL CAUSES	**M.**	**1,108**	**30**	**20**	**182**	**364**	
		F.		**16**	**30**	**124**	**342**	
B.1	Tuberculosis of respiratory system ...	M.	38	2	4	3	11	
		F.		2	.	7	9	
B.2	Tuberculosis, other forms	M.	16	.	.	7	4	
		F.		1	.	3	1	
B.7b	Streptococcal sore throat	M.	1	1	.	.	.	
		F.		.	.	.	.	
B.9	Whooping cough	M.	5	.	.	2	.	
		F.		.	.	.	3	
B.12	Acute poliomyelitis	M.	1	.	.	1	.	
		F.		.	.	.	.	
B.14	Measles	M.	.	.	.	.	.	
		F.		.	.	.	.	
B.17d	All other diseases classified as infective and parasitic	M.	4	.	.	1	.	
		F.		.	.	2	1	
B.18a	Malignant neoplasms	M.	110	3	1	25	33	
		F.		5	2	16	25	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	2	
		F.		.	.	.	.	
B.19	Benign and unspecified neoplasms ...	M.	2	1	.	.	.	
		F.		.	.	.	1	
B.20	Diabetes mellitus	M.	8	1	.	2	2	
		F.		.	1	.	2	
B.21	Anaemias	M.	10	.	2	2	2	
		F.		.	1	.	3	
B.22	Vascular lesions affecting central nervous system	M.	83	2	1	12	25	
		F.		3	2	5	33	
B.23	Nonmeningococcal meningitis ...	M.	3	.	.	1	.	
		F.		.	.	1	1	
B.24	Rheumatic fever	M.	2	.	.	.	1	
		F.		.	.	1	.	
B.25	Chronic rheumatic heart disease ...	M.	8	1	.	.	4	
		F.		.	.	.	3	
B.26	Arteriosclerotic and degenerative heart disease	M.	291	7	3	54	97	5
		F.		.	4	33	93	3
B.27	Other diseases of the heart ...	M.	39	1	.	2	20	2
		F.		.	1	2	13	
B.28	Hypertension with heart disease ...	M.	10	.	.	.	5	
		F.		.	.	1	4	
B.29	Hypertension without mention of heart	M.	5	.	.	2	2	
		F.		.	.	.	1	
B.46a	Other circulatory diseases	M.	8	1	.	.	4	
		F.		.	.	1	2	1
B.30	Influenza	M.	46	1	.	1	14	1
		F.		1	6	3	20	
B.31	Pneumonia	M.	31	.	.	5	10	
		F.		2	.	2	12	
B.32	Bronchitis	M.	34	.	.	1	19	
		F.		.	.	2	12	
B.46b	Other respiratory diseases	M.	6	2	.	.	2	
		F.		.	.	2	.	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
nd County Borough.
outh Riding).

All Ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
596	**44**	**14**	**7**	**8**	**8**	**24**	**36**	**74**	**151**	**230**	
512	**44**	**11**	**7**	**5**	**14**	**20**	**27**	**50**	**133**	**201**	
20	.	.	.	2	1	3	6	5	3	.	B.1
18	.	.	1	1	9	3	2	1	.	1	
11	.	4	4	1	1	.	.	1	.	.	B.2
5	.	1	1	1	.	2	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.7b
.	.	.	.	.	.	.	.	.	.	.	
2	1	1	.	.	.	.	.	.	.	.	B.9
3	1	2	.	.	.	.	.	.	.	.	
1	.	.	.	.	1	.	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.14
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.17d
3	2	.	.	.	.	1	.	.	.	.	
62	.	1	.	1	.	4	6	13	23	14	B.18a
48	.	.	.	1	.	3	4	12	12	16	
2	.	.	1	.	.	1	.	.	.	.	B.18b
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.19
1	.	.	.	.	.	.	.	.	1	.	
5	.	.	.	.	.	.	2	.	1	2	B.20
3	.	.	.	.	.	.	1	.	1	1	
6	.	.	.	.	.	1	.	1	3	1	B.21
4	.	.	.	.	.	.	1	1	1	1	
40	.	.	.	.	.	1	1	3	16	19	B.22
43	.	.	.	1	1	.	6	8	12	15	
1	.	1	.	.	.	.	.	.	.	.	B.23
2	1	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	1	.	.	.	.	.	B.24
1	.	.	1	.	.	.	.	.	.	.	
5	.	.	.	.	.	1	1	.	1	2	B.25
3	.	.	.	.	1	.	.	.	.	2	
161	.	.	.	.	1	3	6	20	55	76	B.26
130	.	.	.	.	1	3	5	13	51	57	
23	.	.	.	.	.	.	1	2	13	7	B.27
16	.	.	.	.	.	.	2	3	5	6	
5	.	.	.	.	.	.	1	1	2	1	B.28
5	.	.	.	.	.	.	.	.	4	1	
4	.	.	.	.	.	.	2	.	1	1	B.29
1	.	.	.	.	.	.	.	.	.	1	
5	.	.	.	.	.	.	.	.	.	5	B.46a
3	.	.	.	.	.	.	.	.	1	2	
16	.	1	.	.	.	.	1	2	4	8	B.30
30	.	.	1	.	.	2	.	4	8	15	
15	3	2	.	.	.	1	1	.	5	3	B.31
16	3	4	1	.	.	.	.	2	5	1	
20	.	.	.	.	.	.	.	6	6	8	B.32
14	.	.	.	.	.	.	1	.	5	8	
4	1	.	1	1	.	.	.	1	.	.	B.46b
2	.	.	.	.	.	.	.	1	.	1	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN DEATHS FOR EACH COUNT

CO. TIPPERAR

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.36a	Gastritis and duodenitis	M.	.	.	.	.	.	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	9	1	.	2	.	.
		F.		.	1	1	4	.
B.34	Appendicitis	M.	2	1	.	.	.	.
		F.		.	.	1	.	.
B.35	Intestinal obstruction and hernia ...	M.	5	.	.	2	1	.
		F.		.	.	2	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	9	.	.	.	4	.
		F.		.	.	3	2	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	3	.	.	2	.	.
		F.		.	.	1	.	.
B.37	Cirrhosis of liver	M.	3	.	1	.	2	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	5	.	.	2	2	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	3	.	.	1	2	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	21	1	.	5	5	.
		F.		.	.	3	7	.
B.39	Hyperplasia of prostate	M.	8	1	.	3	4	.
B.40a	Complications of pregnancy and child-birth	F.	2	.	.	.	2	.
B.41	Congenital malformations	M.	10	.	.	3	2	.
		F.		.	.	2	3	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	7	.	.	2	.	.
		F.		.	.	3	2	.
B.43a	Diarrhoea of newborn	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	44	1	.	18	4	.
		F.		.	.	10	11	.
B.45a	Senility without mention of psychosis	M.	103	.	4	7	39	13
		F.		.	7	5	41	14
B.45b	Ill-defined and unknown causes ...	M.	33	.	1	3	9	1
		F.		.	2	.	8	3
B.46e	All other diseases	M.	61	2	3	6	23	1
		F.		2	3	5	17	3
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	22	.	.	4	6	.
		F.		.	.	7	5	.
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.
uth Riding).

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
	.	.	.	.	.	.	.	.	.	.	B.36a
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	1	1	1	B.33
6	.	.	.	.	.	.	1	1	2	2	
1	.	.	.	.	.	.	.	1	.	.	B.34
1	.	.	.	1	.	.	.	.	.	.	
3	.	.	.	.	.	1	.	2	.	.	B.35
2	.	.	.	.	.	1	.	.	1	.	
4	4	.	.	.	.	.	.	.	.	.	B.36b
5	4	1	.	.	.	.	.	.	.	.	
2	.	1	.	.	.	.	.	.	.	1	B.36c
1	.	.	.	.	.	.	1	.	.	.	
3	.	.	.	.	.	.	.	1	1	1	B.37
	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	1	.	.	.	1	2	.	B.46c
1	.	.	.	.	.	.	1	.	.	.	
3	1	.	.	.	.	.	.	1	.	1	B.46d
	.	.	.	.	.	.	.	.	.	.	
11	.	.	.	.	.	2	2	5	2	.	B.38
10	.	.	.	.	.	.	1	1	3	5	
8	.	.	.	.	.	.	.	.	3	5	B.39
2	.	.	.	.	1	1	.	.	.	.	B.40a
5	4	1	.	.	.	.	.	.	.	.	B.41
5	4	1	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.42
5	5	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43b
	.	.	.	.	.	.	.	.	.	.	
23	23	.	.	.	.	.	.	.	.	.	B.44
21	21	.	.	.	.	.	.	.	.	.	
50	.	.	.	.	.	.	.	.	2	48	B.45a
53	.	.	.	.	.	.	.	.	4	49	
13	2	.	.	.	.	1	.	2	2	6	B.45b
10	3	1	.	.	.	.	.	1	3	2	
34	1	1	.	1	1	2	4	3	3	18	B.46e
27	.	.	1	.	1	4	1	2	10	8	
1	.	.	.	.	.	.	1	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
10	.	1	1	1	2	1	.	.	2	2	BE.48
12	.	.	1	.	.	.	.	.	4	7	
1	.	.	.	.	.	.	1	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN
WATERFOR

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
	ALL CAUSES	**M.**	**405**	**7**	**10**	**77**	**134**	.
		F.		**8**	**8**	**54**	**107**	.
B.1	Tuberculosis of respiratory system ...	M.	25	.	.	6	10	.
		F.		.	.	3	6	.
B.2	Tuberculosis, other forms	M.	13	.	.	6	1	.
		F.		.	.	6	.	.
B.3	Syphilis and its sequelae	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	55	1	2	10	17	.
		F.		2	1	8	14	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	1	.
		F.		.	.	1	.	.
B.20	Diabetes mellitus	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.21	Anaemias	M.	4	.	.	1	.	.
		F.		.	.	1	2	.
B.22	Vascular lesions affecting central nervous system	M.	32	.	1	7	9	.
		F.		.	2	4	9	.
B.24	Rheumatic fever	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	3	.	.	.	2	.
		F.		.	.	1	.	.
B.26	Arteriosclerotic and degenerative heart disease	M.	111	1	1	15	51	.
		F.		.	3	10	30	.
B.27	Other diseases of the heart ...	M.	7	2	.	2	.	.
		F.		1	.	1	1	.
B.28	Hypertension with heart disease ...	M.	5	.	.	.	1	.
		F.		1	.	1	2	.
B.29	Hypertension without mention of heart	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.46a	Other circulatory diseases	M.	9	.	.	2	1	.
		F.		1	1	3	1	.
B.30	Influenza	M.	13	.	.	2	4	.
		F.		1	.	.	6	.
B.31	Pneumonia	M.	13	1	1	4	2	.
		F.		.	.	1	4	.
B.32	Bronchitis	M.	12	.	2	4	2	.
		F.		.	.	.	4	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

O. BOROUGH.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
228 177	20 11	1 3	7 2	8 9	6 5	8 2	19 13	38 21	53 39	68 72	
16 9	. .	. 1	. 1	4 3	2 1	4 1	2 1	4 1	. .	. .	B.1
7 6	. .	1 1	4 1	2 3	. .	. .	. .	. 1	. .	. .	B.2
1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.3
1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
30 25	. .	. .	. .	1 .	1 .	. 1	3 3	6 6	12 5	7 10	B.18a
1 1	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	B.18b
1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	B.20
1 3	. .	. .	. .	. .	. .	. .	1 1	. .	. 2	. .	B.21
17 15	. .	. .	. .	. .	. .	. .	. 3	4 1	5 6	8 5	B.22
1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.24
2 1	. .	. .	1 .	. 1	. .	. .	. .	1 .	. .	. .	B.25
68 43	. .	. .	1 .	. .	. 1	2 .	5 3	12 4	22 10	26 25	B.26
4 3	. .	. .	. .	. .	2 .	. .	. .	. .	. .	2 3	B.27
1 4	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	. 3	B.28
. 2	. .	. .	. .	. .	. .	. .	. .	. .	. 2	. .	B.29
3 6	. .	. .	. .	. .	. .	. .	. 1	. .	1 2	2 3	B.46a
6 7	. .	. .	. .	. .	. .	. .	. .	1 .	1 4	4 3	B.30
8 5	4 2	. .	. .	. .	. 1	. .	1 .	2 1	1 1	. .	B.31
8 4	. .	. .	. .	. .	. 1	. .	2 .	3 .	1 2	2 1	B.32

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

WATERFORD

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.46b	Other respiratory diseases ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.34	Appendicitis	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	3	.	.	.	3	.
		F.		.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.46d	Other digestive diseases ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.38	Nephritis and nephrosis ...	M.	12	.	2	2	3	.
		F.		1	.	2	2	.
B.41	Congenital malformations ...	M.	6	1	.	.	2	.
		F.		.	.	1	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.43b	Pneumonia of newborn ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	10	1	.	4	.	.
		F.		.	.	5	.	.
B.45a	Senility without mention of psychosis	M.	22	.	.	1	7	.
		F.		.	.	4	10	.
B.45b	Ill-defined and unknown causes ...	M.	5	.	.	1	2	.
		F.		.	.	1	1	.
B.46e	All other diseases ...	M.	18	.	1	2	7	.
		F.		1	1	.	6	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
BE.48	All other accidents ...	M.	7	.	.	3	3	.
		F.		.	.	1	.	.
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

O. BOROUGH.

Age at Death											
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	1	.	.	.	.	.	.	.	.	.	B.46b
1	.	.	.	.	.	.	.	.	1	.	B.33
1	.	.	.	.	.	.	.	.	1	.	B.34
1	.	.	.	1	.	.	.	.	.	.	B.35
3	3	.	.	.	.	.	.	.	.	.	B.36b
2	.	.	.	.	.	.	1	.	.	1	B.46c
1	.	.	.	.	1	.	.	.	.	.	B.46d
7 5	. .	. .	. .	. .	. .	. .	2 .	1 3	2 1	2 1	B.38
3 3	3 1	. 1	. .	. 1	. .	. .	. .	. .	. .	. .	B.41
1	1	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43b
5 5	5 5	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.44
8 14	. .	. .	. .	. .	. .	. .	. .	. .	. .	8 14	B.45a
3 2	1 2	. .	. .	. .	. .	. .	. .	. .	. .	2 .	B.45b
10 8	1 .	. .	. .	. .	. .	. .	. .	1 3	4 2	4 3	B.46e
1	.	.	.	.	1	.	.	.	.	.	BE.47
6 1	. .	. .	1 .	1 .	. .	2 .	1 .	. .	1 1	. .	BE.48
1	.	.	.	.	.	.	1	.	.	.	BE.49
1	.	.	.	.	.	.	.	.	.	1	BE.50

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**801**	**24**	**16**	**124**	**260**	**23**
		F.		**13**	**16**	**104**	**244**	**17**
B.1	Tuberculosis of respiratory system ...	M.	23	3	.	6	8	.
		F.		2	1	1	2	.
B.2	Tuberculosis, other forms	M.	6	1	.	.	.	.
		F.		.	.	4	1	.
B.7b	Streptococcal sore throat	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.9	Whooping cough	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17b	Acute infectious encephalitis ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	2	1	.	.	.	.
		F.		.	.	.	1	.
B.18a	Malignant neoplasms	M.	88	5	3	17	24	.
		F.		2	2	13	22	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.19	Benign and unspecified neoplasms ...	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.20	Diabetes mellitus	M.	3	1	.	.	.	.
		F.		.	.	.	2	.
B.21	Anaemias	M.	14	.	.	4	2	.
		F.		.	.	3	5	.
B.22	Vascular lesions affecting central nervous system	M.	56	1	3	4	14	.
		F.		.	3	10	21	.
B.25	Chronic rheumatic heart disease ...	M.	6	.	.	3	1	.
		F.		.	.	1	1	.
B.26	Arteriosclerotic and degenerative heart disease	M.	195	1	2	24	78	2
		F.		2	5	22	61	.
B.27	Other diseases of the heart ...	M.	17	.	.	2	6	.
		F.		.	.	2	7	.
B.28	Hypertension with heart disease ...	M.	7	1	.	1	2	.
		F.		.	.	.	3	.
B.29	Hypertension without mention of heart	M.	5	.	.	.	2	.
		F.		.	.	.	3	.
B.46a	Other circulatory diseases ...	M.	14	.	.	4	4	.
		F.		.	.	2	4	.
B.30	Influenza	M.	34	.	1	3	12	.
		F.		.	.	2	16	1
B.31	Pneumonia	M.	19	.	1	2	9	.
		F.		.	.	1	6	1
B.32	Bronchitis	M.	22	.	.	1	6	1
		F.		.	.	2	13	.
B.46b	Other respiratory diseases	M.	7	1	.	.	2	.
		F.		.	.	1	3	.
B.36a	Gastritis and duodenitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	3	.	.	1	2	.
		F.		.	.	.	.	.
B.34	Appendicitis	M.	1	.	.	.	.	.
		F.		.	.	1	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

TERFORD.

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
24	**31**	**2**	**5**	**7**	**5**	**14**	**32**	**60**	**103**	**165**	
77	**22**	**7**	**3**	**4**	**9**	**14**	**25**	**42**	**106**	**145**	
17	.	.	.	2	1	2	3	8	1	.	B.1
6	1	.	.	1	.	.	1	1	.	2	
1	.	.	1	.	.	.	.	.	.	.	B.2
5	.	.	1	1	1	1	1	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.7b
1	.	.	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	.	.	.	B.9
1	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	1	.	.	.	B.17b
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.17d
1	.	1	.	.	.	.	.	.	.	.	
49	.	.	1	.	1	2	6	9	19	11	B.18a
39	.	.	.	.	.	4	7	10	9	9	
	.	.	.	.	.	.	.	.	.	.	B.18b
1	.	.	1	.	.	.	.	.	.	.	
2	.	.	.	1	.	.	.	.	1	.	B.19
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.20
2	.	.	.	.	.	.	.	.	2	.	
6	.	.	.	.	.	.	.	2	2	2	B.21
8	.	.	.	.	.	.	1	2	4	1	
22	.	.	.	1	.	.	3	4	4	10	B.22
34	.	.	.	.	.	.	5	5	15	9	
4	.	.	.	1	.	1	.	.	.	2	B.25
2	.	.	1	1	.	.	.	.	.	.	
05	.	.	.	.	.	2	8	15	36	44	B.26
90	.	.	.	.	1	1	3	11	30	44	
8	.	.	.	.	.	.	.	2	3	3	B.27
9	.	.	.	.	.	.	1	1	3	4	
4	.	.	.	.	.	.	1	1	.	2	B.28
3	.	.	.	.	.	.	.	2	1	.	
2	.	.	.	.	.	.	.	1	.	1	B.29
3	.	.	.	.	.	1	.	1	.	1	
8	.	.	.	.	.	.	.	3	1	4	B.46a
6	.	.	.	.	.	.	.	.	2	4	
16	.	.	.	.	.	.	3	4	3	6	B.30
18	.	1	.	.	.	1	.	.	9	7	
12	4	.	.	.	1	.	.	2	3	2	B.31
7	1	1	.	.	.	1	.	1	2	1	
7	.	.	.	.	.	.	.	1	3	3	B.32
15	.	2	.	.	1	.	.	2	3	7	
3	.	.	.	.	.	1	.	1	1	.	B.46b
4	.	.	.	.	.	.	.	.	1	3	
1	.	.	.	.	.	.	.	.	1	.	B.36a
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	1	1	1	B.33
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.34
1	.	.	.	.	1	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Death
B.35	Intestinal obstruction and hernia ...	M.	5	.	.	2	1	.
		F.		.	.	1	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	3	.	.	1	.	.
		F.		.	.	1	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	3	1	.	1	.	.
		F.		1	.	.	.	.
B.38	Nephritis and nephrosis	M.	13	.	.	3	5	.
		F.		.	.	2	3	.
B.39	Hyperplasia of prostate	M.	3	.	.	.	3	.
B.40a	Complications of pregnancy and child-birth	F.	3	1	.	2	.	.
B.40c	Other complications of the puerperium	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	11	1	.	3	3	.
		F.		.	.	2	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	6	2	.	2	.	.
		F.		.	.	1	1	.
B.43b	Pneumonia of newborn	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	23	4	.	5	4	.
		F.		1	.	4	5	.
B.45a	Senility without mention of psychosis	M.	114	.	1	21	38	.
		F.		.	1	18	35	.
B.45b	Ill-defined and unknown causes ...	M.	17	.	.	3	5	.
		F.		1	.	1	7	.
B.46e	All other diseases	M.	48	1	5	4	16	.
		F.		2	4	3	13	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	16	.	.	3	9	.
		F.		1	.	2	1	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

ATERFORD.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
3	1	.	.	.	.	.	.	1	.	1	B.35
2	.	.	.	.	1	.	.	.	.	1	
1	1	.	.	.	.	.	.	.	.	.	B.36b
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.36c
2	.	1	.	.	.	.	1	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	1	.	.	
2	.	.	.	.	.	.	.	2	.	.	B.46d
1	.	.	.	.	.	.	1	.	.	.	
8	.	.	1	.	.	1	1	.	1	4	B.38
5	.	.	.	.	.	.	.	2	3	.	
3	.	.	.	.	.	.	.	1	.	2	B.39
3	.	.	.	.	2	1	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
7	4	1	.	.	.	1	.	.	1	.	B.41
4	3	1	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
	.	.	.	.	.	.	.	.	.	.	
13	13	.	.	.	.	.	.	.	.	.	B.44
10	10	.	.	.	.	.	.	.	.	.	
60	.	.	.	.	.	.	.	.	7	53	B.45a
54	.	.	.	.	.	.	.	.	9	45	
8	1	.	.	.	.	.	1	.	5	1	B.45b
9	3	.	.	.	.	.	.	.	6	.	
26	.	.	2	1	.	1	4	1	7	10	B.46c
22	1	.	.	1	1	3	3	3	4	6	
1	.	.	.	.	.	1	.	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
12	1	1	.	1	2	1	1	1	2	2	BE.48
4	.	.	.	.	1	.	1	.	1	1	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT

CON

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	**M.**		**133**	**162**	**875**	**2,712**	**963**
		F.	**7,246**	**104**	**126**	**660**	**2,474**	**984**
B.1	Tuberculosis of respiratory system ...	M.	225	45	19	26	25	1
		F.		42	17	23	28	1
B.2	Tuberculosis, other forms	M.	70	4	2	26	7	1
		F.		4	3	21	3	.
B.4	Typhoid fever	M.	2	.	.	.	.	.
		F.		.	.	2	.	.
B.7a	Scarlet fever	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.8	Diphtheria	M.	3	.	.	1	.	.
		F.		.	.	2	.	.
B.9	Whooping cough	M.	13	.	.	1	5	1
		F.		.	.	.	7	2
B.10	Meningococcal infections	M.	2	.	.	.	.	.
		F.		.	.	1	1	.
B.12	Acute poliomyelitis	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.17a	Late effects of acute poliomyelitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17b	Acute infectious encephalitis ...	M.	2	.	.	1	.	.
		F.		1	.	.	.	.
B.14	Measles	M.	5	.	.	.	2	.
		F.		.	.	1	2	.
B.17d	All other diseases classified as infective and parasitic	M.	11	1	.	5	.	.
		F.		.	.	3	2	.
B.18a	Malignant neoplasms	M.	652	24	10	129	214	7
		F.		14	7	75	179	5
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	32	6	.	6	9	.
		F.		1	1	5	4	.
B.19	Benign and unspecified neoplasms ...	M.	13	1	.	3	4	.
		F.		.	1	2	2	1
B.20	Diabetes mellitus	M.	55	.	2	10	11	1
		F.		3	.	13	16	1
B.21	Anaemias	M.	46	1	.	7	15	
		F.		.	.	5	18	
B.22	Vascular lesions affecting central nervous system	M.	437	3	5	52	144	1
		F.		2	7	42	182	2
B.23	Nonmeningococcal meningitis ...	M.	16	.	.	5	5	
		F.		.	.	4	2	.
B.24	Rheumatic fever	M.	15	.	.	1	5	.
		F.		.	.	3	6	
B.25	Chronic rheumatic heart disease ...	M.	55	.	.	3	21	.
		F.		3	2	5	21	.
B.26	Arteriosclerotic and degenerative heart disease	M.	1,358	13	43	136	568	3
		F.		1	39	113	445	2
B.27	Other diseases of the heart ...	M.	184	3	7	24	62	1
		F.		3	3	28	54	1
B.28	Hypertension with heart disease ...	M.	61	.	8	8	21	
		F.		.	1	3	20	
B.29	Hypertension without mention of heart	M.	78	.	2	10	25	
		F.		.	3	9	29	
B.46a	Other circulatory diseases ...	M.	79	.	1	17	30	.
		F.		.	.	11	20	
B.30	Influenza	M.	495	.	7	35	204	6
		F.		4	6	24	215	7
B.31	Pneumonia	M.	221	1	5	35	69	
		F.		2	2	16	91	1

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

HT.

	Age at Death										
ll ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
382	**190**	**40**	**27**	**55**	**84**	**112**	**210**	**378**	**954**	**1,832**	
364	**137**	**38**	**26**	**60**	**65**	**108**	**171**	**310**	**754**	**1,695**	
115	.	.	.	13	33	29	14	18	6	2	B.1
110	.	.	1	28	28	22	9	11	11	.	
39	3	.	2	10	10	1	6	4	1	2	B.2
31	5	5	2	7	6	4	1	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.4
2	.	1	.	.	.	.	.	.	1	.	
2	.	.	2	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	B.8
2	.	2	.	.	.	.	.	.	.	.	
6	5	1	.	.	.	.	.	.	.	.	B.9
7	3	4	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.10
2	.	2	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.12
1	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17a
1	.	.	.	.	1	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.17b
1	.	1	.	.	.	.	.	.	.	.	
2	.	2	.	.	.	.	.	.	.	.	B.14
3	.	2	.	.	.	1	.	.	.	.	
6	.	1	1	.	1	1	.	1	.	1	B.17d
5	.	.	.	.	1	1	1	.	2	.	
377	.	2	1	.	6	9	41	77	137	104	B.18a
275	.	.	1	2	6	12	39	62	88	65	
21	.	1	.	3	2	2	4	4	4	1	B.18b
11	.	.	2	.	.	1	1	1	5	1	
8	.	.	.	.	.	2	2	1	2	1	B.19
5	.	.	.	.	.	.	2	1	1	1	
23	.	.	.	2	2	2	2	2	10	3	B.20
32	.	.	.	1	.	4	5	7	9	6	
23	.	.	.	.	1	3	.	8	6	5	B.21
23	.	.	.	.	.	3	2	4	12	2	
204	1	1	.	.	.	3	10	27	74	88	B.22
233	.	.	.	.	1	1	17	40	85	89	
10	1	2	2	3	1	.	1	.	.	.	B.23
6	.	1	2	1	.	1	.	.	1	.	
6	.	.	1	.	.	1	.	3	1	.	B.24
9	.	.	4	1	.	.	1	1	2	.	
24	.	.	.	.	.	1	1	4	8	10	B.25
31	.	.	1	.	3	3	2	3	6	13	
760	.	.	1	1	3	14	35	84	261	361	B.26
598	.	.	2	1	1	8	27	60	185	314	
96	.	.	1	1	1	3	5	11	27	47	B.27
88	.	.	.	.	2	1	5	12	30	38	
37	.	.	.	.	.	.	.	8	18	11	B.28
24	.	.	.	.	.	.	1	.	12	11	
37	.	.	.	.	.	1	4	5	13	14	B.29
41	.	.	.	.	.	1	7	8	15	10	
48	.	1	.	.	.	.	1	5	10	31	B.46a
31	.	.	.	.	1	1	.	3	8	18	
246	4	4	2	2	1	3	5	22	68	135	B.30
249	4	2	1	2	2	5	5	28	58	142	
110	27	7	1	2	1	2	8	10	21	31	B.31
111	13	5	1	1	.	2	4	8	35	42	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN DEATHS FOR EACH COUNT

CON

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.32	Bronchitis	M.	186	.	4	20	80	11
		F.		1	2	15	64	16
B.46b	Other respiratory diseases	M.	39	2	1	8	11	1
		F.		1	.	3	13	.
B.36a	Gastritis and duodenitis	M.	8	.	.	.	5	.
		F.		.	.	1	2	.
B.33	Ulcer of stomach and duodenum ...	M.	34	2	.	15	11	3
		F.		.	.	3	3	.
B.34	Appendicitis	M.	9	.	.	5	.	.
		F.		.	.	2	2	.
B.35	Intestinal obstruction and hernia ...	M.	30	.	.	15	5	.
		F.		1	.	6	3	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	14	2	.	1	3	2
		F.		1	.	4	3	1
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	5	.	.	2	1	.
		F.		.	.	1	1	1
B.36d	Chronic enteritis and ulcerative colitis	M.	4	1	.	1	1	.
		F.		.	.	.	1	.
B.37	Cirrhosis of liver	M.	12	1	.	3	5	.
		F.		.	.	2	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	8	1	.	1	1	.
		F.		.	.	1	4	.
B.46d	Other digestive diseases	M.	20	3	.	5	8	3
		F.		.	.	2	2	.
B.38	Nephritis and nephrosis	M.	104	1	.	30	27	3
		F.		.	.	16	30	3
B.39	Hyperplasia of prostate	M.	61	1	.	35	25	2
B.40a	Complications of pregnancy and child-birth	F.	18	.	.	12	6	.
B.40b	Puerperal sepsis	F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F.	5	1	.	4	.	.
B.41	Congenital malformations	M.	62	3	1	10	17	1
		F.		3	.	14	14	2
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	29	2	.	9	7	1
		F.		4	.	7	.	.
B.43a	Diarrhoea of newborn	M.	2	1	.	1	.	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	8	.	.	4	2	.
		F.		1	.	1	.	.
B.43c	Other infections of newborn ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	105	3	.	35	27	12
		F.		4	.	20	16	3
B.45a	Senility without mention of psychosis	M.	1,592	1	18	43	731	661
		F.		1	18	43	737	684
B.45b	Ill-defined and unknown causes ...	M.	256	1	2	11	123	89
		F.		1	1	10	107	85
B.46e	All other diseases	M.	342	6	23	52	114	29
		F.		3	12	47	85	19
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	13	.	.	4	7	.
		F.		.	.	2	.	.
BE.48	All other accidents	M.	136	.	2	23	45	.
		F.		2	1	32	31	.
BE.49	Suicide and self-inflicted injury ...	M.	8	.	.	.	7	.
		F.		.	.	.	1	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

HT.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No
104	2	1	.	.	1	.	5	12	29	54	B.32
82	2	.	2	.	.	3	3	7	20	45	
22	1	1	1	.	.	2	3	2	6	6	B.46b
17	2	.	2	.	.	.	1	1	3	8	
5	2	.	.	.	.	.	1	1	.	1	B.36a
3	.	1	.	.	.	.	.	.	1	1	
28	.	.	.	2	3	6	4	3	6	4	B.33
6	.	.	.	.	.	.	1	2	3	.	
5	.	1	.	1	.	2	.	.	1	.	B.34
4	1	.	.	.	.	.	1	.	1	1	
20	1	.	.	.	.	.	1	4	7	7	B.35
10	.	.	.	.	.	.	.	2	4	4	
6	4	2	.	.	.	.	.	.	.	.	B.36b
8	7	1	.	.	.	.	.	.	.	.	
3	.	1	.	.	.	.	.	1	.	1	B.36c
2	.	.	1	1	.	.	.	.	.	.	
3	.	.	.	.	.	1	.	1	.	1	B.36d
1	.	.	.	.	.	.	.	.	.	1	
9	.	.	.	.	.	.	1	2	5	1	B.37
3	.	.	.	.	.	1	.	1	1	.	
3	.	.	.	.	.	.	.	2	.	1	B.46c
5	1	.	.	.	.	.	.	1	1	2	
18	3	1	.	.	.	.	3	.	4	5	B.46d
4	1	.	.	.	.	.	.	.	2	1	
58	.	1	1	.	1	3	9	5	21	17	B.38
46	.	.	.	3	.	5	8	7	12	11	
61	.	.	.	.	.	.	.	4	23	34	B.39
18	.	.	.	.	4	13	1	.	.	.	B.40a
.	.	.	.	.	.	.	.	.	.	.	B.40b
5	.	.	.	.	1	4	.	.	.	.	B.40c
31	23	2	1	3	.	1	.	.	.	1	B.41
31	27	.	.	2	.	1	1	.	.	.	
18	18	.	.	.	.	.	.	.	.	.	B.42
11	11	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	B.43b
2	2	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43c
.	.	.	.	.	.	.	.	.	.	.	
65	65	.	.	.	.	.	.	.	.	.	B.44
40	40	.	.	.	.	.	.	.	.	.	
793	.	.	.	.	.	.	.	2	62	729	B.45a
799	.	.	.	.	.	.	.	1	68	730	
137	13	2	2	.	.	3	5	8	46	58	B.45b
119	9	5	2	1	1	2	8	13	30	48	
195	5	2	2	4	8	9	22	26	68	49	B.46c
147	5	2	1	7	5	4	18	18	34	53	
11	.	1	1	1	1	1	4	1	1	.	BE.47
2	.	.	.	1	.	.	.	1	.	.	
70	2	3	4	6	8	6	10	8	7	16	BE.48
66	4	4	1	1	1	4	.	5	8	38	
7	.	.	.	1	.	1	3	1	1	.	BE.49
1	.	.	.	.	.	.	.	1	.	.	
1	.	.	.	.	.	.	.	1	.	.	BE.50
.	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
	ALL CAUSES	**M.**	**2,194**	**58**	**49**	**289**	**789**	**237**
		F.		**57**	**37**	**220**	**695**	**240**
B.1	Tuberculosis of respiratory system ...	M.	74	18	6	4	6	.
		F.		25	5	5	5	.
B.2	Tuberculosis, other forms	M.	30	1	1	11	4	.
		F.		2	2	8	1	.
B.4	Typhoid fever	M.	2	.	.	.	.	.
		F.		.	.	2	.	.
B.8	Diphtheria	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.9	Whooping cough	M.	12	.	.	1	5	1
		F.		.	.	.	6	2
B.17a	Late effects of acute poliomyelitis ...	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.17b	Acute infectious encephalitis ...	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	5	1	.	3	.	.
		F.		.	.	1	.	.
B.18a	Malignant neoplasms	M.	212	10	3	45	70	.
		F.		5	4	27	48	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	11	1	.	3	1	.
		F.		.	1	3	2	.
B.19	Benign and unspecified neoplasms ...	M.	8	1	.	1	3	.
		F.		.	1	1	1	.
B.20	Diabetes mellitus	M.	15	.	.	2	1	.
		F.		2	.	4	6	.
B.21	Anaemias	M.	12	.	.	1	5	.
		F.		.	.	2	4	.
B.22	Vascular lesions affecting central nervous system	M.	131	3	1	23	36	3
		F.		1	2	18	47	5
B.23	Nonmeningococcal meningitis ...	M.	4	.	.	1	1	.
		F.		.	.	2	.	.
B.24	Rheumatic fever	M.	7	.	.	1	1	.
		F.		.	.	1	4	.
B.25	Chronic rheumatic heart disease ...	M.	26	.	.	2	10	.
		F.		3	.	4	7	.
B.26	Arteriosclerotic and degenerative heart disease	M.	430	6	12	44	177	10
		F.		.	10	42	139	6
B.27	Other diseases of the heart ...	M.	65	2	1	12	21	1
		F.		2	.	13	14	2
B.28	Hypertension with heart disease ...	M.	21	.	1	2	12	1
		F.		.	.	1	5	.
B.29	Hypertension without mention of heart	M.	29	.	1	6	6	.
		F.		.	.	6	10	.
B.46a	Other circulatory diseases ...	M.	24	.	1	7	10	.
		F.		.	.	.	6	.
B.30	Influenza	M.	141	.	2	10	57	8
		F.		1	4	9	58	18
B.31	Pneumonia	M.	73	1	2	14	13	1
		F.		2	.	5	36	6
B.32	Bronchitis	M.	61	.	2	9	21	3
		F.		1	.	8	20	4

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
rd County Borough.

ALWAY.

Age at Death											
All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
,185	**71**	**16**	**10**	**23**	**25**	**34**	**59**	**113**	**303**	**531**	
,009	**58**	**14**	**11**	**28**	**27**	**33**	**58**	**85**	**208**	**487**	
34	.	.	.	6	7	12	1	5	3	.	B.1
40	.	.	.	17	9	6	3	4	1	.	
17	3	.	2	1	4	1	2	2	1	1	B.2
13	4	1	.	2	4	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.4
2	.	1	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	B.8
1	.	1	.	.	.	.	.	.	.	.	
6	5	1	.	.	.	.	.	.	.	.	B.9
6	2	4	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17a
1	.	.	.	.	1	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.17b
.	.	.	.	.	.	.	.	.	.	.	
4	.	1	1	.	1	.	.	1	.	.	B.17d
1	.	.	.	.	.	1	.	.	.	.	
128	.	1	1	.	1	3	12	21	53	36	B.18a
84	.	.	1	2	2	2	13	16	25	23	
5	.	.	.	.	1	.	1	2	.	1	B.18b
6	.	.	2	.	.	1	.	.	3	.	
5	.	.	.	.	.	.	2	.	2	1	B.19
3	.	.	.	.	.	.	2	.	1	.	
3	.	.	.	1	.	.	.	.	2	.	B.20
12	.	.	.	.	.	1	3	.	4	4	
6	.	.	.	.	.	.	.	2	3	1	B.21
6	.	.	.	.	.	.	1	.	4	1	
63	.	.	.	.	.	.	2	7	22	32	B.22
68	.	.	.	.	1	.	3	15	22	27	
2	.	.	1	1	.	.	.	.	.	.	B.23
2	.	1	1	.	.	.	.	.	.	.	
2	.	.	1	.	.	.	.	.	1	.	B.24
5	.	.	3	.	.	.	.	1	1	.	
12	.	.	.	.	.	1	.	1	5	5	B.25
14	.	.	.	.	.	1	1	2	2	8	
239	.	.	.	.	2	4	10	27	83	113	B.26
191	.	.	.	.	1	3	8	21	56	102	
36	.	.	.	1	1	1	1	7	7	18	B.27
29	.	.	.	.	1	1	3	3	9	12	
15	.	.	.	.	.	.	.	1	7	7	B.28
6	.	.	.	.	.	.	.	.	3	3	
13	.	.	.	.	.	1	2	1	6	3	B.29
16	.	.	.	.	.	1	6	4	3	2	
18	.	1	.	.	.	.	1	1	3	12	B.46a
6	.	.	.	.	.	1	.	.	.	5	
69	2	.	.	.	.	1	1	6	18	41	B.30
72	.	.	.	1	2	1	3	5	14	46	
30	11	1	1	1	.	.	2	5	3	6	B.31
43	8	2	1	.	.	1	.	1	13	17	
32	.	1	.	.	1	.	1	4	7	18	B.32
29	2	.	2	.	.	1	1	3	6	14	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertified Deaths
B.46b	Other respiratory diseases	M.	11	.	.	4	3	.
		F.		.	.	.	4	.
B.36a	Gastritis and duodenitis	M.	3	.	.	.	2	.
		F.		.	.	1	.	.
B.33	Ulcer of stomach and duodenum ...	M.	13	.	.	5	4	.
		F.		.	.	2	2	.
B.34	Appendicitis	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.35	Intestinal obstruction and hernia ...	M.	11	.	.	6	2	.
		F.		1	.	1	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	6	1	.	.	1	.
		F.		.	.	3	1	
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	4	.	.	1	1	.
		F.		.	.	1	1	
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.37	Cirrhosis of liver	M.	6	1	.	2	2	.
		F.		.	.	1	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	4	1	.	.	1	.
		F.		.	.	.	2	.
B.46d	Other digestive diseases	M.	10	3	.	3	2	
		F.		.	.	1	1	.
B.38	Nephritis and nephrosis	M.	34	1	.	11	7	.
		F.		.	.	3	12	
B.39	Hyperplasia of prostate	M.	12	.	.	9	3	
B.40a	Complications of pregnancy and child-birth	F.	8	.	.	4	4	.
B.40b	Puerperal sepsis	F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F.	2	1	.	1	.	.
B.41	Congenital malformations	M.	21	2	.	3	5	.
		F.		2	.	5	4	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	13	1	.	3	3	
		F.		3	.	3	.	.
B.43b	Pneumonia of newborn	M.	3	.	.	2	.	.
		F.		1	.	.	.	.
B.43c	Other infections of newborn ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	31	.	.	10	8	
		F.		1	.	7	5	
B.45a	Senility without mention of psychosis	M.	413	.	9	2	199	17
		F.		.	4	2	197	18
B.45b	Ill-defined and unknown causes ...	M.	45	1	.	2	25	1
		F.		.	.	2	15	
B.46e	All other diseases	M.	92	3	7	14	36	
		F.		3	3	10	16	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	3	.	.	.	2	.
		F.		.	.	1	.	.
BE.48	All other accidents	M.	46	.	.	7	20	.
		F.		1	1	8	9	.
BE.49	Suicide and self-inflicted injury ...	M.	3	.	.	.	2	.
		F.		.	.	.	1	.

Y SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED
ND COUNTY BOROUGH.

ALWAY.

	Age at Death										
All Ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
7	1	.	1	.	.	.	1	.	3	1	B.46b
4	.	.	.	.	.	.	.	1	1	2	
2	1	.	.	.	.	.	.	.	.	1	B.36a
1	.	1	.	.	.	.	.	.	.	.	
9	.	.	.	1	1	2	1	.	2	2	B.33
4	.	.	.	.	.	.	.	1	3	.	
1	.	.	.	1	.	.	.	.	.	.	B.34
1	.	.	.	.	.	.	.	.	.	1	
8	.	.	.	.	.	.	1	2	2	3	B.35
3	.	.	.	.	.	.	.	.	1	2	
2	1	1	.	.	.	.	.	.	.	.	B.36b
4	3	1	.	.	.	.	.	.	.	.	
2	.	1	.	.	.	.	.	.	.	1	B.36c
2	.	.	1	1	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.36d
	.	.	.	.	.	.	.	.	.	.	
5	.	.	.	.	.	.	1	1	3	.	B.37
1	.	.	.	.	.	1	.	.	.	.	
2	.	.	.	.	.	.	.	1	.	1	B.46c
2	.	.	.	.	.	.	.	.	1	1	
8	2	1	.	.	.	.	2	.	2	1	B.46d
2	1	.	.	.	.	.	.	.	.	1	
19	.	1	1	.	1	1	1	1	6	7	B.38
15	.	.	.	.	.	.	4	3	3	5	
12	.	.	.	.	.	.	.	1	6	5	B.39
8	.	.	.	.	3	4	1	.	.	.	B.40a
	.	.	.	.	.	.	.	.	.	.	B.40b
2	.	.	.	.	.	2	.	.	.	.	B.40c
10	6	1	1	2	.	.	.	.	.	.	B.41
11	10	.	.	1	.	.	.	.	.	.	
7	7	.	.	.	.	.	.	.	.	.	B.42
6	6	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43c
	.	.	.	.	.	.	.	.	.	.	
18	18	.	.	.	.	.	.	.	.	.	B.44
13	13	.	.	.	.	.	.	.	.	.	
10	.	.	.	.	.	.	.	1	19	190	B.45a
03	.	.	.	.	.	.	.	.	18	185	
28	7	1	.	.	.	.	1	1	7	11	B.45b
17	3	1	.	.	.	1	1	.	3	8	
60	1	.	.	2	4	3	9	7	24	10	B.46c
32	2	1	.	2	3	1	5	2	7	9	
2	.	1	.	.	.	.	1	.	.	.	BE.47
1	.	.	.	1	.	.	.	.	.	.	
27	2	3	.	6	1	3	2	4	3	3	BE.48
19	3	.	.	1	.	1	.	2	3	9	
2	.	.	.	.	.	.	1	1	.	.	BE.49
1	.	.	.	.	.	.	.	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncert Deat
	ALL CAUSES	**M**		**12**	**19**	**75**	**290**	**1**
		F.	**743**	**5**	**5**	**67**	**270**	**1**
B.1	Tuberculosis of respiratory system ...	M.	18	.	3	4	.	.
		F.		2	.	5	4	.
B.2	Tuberculosis, other forms	M.	5	.	.	2	1	.
		F.		.	.	2	.	.
B.14	Measles	M.	3	.	.	.	2	.
		F.		.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.18a	Malignant neoplasms	M.	40	.	.	7	15	
		F.		5	.	6	7	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	4	.	.	.	3	
		F.		.	.	.	1	
B.19	Benign and unspecified neoplasms ...	M.	1	.	.	1	.	
		F.		.	.	.	.	
B.20	Diabetes mellitus	M.	7	.	.	1	2	
		F.		1	.	2	1	
B.21	Anaemias	M.	4	.	.	.	2	
		F.		.	.	.	2	
B.22	Vascular lesions affecting central nervous system	M.	74	.	2	8	23	
		F.		1	.	5	35	
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	.	1	
		F.		.	.	1	.	
B.24	Rheumatic fever	M.	2	.	.	.	1	
		F.		.	.	.	1	
B.25	Chronic rheumatic heart disease ...	M.	3	.	.	.	2	
		F.		.	.	.	1	
B.26	Arteriosclerotic and degenerative heart disease	M.	128	.	4	9	58	2
		F.		3	2	8	44	3
B.27	Other diseases of the heart ...	M.	13	.	1	2	2	1
		F.		1	1	4	2	
B.28	Hypertension with heart disease ...	M.	5	.	3	.	1	
		F.		.	.	1	.	
B.29	Hypertension without mention of heart	M.	8	.	1	1	2	
		F.		.	2	1	1	
B.46a	Other circulatory diseases	M.	9	.	.	2	3	
		F.		.	.	2	2	
B.30	Influenza	M.	59	.	2	3	21	19
		F.		2	.	3	28	8

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

ITRIM.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
396	**10**	**6**	**1**	**5**	**5**	**14**	**22**	**53**	**102**	**178**	
347	**4**	**2**	**3**	**3**	**6**	**14**	**22**	**43**	**91**	**159**	
9	.	.	.	2	2	1	2	1	.	1	B.1
9	.	.	.	1	4	2	1	.	1	.	
3	.	.	.	1	1	.	.	.	.	1	B.2
2	.	1	1	.	.	.	.	.	.	.	
2	.	2	.	.	.	.	.	.	.	.	B.14
1	.	.	.	.	.	1	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.17d
27	.	.	.	.	1	1	3	7	10	5	B.18a
13	.	.	.	.	.	1	1	5	4	2	
3	.	.	.	.	.	.	1	1	1	.	B.18b
1	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	1	.	.	.	.	B.19
3	.	.	.	.	.	2	.	.	1	.	B.20
4	.	.	.	1	.	.	2	1	.	.	
2	.	.	.	.	.	.	.	1	.	1	B.21
2	.	.	.	.	.	.	.	1	1	.	
33	.	.	.	.	.	1	3	5	6	18	B.22
11	.	.	.	.	.	.	3	6	19	13	
1	.	1	.	.	.	.	.	.	.	.	B.23
1	.	.	.	.	.	1	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.24
1	.	.	1	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	1	.	1	B.25
1	.	.	.	.	.	.	.	.	1	.	
4	.	.	.	.	.	3	4	13	25	29	B.26
4	.	.	.	.	.	.	3	5	21	25	
5	.	.	.	.	.	.	.	2	1	2	B.27
3	.	.	.	.	.	.	.	1	5	2	
4	.	.	.	.	.	.	.	.	3	1	B.28
1	.	.	.	.	.	.	1	.	.	.	
4	.	.	.	.	.	.	1	2	.	1	B.29
4	.	.	.	.	.	.	.	3	1	.	
5	.	.	.	.	.	.	.	1	3	1	B.46a
1	.	.	.	.	.	.	.	1	1	2	
1	.	.	.	.	.	.	1	7	8	10	B.30
1	.	.	.	.	.	1	1	9	10	12	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE				Uncerti Deat
				General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.31	Pneumonia	M.	25	.	.	2	12	
		F.		.	.	2	9	
B.32	Bronchitis	M.	22	.	1	2	8	
		F.		.	.	3	8	
B.46b	Other respiratory diseases	M.	4	.	.	.	1	.
		F.		.	.	1	2	.
B.36a	Gastritis and duodenitis	M.	.	.	.	.	.	.
		F.		.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	9	2	.	2	3	
		F.		.	.	1	1	.
B.34	Appendicitis	M.	1	.	.	1	.	
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	1	.	.	1	.	
		F.		.	.	.	.	
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	1	.	.	.	.	
		F.		.	.	.	1	
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	1	.	
		F.		.	.	.	.	
B.46d	Other digestive diseases	M.	3	.	.	.	1	
		F.		.	.	1	1	
B.38	Nephritis and nephrosis	M.	10	.	.	4	3	
		F.		.	.	1	2	2
B.39	Hyperplasia of prostate	M.	5	.	.	2	3	
B.40a	Complications of pregnancy and child-birth	F.	5	.	.	5	.	
B.40c	Other complications of the puerperium.	F.	1	.	.	1	.	
B.41	Congenital malformations	M.	4	.	1	.	2	
		F.		.	.	.	1	1
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	9	.	.	3	4	3
		F.		.	.	1	1	
B.45a	Senility without mention of psychosis	M.	160	.	.	6	71	9
		F.		.	.	7	76	1
B.45b	Ill-defined and unknown causes ...	M.	63	.	.	4	28	4
		F.		.	.	1	30	0
B.46c	All other diseases	M.	27	.	1	5	11	6
		F.		.	.	3	7	3
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	1	.	.	.	1	
		F.		.	.	.	.	
BE.48	All other accidents	M.	4	.	.	1	2	
		F.		.	.	.	1	
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	1	
		F.		.	.	.	.	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

ITRIM.

ll ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
14	1	1	.	.	.	.	1	2	3	6	B.31
11	.	.	.	.	.	.	1	.	7	3	
11	.	.	.	.	.	.	.	2	5	4	B.32
11	.	.	.	.	.	1	1	1	2	6	
1	.	.	.	.	.	.	.	.	1	.	B.46b
3	.	.	.	.	.	.	1	.	.	2	
	.	.	.	.	.	.	.	.	.	.	B.36a
	.	.	.	.	.	.	.	.	.	.	
7	.	.	.	.	.	3	1	2	1	.	B.33
2	.	.	.	.	.	.	1	1	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.34
	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.35
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.36b
1	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.46c
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.46d
2	.	.	.	.	.	.	.	.	2	.	
7	.	.	.	.	.	.	3	.	1	3	B.38
3	.	.	.	.	.	1	.	.	1	1	
5	.	.	.	.	.	.	.	1	3	1	B.39
5	.	.	.	.	.	5	.	.	.	.	B.40a
1	.	.	.	.	1	.	.	.	.	.	B.40c
3	1	.	.	1	.	1	.	.	.	.	B.41
1	.	.	.	.	.	.	1	.	.	.	
7	7	.	.	.	.	.	.	.	.	.	B.44
2	2	.	.	.	.	.	.	.	.	.	
77	.	.	.	.	.	.	.	.	8	69	B.45a
83	.	.	.	.	.	.	.	.	3	80	
32	.	1	.	.	.	.	1	.	12	18	B.45b
31	1	1	1	.	1	.	4	5	9	9	
17	.	1	1	1	.	1	1	1	6	5	B.46c
10	.	.	.	1	.	.	1	4	2	2	
1	.	.	.	.	1	.	.	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	2	1	.	BE.48
1	.	.	.	.	.	1	.	.	.	.	
1	.	.	.	.	.	.	.	.	1	.	BE.49
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncert Deat
	ALL CAUSES	**M.**	**2,144**	**30**	**47**	**235**	**850**	**3**
		F.		**20**	**42**	**166**	**754**	**3**
B.1	Tuberculosis of respiratory system ...	M.	71	15	8	8	11	
		F.		8	7	8	6	
B.2	Tuberculosis, other forms	M.	20	1	.	10	2	
		F.		.	1	4	2	
B.9	Whooping cough	M.	1	.	.	.	.	
		F.		.	.	.	1	
B.10	Meningococcal infections	M.	2	.	.	.	.	
		F.		.	.	1	1	
B.17b	Acute infectious encephalitis ...	M.	1	.	.	.	.	
		F.		1	.	.	.	
B.17d	All other diseases classified as infective and parasitic	M.	2	.	.	1	.	
		F.		.	.	1	.	
B.18a	Malignant neoplasms	M.	194	5	3	33	70	
		F.		5	1	16	61	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	10	2	.	3	3	
		F.		1	.	.	1	
B.19	Benign and unspecified neoplasms ...	M.	2	.	.	1	.	
		F.		.	.	.	1	
B.20	Diabetes mellitus	M.	19	.	.	5	6	
		F.		.	.	6	2	
B.21	Anaemias	M.	18	1	.	3	6	
		F.		.	.	.	8	
B.22	Vascular lesions affecting central nervous system	M.	99	.	.	9	38	
		F.		.	2	7	43	
B.23	Nonmeningococcal meningitis ...	M.	4	.	.	1	1	
		F.		.	.	.	2	
B.24	Rheumatic fever	M.	3	.	.	.	2	
		F.		.	.	.	1	
B.25	Chronic rheumatic heart disease ...	M.	18	.	.	.	8	
		F.		.	.	1	9	
B.26	Arteriosclerotic and degenerative heart disease	M.	351	1	12	36	159	
		F.		.	12	23	108	
B.27	Other diseases of the heart ...	M.	53	.	3	3	20	
		F.		.	2	5	20	
B.28	Hypertension with heart disease ...	M.	10	.	1	.	2	
		F.		.	.	1	6	
B.29	Hypertension without mention of heart	M.	18	.	.	.	7	
		F.		.	.	1	10	
B.46a	Other circulatory diseases ...	M.	22	.	.	5	8	
		F.		.	.	4	5	
B.30	Influenza	M.	154	.	.	14	62	
		F.		1	1	6	70	
B.31	Pneumonia	M.	83	.	3	11	29	
		F.		.	1	6	33	
B.32	Bronchitis	M.	47	.	.	2	28	
		F.		.	.	2	15	
B.46b	Other respiratory diseases	M.	12	.	1	2	3	
		F.		1	.	2	3	
B.36a	Gastritis and duodenitis	M.	2	.	.	.	1	
		F.		.	.	.	1	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

AYO.

ll ces	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
62 82	52 42	10 10	7 9	17 12	33 18	43 31	63 46	97 77	259 189	581 548	
42 29	. .	. .	. 1	4 5	17 9	10 7	3 3	5 2	2 2	1 .	B.1
13 7	. 1	. .	. 1	5 2	4 1	. 1	2 1	2 .	. .	. .	B.2
1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
2	. .	. 2	. .	. .	. .	. .	. .	. .	. .	. .	B.10
1	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	B.17b
1 1	. .	. .	. .	. .	. .	1 .	. 1	. .	. .	. .	B.17d
11 33	. .	. .	. .	. .	1 1	4 7	14 16	25 16	34 25	33 18	B.18a
8 2	. .	. .	. .	1 .	1 .	1 .	2 .	1 1	2 .	. 1	B.18b
1 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	B.19
1 8	. .	. .	. .	1 .	1 .	. 3	1 .	1 3	5 2	2 .	B.20
0 8	. .	. .	. .	. .	1 .	2 1	. 1	4 2	1 3	2 1	B.21
7 2	1 .	. .	. .	. .	. .	2 1	2 7	4 5	24 12	14 27	B.22
2 2	. .	1 .	1 1	. .	. .	. .	. .	. .	. 1	. .	B.23
2 1	. .	. .	. .	. .	. .	1 .	. .	1 .	. 1	. .	B.24
8 0	. .	. .	. .	. .	. 2	. 1	. .	1 .	3 2	4 5	B.25
8 3	. .	. .	1 .	1 1	1 .	5 1	10 5	17 18	70 42	103 76	B.26
6 7	. .	. .	. .	. .	. 1	1 .	4 1	1 3	5 8	15 14	B.27
3 7	. .	. .	. .	. .	. .	. .	. .	. .	1 4	2 3	B.28
7 1	. .	. .	. .	. .	. .	. .	. 1	1 .	1 5	5 5	B.29
3 9	. .	. .	. .	. .	. .	. .	. .	3 2	. 2	10 5	B.46a
8 8	1 3	4 2	1 1	1 .	. .	2 2	1 .	6 6	19 14	41 50	B.30
3 0	9 4	3 .	. .	1 1	1 .	1 1	4 2	1 6	10 10	13 16	B.31
0 7	. .	. .	. .	. .	. .	. .	2 .	4 .	8 5	16 12	B.32
3 3	. 1	1 .	. 2	. .	. .	1 .	1 .	1 .	. 1	2 2	B.46b
1 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	B.36a

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Deat
B.33	Ulcer of stomach and duodenum ...	M.	7	.	.	4	3	.
		F.		.	.	.	.	.
B.34	Appendicitis	M.	2	.	.	2	.	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	12	.	.	6	3	.
		F.		.	.	2	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.37	Cirrhosis of liver	M.	3	.	.	.	2	.
		F.		.	.	1	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	4	.	.	1	3	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	26	.	.	8	7	.
		F.		.	.	4	7	.
B.39	Hyperplasia of prostate	M.	26	1	.	10	15	.
B.40a	Complications of pregnancy and child-birth	F.	2	.	.	.	2	.
B.40c	Other complications of the puerperium	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	19	.	.	4	7	.
		F.		.	.	5	3	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	8	1	.	2	1	.
		F.		1	.	3	.	.
B.43a	Diarrhoea of newborn	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.43b	Pneumonia of newborn	M.	5	.	.	2	2	.
		F.		.	.	1	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	29	2	.	7	6	.
		F.		1	.	8	5	.
B.45a	Senility without mention of psychosis	M.	548	.	8	12	248	2
		F.		.	10	18	252	2
B.45b	Ill-defined and unknown causes ...	M.	85	.	.	3	47	.
		F.		.	1	3	31	.
B.46e	All other diseases	M.	94	1	8	14	24	.
		F.		.	4	14	29	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	49	.	.	11	12	.
		F.		1	.	12	13	.
BE.49	Suicide and self-inflicted injury ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

YO.

ll ces	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
7	.	.	.	1	1	.	.	1	3	1	B.33
	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	2	.	.	.	.	B.34
	.	.	.	.	.	.	.	.	.	.	
9	.	.	.	.	.	.	.	1	5	3	B.35
3	.	.	.	.	.	.	.	1	1	1	
2	2	.	.	.	.	.	.	.	.	.	B.36b
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	.	.	1	
2	.	.	.	.	.	.	.	.	2	.	B.37
1	.	.	.	.	.	.	.	1	.	.	
	.	.	.	.	.	.	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	1	.	.	
4	1	.	.	.	.	.	.	.	1	2	B.46d
	.	.	.	.	.	.	.	.	.	.	
15	.	.	.	.	.	2	4	3	3	3	B.38
11	.	.	.	2	.	1	2	2	3	1	
26	.	.	.	.	.	.	.	.	10	16	B.39
2	.	.	.	.	1	1	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
11	10	1	.	.	.	.	.	.	.	.	B.41
8	8	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.42
4	4	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
	.	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
15	15	.	.	.	.	.	.	.	.	.	B.44
14	14	.	.	.	.	.	.	.	.	.	
18	.	.	.	.	.	.	.	.	20	248	B.45a
30	.	.	.	.	.	.	.	.	23	257	
10	3	.	2	.	.	2	1	4	17	21	B.45b
5	3	2	1	.	.	.	1	4	8	16	
7	.	.	.	1	2	4	5	7	12	16	B.46c
7	2	.	1	1	2	2	5	3	13	18	
2	.	.	.	1	.	.	1	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
3	.	.	2	.	3	2	5	2	1	8	BE.48
6	.	3	1	.	1	1	.	1	2	17	
1	.	.	.	.	.	.	1	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
	ALL CAUSES	**M.**		**17**	**31**	**152**	**421**	**15**
		F.	**1,154**	**9**	**25**	**114**	**385**	**15**
B.1	Tuberculosis of respiratory system ...	M.		4	2	7	4	.
		F.	32	3	2	4	6	.
B.2	Tuberculosis, other forms	M.		1	1	2	.	.
		F.	6	.	.	2	.	.
B.7a	Scarlet fever	M.		.	.	1	1	.
		F.	2	.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.		.	.	.	.	.
		F.	2	.	.	1	1	.
B.18a	Malignant neoplasms	M.		2	2	25	27	.
		F.	103	3	.	15	29	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.		3	.	.	2	.
		F.	5	.	.	.	.	.
B.19	Benign and unspecified neoplasms ...	M.		.	.	.	1	.
		F.	2	.	.	1	.	.
B.20	Diabetes mellitus	M.		.	.	.	1	.
		F.	6	.	.	1	4	.
B.21	Anaemias	M.		.	.	.	.	.
		F.	4	.	.	1	3	.
B.22	Vascular lesions affecting central nervous system	M.		.	2	6	26	.
		F.	75	.	1	8	32	.
B.23	Nonmeningococcal meningitis ...	M.		.	.	1	.	.
		F.	2	.	.	1	.	.
B.24	Rheumatic fever	M.		.	.	.	.	.
		F.	2	.	.	2	.	.
B.25	Chronic rheumatic heart disease ...	M.		.	.	1	1	.
		F.	5	.	1	.	2	.
B.26	Arteriosclerotic and degenerative heart disease	M.		2	10	38	100	
		F.	272	.	12	33	77	
B.27	Other diseases of the heart ...	M.		.	2	1	13	
		F.	30	.	.	.	14	
B.28	Hypertension with heart disease ...	M.		.	.	1	4	.
		F.	10	.	.	.	5	.
B.29	Hypertension without mention of heart	M.		.	.	1	9	.
		F.	15	.	1	.	4	.
B.46a	Other circulatory diseases	M.		.	.	3	3	.
		F.	7	.	.	1	.	.
B.30	Influenza	M.		.	1	4	24	
		F.	52	.	.	4	19	
B.31	Pneumonia	M.		.	.	5	9	.
		F.	21	.	1	1	5	.
B.32	Bronchitis	M.		.	1	6	12	
		F.	32	.	1	2	10	.
B.46b	Other respiratory diseases	M.		.	.	.	1	.
		F.	3	.	.	.	2	.
B.36a	Gastritis and duodenitis	M.		.	.	.	1	.
		F.	1	.	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.		.	.	4	.	.
		F.	4	.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.		.	.	1	.	.
		F.	2	.	.	1	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
d County Borough.

SCOMMON.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
321	**28**	**4**	**4**	**7**	**11**	**10**	**33**	**61**	**154**	**309**	
533	**14**	**5**	**2**	**9**	**7**	**19**	**21**	**52**	**129**	**275**	
17	.	.	.	1	4	3	4	4	1	.	B.1
15	.	.	.	2	3	4	1	3	2	.	
4	.	.	.	3	.	.	1	.	.	.	B.2
2	.	1	.	.	.	1	.	.	.	.	
2	.	.	2	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17d
2	.	.	.	.	1	.	.	.	1	.	
56	.	1	.	.	2	.	8	11	17	17	B.18a
47	.	.	.	.	3	1	4	9	17	13	
5	.	1	.	2	.	1	.	.	1	.	B.18b
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	B.19
1	.	.	.	.	.	.	.	1	.	.	
1	.	.	.	.	.	.	.	.	1	.	B.20
5	.	.	.	.	.	.	.	1	2	2	
.	.	.	.	.	.	.	.	.	.	.	B.21
4	.	.	.	.	.	.	.	1	3	.	
34	.	.	.	.	.	.	2	7	14	11	B.22
41	.	.	.	.	.	.	1	7	18	15	
1	.	.	.	.	1	.	.	.	.	.	B.23
1	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.24
2	.	.	.	1	.	.	1	.	.	.	
2	.	.	.	.	.	.	1	1	.	.	B.25
3	.	.	1	.	.	1	.	1	.	.	
50	.	.	.	.	.	1	7	16	54	72	B.26
22	.	.	1	.	.	3	7	9	36	66	
16	.	.	.	.	.	1	.	1	5	9	B.27
14	.	.	.	.	.	.	.	2	4	8	
5	.	.	.	.	.	.	.	3	1	1	B.28
5	.	.	.	.	.	.	.	.	3	2	
10	.	.	.	.	.	.	1	1	4	4	B.29
5	.	.	.	.	.	.	.	.	3	2	
6	.	.	.	.	.	.	.	.	2	4	B.46a
1	.	.	.	.	.	.	.	.	.	1	
29	.	.	1	1	.	.	1	2	9	15	B.30
23	.	.	.	1	.	1	.	3	8	10	
14	4	.	.	.	.	1	1	.	3	5	B.31
7	.	2	.	.	.	.	1	1	1	2	
19	1	.	.	.	.	.	.	1	5	12	B.32
13	.	.	.	.	.	1	1	1	2	8	
1	.	.	.	.	.	.	.	.	1	.	B.46b
2	.	.	.	.	.	.	.	.	.	2	
1	.	.	.	.	.	.	1	.	.	.	B.36a
.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	1	1	1	.	.	1	B.33
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.35
1	.	.	.	.	.	.	.	.	1	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COU

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE				Uncert d Deat
				General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	5	1	·	1	·	·
		F.		1	·	1	1	·
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	1	·	·	1	·	·
		F.		·	·	·	·	·
B.37	Cirrhosis of liver	M.	1	·	·	1	·	·
		F.		·	·	·	·	·
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	·	·	·	·	·
		F.		·	·	1	1	·
B.46d	Other digestive diseases	M.	1	·	·	1	·	·
		F.		·	·	·	·	·
B.38	Nephritis and nephrosis	M.	14	·	·	3	4	·
		F.		·	·	5	2	·
B.39	Hyperplasia of prostate	M.	12	·	·	11	1	·
B.40a	Complications of pregnancy and child-birth	F.	3	·	·	3	·	·
B.41	Congenital malformations	M.	10	·	·	3	2	·
		F.		·	·	1	4	·
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	·	·	·	2	·
		F.		·	·	1	·	·
B.43a	Diarrhoea of newborn	M.	1	1	·	·	·	·
		F.		·	·	·	·	·
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	17	1	·	9	3	·
		F.		1	·	1	2	·
B.45a	Senility without mention of psychosis	M.	265	1	1	2	130	2
		F.		·	2	4	125	0
B.45b	Ill-defined and unknown causes ...	M.	28	·	1	1	8	7
		F.		1	·	1	16	3
B.46c	All other diseases	M.	71	1	6	10	25	4
		F.		·	4	9	16	3
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	3	·	·	1	1	·
		F.		·	·	1	·	·
BE.48	All other accidents	M.	21	·	2	1	5	·
		F.		·	·	8	5	·
BE.49	Suicide and self-inflicted injury ...	M.	1	·	·	·	1	·
		F.		·	·	·	·	·

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

)SCOMMON.

	Age at Death										
All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
2	1	1	.	.	.	.	.	.	.	.	B.36b
3	3	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.36c
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.37
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.46c
2	1	.	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	.	.	.	.	1	B.46d
.	.	.	.	.	.	.	.	.	.	.	
7	.	.	.	.	.	.	.	.	4	3	B.38
7	.	.	.	1	.	1	1	.	2	2	
12	.	.	.	.	.	.	.	2	3	7	B.39
3	.	.	.	.	.	3	.	.	.	.	B.40a
5	4	.	.	.	.	.	.	.	.	1	B.41
5	4	.	.	1	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	.	.	
13	13	.	.	.	.	.	.	.	.	.	B.44
4	4	.	.	.	.	.	.	.	.	.	
134	.	.	.	.	.	.	.	1	10	123	B.45a
131	.	.	.	.	.	.	.	1	15	115	
10	.	.	.	.	.	1	.	1	4	4	B.45b
18	.	.	.	.	.	1	1	3	3	10	
42	2	1	1	.	1	.	3	7	13	14	B.46e
29	1	1	.	2	.	1	3	8	5	8	
2	.	.	.	.	.	.	.	1	1	.	BE.47
1	.	.	.	.	.	.	.	1	.	.	
8	.	.	.	.	2	.	1	.	1	4	BE.48
13	.	1	.	.	.	1	.	.	3	8	
1	.	.	.	.	.	.	1	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Death
	ALL CAUSES	M.	1,011	16	16	124	362	11
		F.		13	17	93	370	11
B.1	Tuberculosis of respiratory system ...	M.	30	6	.	3	4	.
		F.		6	3	1	7	.
B.2	Tuberculosis, other forms	M.	9	1	.	1	.	.
		F.		2	.	5	.	.
B.8	Diphtheria	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.12	Acute poliomyelitis	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.14	Measles	M.	2	.	.	.	.	.
		F.		.	.	1	1	.
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.18a	Malignant neoplasms	M.	103	2	2	19	32	.
		F.		1	2	11	34	.
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	2	.	.	.	.	.
		F.		.	.	2	.	.
B.20	Diabetes mellitus	M.	8	.	2	2	1	.
		F.		.	.	.	3	
B.21	Anaemias	M.	8	.	.	3	2	.
		F.		.	.	2	1	.
B.22	Vascular lesions affecting central nervous system	M.	58	.	.	6	21	
		F.		.	2	4	25	
B.23	Nonmeningococcal meningitis ...	M.	4	.	.	2	2	.
		F.		.	.	.	.	.
B.24	Rheumatic fever	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	3	.	.	.	.	.
		F.		.	1	.	2	.
B.26	Arteriosclerotic and degenerative heart disease	M.	177	1	5	9	74	
		F.		1	3	7	77	
B.27	Other diseases of the heart ...	M.	23	1	.	6	6	
		F.		.	.	6	4	
B.28	Hypertension with heart disease ...	M.	15	.	3	5	2	
		F.		.	1	.	4	
B.29	Hypertension without mention of heart	M.	8	.	.	2	1	
		F.		.	.	1	4	
B.46a	Other circulatory diseases ...	M.	17	.	.	.	6	
		F.		.	.	4	7	
B.30	Influenza	M.	89	.	2	4	40	
		F.		.	1	2	40	
B.31	Pneumonia	M.	19	.	.	3	6	
		F.		.	.	2	8	
B.32	Bronchitis	M.	24	.	.	1	11	
		F.		.	1	.	11	
B.46b	Other respiratory diseases	M.	9	2	.	2	3	
		F.		.	.	.	2	
B.36a	Gastritis and duodenitis	M.	2	.	.	.	1	
		F.		.	.	.	1	
B.33	Ulcer of stomach and duodenum ...	M.	1	.	.	.	1	
		F.		.	.	.	.	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

GO.

All ges	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
					Age at Death						
518	29	4	5	3	10	11	33	54	136	233	
193	19	7	1	8	7	11	24	53	137	226	
13	.	.	.	.	3	3	4	3	.	.	B.1
17	.	.	.	3	3	3	1	2	5	.	
2	.	.	.	.	1	.	1	.	.	.	B.2
7	.	2	.	3	1	.	.	1	.	.	
1	.	.	1	.	.	.	.	.	.	.	B.8
1	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.12
1	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.14
2	.	2	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.17d
1	.	.	.	.	.	.	.	.	1	.	
55	.	.	.	.	1	1	4	13	23	13	B.18a
48	.	.	.	.	.	1	5	16	17	9	
.	.	.	.	.	.	.	.	.	.	.	B.18b
2	.	.	.	.	.	.	1	.	1	.	
5	.	.	.	.	1	.	1	1	1	1	B.20
3	.	.	.	.	.	.	.	2	1	.	
5	.	.	.	.	.	1	.	1	2	1	B.21
3	.	.	.	.	.	2	.	.	1	.	
27	.	1	.	.	.	.	1	4	8	13	B.22
31	.	.	.	.	.	.	3	7	14	7	
4	1	.	.	2	.	.	1	.	.	.	B.23
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.24
.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	B.25
3	.	.	.	.	1	.	1	.	1	.	
89	.	.	.	.	.	1	4	11	29	44	B.26
88	.	.	1	.	.	1	4	7	30	45	
13	.	.	1	.	.	.	.	.	9	3	B.27
10	.	.	.	.	.	.	1	3	4	2	
10	.	.	.	.	.	.	.	4	6	.	B.28
5	.	.	.	.	.	.	.	.	2	3	
3	.	.	.	.	.	.	.	.	2	1	B.29
5	.	.	.	.	.	.	.	1	3	1	
6	.	.	.	.	.	.	.	.	2	4	B.46a
11	.	.	.	.	1	.	.	.	5	5	
46	1	.	.	.	1	.	1	1	14	28	B.30
43	1	.	.	.	.	.	1	5	12	24	
9	2	2	.	.	.	.	.	2	2	1	B.31
10	1	1	.	.	.	.	.	.	4	4	
12	1	.	.	.	.	.	2	1	4	4	B.32
12	.	.	.	.	.	.	.	2	5	5	
7	.	.	.	.	.	1	1	1	1	3	B.46b
2	1	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	.	1	.	.	B.36a
1	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	1	.	.	.	B.33
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Deat
B.34	Appendicitis	M.	4	.	.	1	.	.
		F.		.	.	1	2	.
B.35	Intestinal obstruction and hernia ...	M.	4	.	.	1	.	.
		F.		.	.	2	1	.
B.36d	Chronic enteritis and ulcerative colitis	M.	2	1	.	.	1	.
		F.		.	.	.	.	.
B.37	Cirrhosis of liver	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	20	.	.	4	6	
		F.		.	.	3	7	.
B.39	Hyperplasia of prostate	M.	6	.	.	3	3	.
B.40c	Other complications of the puerperium	F.	1	.	.	1	.	.
B.41	Congenital malformations	M.	8	1	.	.	1	.
		F.		1	.	3	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	5	.	.	4	1	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	19	.	.	6	6	
		F.		1	.	3	3	.
B.45a	Senility without mention of psychosis	M.	206	.	.	21	83	7
		F.		1	2	12	87	7
B.45b	Ill-defined and unknown causes ...	M.	35	.	1	1	15	
		F.		.	.	3	15	1
B.46e	All other diseases	M.	58	1	1	9	18	
		F.		.	1	11	17	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	4	.	.	2	2	.
		F.		.	.	.	.	.
BE.48	All other accidents	M.	16	.	.	3	6	.
		F.		.	.	4	3	.
BE.49	Suicide and self-inflicted injury ...	M.	2	.	.	.	2	.
		F.		.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

IGO.

All ages	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	1	.	.	.	.	.	.	.	.	B.34
3	1	.	.	.	.	.	1	.	1	.	
1	.	.	.	.	.	.	.	.	.	1	B.35
3	.	.	.	.	.	.	.	1	1	1	
2	.	.	.	.	.	.	.	1	.	1	B.36d
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.37
1	.	.	.	.	.	.	.	.	1	.	
2	.	.	.	.	.	.	1	.	.	1	B.46d
	.	.	.	.	.	.	.	.	.	.	
10	.	.	.	.	.	.	1	1	7	1	B.38
10	.	.	.	.	.	2	1	2	3	2	
6	.	.	.	.	.	.	.	.	1	5	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40c
2	2	.	.	.	.	.	.	.	.	.	B.41
6	5	.	.	.	.	1	.	.	.	.	
5	5	.	.	.	.	.	.	.	.	.	B.42
.	.	.	.	.	.	.	.	.	.	.	
12	12	.	.	.	.	.	.	.	.	.	B.44
7	7	.	.	.	.	.	.	.	.	.	
94	.	.	.	.	.	.	.	.	5	99	B.45a
92	.	.	.	.	.	.	.	.	9	93	
17	3	.	.	.	.	.	2	2	6	4	B.45b
18	2	1	.	1	.	.	1	1	7	5	
29	2	.	.	.	1	1	4	4	13	4	B.46e
29	.	.	.	1	.	.	4	1	7	16	
4	.	.	1	.	.	1	2	.	.	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
9	.	.	2	.	2	1	2	.	1	1	BE.48
7	1	.	.	.	.	.	.	2	.	4	
2	.	.	.	1	.	1	.	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	.	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN
ULSTE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Death
	ALL CAUSES	**M.**	**4,108**	**85**	**56**	**454**	**1,601**	**39**
		F.		**55**	**47**	**307**	**1,503**	**37**
B.1	Tuberculosis of respiratory system ...	M.	133	19	8	13	20	.
		F.		28	8	12	25	.
B.2	Tuberculosis, other forms	M.	34	5	1	10	7	.
		F.		2	1	5	3	.
B.3	Syphilis and its sequelae	M.	1	.	1	.	.	.
		F.		.	.	.	.	.
B.7a	Scarlet fever	M.	5	.	.	.	1	.
		F.		.	.	1	3	.
B.7b	Streptococcal sore throat	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.8	Diphtheria	M.	2	.	.	1	1	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	28	.	.	.	11	.
		F.		.	.	3	14	.
B.12	Acute poliomyelitis	M.	3	.	.	1	1	.
		F.		.	.	1	.	.
B.17c	Late effects of acute infectious encephalitis	M.	2	.	1	.	1	.
		F.		.	.	.	.	.
B.14	Measles	M.	3	1	.	1	.	.
		F.		.	.	1	.	.
B.17d	All other diseases classified as infective and parasitic	M.	8	.	.	3	1	.
		F.		.	.	2	2	.
B.18a	Malignant neoplasms	M.	348	22	3	37	117	.
		F.		7	4	24	134	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	15	3	.	2	6	.
		F.		.	.	1	3	.
B.19	Benign and unspecified neoplasms ...	M.	17	2	.	1	1	.
		F.		.	.	5	8	.
B.20	Diabetes mellitus	M.	26	.	.	5	9	.
		F.		.	.	6	6	.
B.21	Anaemias	M.	27	1	.	6	5	.
		F.		.	2	8	5	.
B.22	Vascular lesions affecting central nervous system	M.	292	3	2	20	111	.
		F.		2	2	20	132	.
B.23	Nonmeningococcal meningitis ...	M.	6	.	.	3	1	.
		F.		1	.	1	.	.
B.24	Rheumatic fever	M.	10	.	.	1	3	.
		F.		.	.	.	6	.
B.25	Chronic rheumatic heart disease ...	M.	28	1	1	6	9	.
		F.		.	1	1	9	.
B.26	Arteriosclerotic and degenerative heart disease	M.	841	5	32	62	390	.
		F.		2	20	56	274	.
B.27	Other diseases of the heart ...	M.	143	.	.	11	63	.
		F.		.	.	5	64	.
B.28	Hypertension with heart disease ...	M.	41	.	.	4	22	.
		F.		.	1	1	13	.
B.29	Hypertension without mention of heart	M.	55	1	.	2	22	.
		F.		.	.	2	28	.
B.46a	Other circulatory diseases ...	M.	79	1	1	23	24	.
		F.		1	3	10	16	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

rt of).

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
96	**132**	**28**	**21**	**33**	**40**	**63**	**132**	**207**	**583**	**957**	
12	**90**	**31**	**15**	**29**	**47**	**67**	**97**	**208**	**500**	**828**	
60	1	.	.	7	11	10	14	11	5	1	B.1
73	.	.	1	9	26	7	12	9	8	1	
23	1	.	3	5	3	2	4	3	2	.	B.2
11	2	1	.	4	1	.	2	1	.	.	
1	.	.	.	.	.	.	.	1	.	.	B.3
	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	.	.	.	.	.	.	B.7a
4	.	.	4	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.7b
2	.	.	.	.	1	.	1	.	.	.	B.8
	.	.	.	.	.	.	.	.	.	.	
1	9	2	.	.	.	.	.	.	.	.	B.9
7	8	9	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	B.12
1	.	1	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	1	1	.	.	.	B.17c
	.	.	.	.	.	.	.	.	.	.	
2	.	1	1	.	.	.	.	.	.	.	B.14
1	.	1	.	.	.	.	.	.	.	.	
4	.	1	.	.	.	.	1	.	2	.	B.17d
4	.	.	.	.	.	.	1	.	3	.	
9	.	.	.	1	1	6	21	30	69	51	B.18a
9	.	.	.	2	.	8	16	41	62	40	
1	.	1	1	1	1	.	1	4	2	.	B.18b
4	.	1	.	.	.	.	.	1	1	1	
4	.	.	1	.	1	.	.	1	1	.	B.19
3	.	.	.	2	1	2	1	4	2	1	
4	.	.	.	1	.	.	2	.	3	8	B.20
2	.	.	.	.	1	.	1	2	6	2	
2	.	.	1	.	.	1	1	3	4	2	B.21
5	.	.	.	.	.	1	4	2	5	3	
6	.	.	.	.	.	2	4	18	58	54	B.22
6	.	.	.	1	1	3	8	24	57	62	
4	1	1	1	.	.	1	.	.	.	.	B.23
2	.	1	.	.	1	.	.	.	.	.	
4	.	.	.	.	1	1	.	.	2	.	B.24
6	.	.	2	.	1	2	.	.	1	.	
7	.	.	.	.	.	.	3	3	9	2	B.25
1	.	.	.	1	.	.	1	3	5	1	
9	.	.	.	.	1	12	28	62	162	224	B.26
2	.	.	2	2	2	9	16	49	108	164	
4	.	.	.	.	.	.	3	3	36	32	B.27
9	.	1	.	.	.	3	2	9	20	34	
3	.	.	.	.	.	.	1	1	11	13	B.28
5	.	.	.	.	.	.	.	1	5	9	
5	.	.	.	.	.	.	3	1	10	11	B.29
9	.	.	.	.	.	3	2	2	14	9	
9	.	.	.	.	.	.	.	4	24	21	B.46a
	.	.	.	.	.	1	4	2	12	11	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
ULSTE

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Deaths
B.30	Influenza	M.	291	1	1	15	112	11
		F.		.	1	10	151	29
B.31	Pneumonia	M.	121	1	1	12	50	4
		F.		.	.	12	45	3
B.32	Bronchitis	M.	98	.	1	5	37	2
		F.		.	1	.	54	9
B.46b	Other respiratory diseases	M.	29	.	.	8	10	.
		F.		.	.	2	9	.
B.36a	Gastritis and duodenitis	M.	8	.	.	1	1	.
		F.		.	.	.	6	.
B.33	Ulcer of stomach and duodenum ...	M.	33	3	.	18	4	.
		F.		.	.	1	7	
B.34	Appendicitis	M.	7	1	.	2	.	.
		F.		.	.	4	.	.
B.35	Intestinal obstruction and hernia ...	M.	18	2	.	6	2	.
		F.		1	.	5	2	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	7	.	.	1	3	.
		F.		.	.	.	3	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over ...	M.	6	.	.	.	2	.
		F.		.	.	.	4	.
B.37	Cirrhosis of liver	M.	4	.	.	.	1	.
		F.		.	.	1	2	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	5	.	.	2	1	.
		F.		.	.	1	1	.
B.46d	Other digestive diseases	M.	14	2	.	5	3	.
		F.		.	.	1	3	.
B.38	Nephritis and nephrosis	M.	54	1	.	6	26	
		F.		1	.	3	17	
B.39	Hyperplasia of prostate	M.	38	1	.	23	14	
B.40a	Complications of pregnancy and childbirth	F.	9	1	.	3	5	.
B.40c	Other complications of the puerperium	F.	2	.	.	.	2	.
B.41	Congenital malformations	M.	29	.	.	3	12	
		F.		1	.	1	12	
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	17	.	.	9	3	
		F.		.	.	4	1	.
B.43b	Pneumonia of newborn	M.	5	.	.	2	2	
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	81	2	.	20	24	
		F.		1	.	19	15	
B.45a	Senility without mention of psychosis	M.	598	.	.	53	253	1
		F.		.	.	26	266	1
B.45b	Ill-defined and unknown causes ...	M.	179	.	.	11	97	
		F.		.	.	2	69	
B.46e	All other diseases	M.	219	5	3	26	84	
		F.		4	2	32	63	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	10	.	.	2	5	
		F.		.	.	1	2	
BE.48	All other accidents	M.	68	2	.	12	23	
		F.		3	1	14	13	
BE.49	Suicide and self-inflicted injury ...	M.	9	.	.	.	5	
		F.		.	.	.	4	
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	
		F.		.	.	.	.	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified County Borough.

rt of).

	Age at Death										
l es	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
29	10	1	1	1	.	1	7	13	33	62	B.30
32	7	.	.	3	1	4	4	17	50	76	
34	18	3	3	.	1	2	4	2	10	21	B.31
37	7	6	2	1	1	.	3	4	17	16	
33	1	1	.	1	.	1	2	4	14	19	B.32
35	1	.	.	.	.	.	.	6	18	30	
8	2	1	.	.	.	1	3	1	4	6	B.46b
1	.	1	.	.	.	1	2	.	2	5	
2	.	.	.	.	.	.	.	.	.	2	B.36a
6	.	.	.	.	.	.	.	1	.	5	
5	.	.	.	1	.	4	3	5	5	7	B.33
8	.	.	.	.	.	1	1	.	4	2	
3	.	1	.	.	1	.	1	.	.	.	B.34
4	.	.	.	1	.	.	1	1	1	.	
0	1	1	1	.	.	.	1	1	4	1	B.35
8	2	.	.	.	.	.	.	.	3	3	
4	4	.	.	.	.	.	.	.	.	.	B.36b
3	3	.	.	.	.	.	.	.	.	.	
2	.	.	1	.	.	.	.	1	.	.	B.36c
4	.	1	.	.	.	1	.	.	1	1	
1	.	.	.	.	.	.	.	1	.	.	B.37
3	.	.	.	.	.	.	1	.	1	1	
3	.	.	.	.	1	1	.	1	.	.	B.46c
2	.	.	.	.	.	.	.	1	.	1	
0	.	.	.	1	.	.	2	3	3	1	B.46d
4	1	.	.	1	.	.	.	1	.	1	
3	1	.	.	2	2	3	3	4	8	10	B.38
1	.	.	.	.	1	2	2	4	8	4	
3	.	.	.	.	.	.	.	3	10	25	B.39
9	.	.	.	.	2	7	.	.	.	.	B.40a
2	.	.	.	.	2	.	.	.	.	.	B.40c
5	12	1	1	.	.	.	.	.	.	1	B.41
4	10	1	3	.	.	.	.	.	.	.	
2	12	.	.	.	.	.	.	.	.	.	B.42
5	5	.	.	.	.	.	.	.	.	.	
4	4	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
3	46	.	.	.	.	.	.	.	.	.	B.44
5	35	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	.	19	287	B.45a
2	.	.	.	.	.	.	.	.	30	262	
3	5	2	3	1	1	1	.	11	30	54	B.45b
.	3	2	.	.	1	1	3	6	16	39	
3	3	4	1	6	7	8	17	9	30	33	B.46c
.	2	3	.	2	3	8	9	13	32	29	
	.	3	.	.	2	1	1	.	.	.	BE.47
	.	1	1	.	.	1	.	.	.	.	
	1	3	2	3	4	3	.	3	9	9	BE.48
	2	1	.	.	1	2	.	3	7	15	
	.	.	.	.	1	1	.	.	3	.	BE.49
	.	.	.	.	1	.	1	1	1	.	
	.	.	.	.	.	.	.	.	1	.	BE.50
	.	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncert Deat
	ALL CAUSES	M.	1,208	37	18	167	434	
		F.		26	16	103	407	
B.1	Tuberculosis of respiratory system ...	M.	47	10	3	4	5	
		F.		14	3	3	5	
B.2	Tuberculosis, other forms	M.	6	1	.	3	.	
		F.		2	.	.	.	
B.3	Syphilis and its sequelae	M.	1	.	1	.	.	
		F.		.	.	.	.	
B.7b	Streptococcal sore throat	M.	1	.	.	.	.	
		F.		.	.	.	1	
B.8	Diphtheria	M.	1	.	.	.	1	
		F.		.	.	.	.	
B.9	Whooping cough	M.	9	.	.	.	5	
		F.		.	.	.	4	
B.17c	Late effects of acute infectious encephalitis	M.	1	.	1	.	.	
		F.		.	.	.	.	
B.14	Measles	M.	3	1	.	1	.	
		F.		.	.	1	.	
B.17d	All other diseases classified as infective and parasitic	M.	2	.	.	2	.	
		F.		.	.	.	.	
B.18a	Malignant neoplasms	M.	114	11	.	17	38	
		F.		3	2	10	33	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	4	2	.	.	.	
		F.		.	.	.	2	
B.19	Benign and unspecified neoplasms ...	M.	7	1	.	.	.	
		F.		.	.	2	4	
B.20	Diabetes mellitus	M.	8	.	.	1	1	
		F.		.	.	5	1	
B.21	Anaemias	M.	11	1	.	2	4	
		F.		.	.	2	2	
B.22	Vascular lesions affecting central nervous system	M.	69	1	1	8	18	
		F.		1	2	3	35	
B.23	Nonmeningococcal meningitis ...	M.	3	.	.	2	.	
		F.		1	.	.	.	
B.24	Rheumatic fever	M.	3	.	.	.	1	
		F.		.	.	.	2	
B.25	Chronic rheumatic heart disease ...	M.	6	.	.	1	3	
		F.		.	.	.	2	
B.26	Arteriosclerotic and degenerative heart disease	M.	264	2	11	32	99	
		F.		.	7	31	82	
B.27	Other diseases of the heart ...	M.	27	.	.	7	5	
		F.		.	.	.	15	
B.28	Hypertension with heart disease ...	M.	21	.	.	.	12	
		F.		.	.	.	9	
B.29	Hypertension without mention of heart	M.	22	.	.	1	8	
		F.		.	.	1	12	
B.46a	Other circulatory diseases ...	M.	16	.	.	1	5	
		F.		1	1	2	6	
B.30	Influenza	M.	85	.	.	2	39	
		F.		.	.	1	43	
B.31	Pneumonia	M.	30	.	.	4	15	
		F.		.	.	1	10	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified County Borough.

7AN.

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
56 52	37 12	8 8	4 1	11 12	12 19	26 16	38 24	70 64	184 166	266 230	
22 25	1 .	. .	. .	3 3	4 12	4 3	3 3	3 2	4 2	. .	B.1
4 2	. .	. 1	. .	. 1	. .	1 .	2 .	1 .	. .	. .	B.2
1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	B.3
1	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.7b
1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	B.8
5 4	4 4	1 .	. .	. .	. .	. .	. .	. .	. .	. .	B.9
1	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	B.17c
2 1	. .	1 1	1 .	. .	. .	. .	. .	. .	. .	. .	B.14
2	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	B.17d
16 18	. .	. .	. .	1 2	. .	3 3	8 3	15 12	22 19	17 9	B.18a
2 2	. .	. 1	. .	1 .	. .	. .	. .	1 1	. .	. .	B.18b
1 6	. .	. .	. .	. .	. 1	. 1	. 1	1 2	. 1	. .	B.19
2 6	. .	. .	. .	. .	. 1	. .	. .	. 1	1 4	1 .	B.20
7 4	. .	. .	. .	. .	. .	1 .	. 1	2 .	2 2	2 1	B.21
8 1	. .	. .	. .	. .	. .	1 .	2 2	2 5	15 19	8 15	B.22
2 1	1 .	. .	. .	. .	. 1	1 .	. .	. .	. .	. .	B.23
1 2	. .	. .	. .	. .	. .	. 1	. .	. .	1 1	. .	B.24
4 2	. .	. .	. .	. .	. .	. .	. .	1 1	3 1	. .	B.25
4 0	. .	. .	. 1	. 2	. 1	4 3	4 5	20 13	50 44	66 51	B.26
2 5	. .	. .	. .	. .	. .	. .	1 2	1 1	8 8	2 4	B.27
2 9	. .	. .	. .	. .	. .	. .	. .	1 .	6 3	5 6	B.28
9 3	. .	. .	. .	. .	. .	. .	1 .	. .	3 8	5 5	B.29
6 0	. .	. .	. .	. .	. .	. 1	. .	. 1	4 3	2 5	B.46a
1 4	1 .	1 .	. .	. .	. .	. .	3 .	5 9	10 14	21 21	B.30
9 1	3 1	. 1	3 .	. .	. .	1 .	2 1	. 2	1 4	9 2	B.31

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN DEATHS FOR EACH COUNT

CC

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.32	Bronchitis	M.	37	.	1	3	10	1
		F.		.	.	.	23	5
B.46b	Other respiratory diseases	M.	9	.	.	3	5	.
		F.		.	.	1	.	.
B.36a	Gastritis and duodenitis	M.	1	.	.	.	.	.
		F.		.	.	.	1	.
B.33	Ulcer of stomach and duodenum ...	M.	9	1	.	1	1	.
		F.		.	.	1	5	1
B.34	Appendicitis	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.35	Intestinal obstruction and hernia ...	M.	8	1	.	2	1	.
		F.		.	.	3	1	.
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over	M.	2	.	.	.	.	.
		F.		.	.	.	2	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
B.46d	Other digestive diseases	M.	4	.	.	1	1	.
		F.		.	.	1	1	.
B.38	Nephritis and nephrosis	M.	17	.	.	1	10	3
		F.		1	.	1	4	.
B.39	Hyperplasia of prostate	M.	14	.	.	10	4	.
B.40a	Complications of pregnancy and child-birth	F.	2	.	.	1	1	.
B.41	Congenital malformations	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	3	.	.	3	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	24	2	.	10	9	3
		F.		.	.	2	1	1
B.45a	Senility without mention of psychosis	M.	169	.	.	17	66	48
		F.		.	.	11	75	48
B.45b	Ill-defined and unknown causes ...	M.	40	.	.	6	23	17
		F.		.	.	1	10	9
B.46e	All other diseases	M.	74	2	.	14	29	5
		F.		3	1	15	10	3
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	6	.	.	2	3	.
		F.		.	.	1	.	.
BE.48	All other accidents	M.	16	1	.	4	8	.
		F.		.	.	1	2	.
BE.49	Suicide and self-inflicted injury ...	M.	6	.	.	.	4	.
		F.		.	.	.	2	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified County Borough.

AN.

	Age at Death										
s	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
4	.	.	.	.	.	.	1	.	6	7	B.32
3	.	.	.	.	.	.	.	4	4	15	
8	1	.	.	.	.	1	1	.	2	3	B.46b
1	.	.	.	.	.	.	.	.	.	1	
	.	.	.	.	.	.	.	.	.	.	B.36a
1	.	.	.	.	.	.	.	1	.	.	
3	.	.	.	.	.	.	.	1	1	1	B.33
6	.	.	.	.	.	1	1	.	3	1	
1	.	.	.	.	.	.	1	.	.	.	B.34
1	.	.	.	1	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	1	2	1	B.35
4	1	.	.	.	.	.	.	.	1	2	
	.	.	.	.	.	.	.	.	.	.	B.36c
2	.	1	.	.	.	.	.	.	.	1	
1	.	.	.	.	.	1	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	.	.	1	
2	.	.	.	.	.	.	.	1	1	.	B.46d
2	.	.	.	1	.	.	.	1	.	.	
1	.	.	.	1	1	.	.	1	2	6	B.38
6	.	.	.	.	1	.	.	1	1	3	
4	.	.	.	.	.	.	.	.	4	10	B.39
2	.	.	.	.	2	.	.	.	.	.	B.40a
1	1	.	.	.	.	.	.	.	.	.	B.41
1	1	.	.	.	.	.	.	.	.	.	
3	3	.	.	.	.	.	.	.	.	.	B.42
	.	.	.	.	.	.	.	.	.	.	
1	21	.	.	.	.	.	.	.	.	.	B.44
3	3	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	.	.	.	.	4	79	B.45a
6	.	.	.	.	.	.	.	.	8	78	
9	.	2	.	.	1	1	.	6	13	6	B.45b
1	.	1	.	.	.	1	1	2	2	4	
5	1	.	.	4	3	3	6	5	11	12	B.46e
9	1	2	.	2	.	1	3	4	14	2	
5	.	2	.	.	1	1	1	.	.	.	BE.47
1	.	.	.	.	.	1	.	.	.	.	
3	.	1	.	1	1	1	.	1	5	3	BE.48
3	.	.	.	.	.	.	.	.	.	3	
4	.	.	.	.	1	1	.	.	2	.	BE.49
2	.	.	.	.	.	.	1	1	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncerti Death
	ALL CAUSES	**M.**	**2,035**	**25**	**26**	**179**	**863**	**26**
		F.		**15**	**21**	**127**	**779**	**23**
B.1	Tuberculosis of respiratory system ...	M.	64	7	4	8	11	.
		F.		7	2	8	17	
B.2	Tuberculosis, other forms	M.	16	1	1	3	4	.
		F.		.	.	5	2	.
B.7a	Scarlet fever	M.	5	.	.	.	1	.
		F.		.	.	1	3	.
B.8	Diphtheria	M.	1	.	.	1	.	.
		F.		.	.	.	.	.
B.9	Whooping cough	M.	9	.	.	.	3	.
		F.		.	.	2	4	.
B.12	Acute poliomyelitis	M.	3	.	.	1	1	
		F.		.	.	1	.	.
B.17c	Late effects of acute infectious encephalitis	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic	M.	5	.	.	1	1	.
		F.		.	.	1	2	
B.18a	Malignant neoplasms	M.	161	5	3	11	63	
		F.		2	2	10	65	
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	5	1	.	1	3	.
		F.		.	.		.	.
B.19	Benign and unspecified neoplasms ...	M.	6	.	.	1	1	.
		F.		.	.	2	2	.
B.20	Diabetes mellitus	M.	14	.	.	4	6	.
		F.		.	.	1	3	.
B.21	Anaemias	M.	12	.	.	3	1	.
		F.		.	2	4	2	.
B.22	Vascular lesions affecting central nervous system	M.	147	.	1	5	71	
		F.		.	.	8	62	
B.23	Nonmeningococcal meningitis ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.24	Rheumatic fever	M.	1	.	.	.	.	
		F.		.	.	.	1	
B.25	Chronic rheumatic heart disease ...	M.	14	1	1	3	5	
		F.		.	.	.	4	
B.26	Arteriosclerotic and degenerative heart disease	M.	389	2	13	17	204	
		F.		1	10	17	125	
B.27	Other diseases of the heart ...	M.	84	.	.	4	41	
		F.		.	.	4	35	
B.28	Hypertension with heart disease ...	M.	15	.	.	2	7	
		F.		.	1	1	4	
B.29	Hypertension without mention of heart	M.	15	.	.	1	4	
		F.		.	.	1	9	
B.46a	Other circulatory diseases	M.	53	1	1	19	16	
		F.		.	1	6	9	
B.30	Influenza	M.	131	1	.	2	52	
		F.		.	1	1	74	
B.31	Pneumonia	M.	67	.	1	5	24	
		F.		.	.	6	31	
B.32	Bronchitis	M.	33	.	.	.	17	
		F.		.	.	.	16	

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

NEGAL.

ll tes	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
93	**61**	**15**	**11**	**17**	**18**	**22**	**59**	**92**	**273**	**525**	
42	**52**	**18**	**11**	**11**	**23**	**36**	**49**	**88**	**231**	**423**	
30	.	.	.	4	6	5	9	5	1	.	B.1
34	.	.	1	3	11	3	7	5	4	.	
9	1	.	2	4	1	.	.	1	.	.	B.2
7	2	.	.	3	1	.	.	1	.	.	
1	.	1	.	.	.	.	.	.	.	.	B.7a
4	.	.	4	.	.	.	.	.	.	.	
1	.	.	.	.	1	.	.	.	.	.	B.8
	.	.	.	.	.	.	.	.	.	.	
3	2	1	.	.	.	.	.	.	.	.	B.9
6	1	5	.	.	.	.	.	.	.	.	
2	.	.	.	2	.	.	.	.	.	.	B.12
1	.	1	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	1	.	.	.	B.17c
	.	.	.	.	.	.	.	.	.	.	
2	.	1	.	.	.	.	.	.	1	.	B.17d
3	.	.	.	.	.	.	.	.	3	.	
82	.	.	.	.	1	2	8	11	33	27	B.18a
79	.	.	.	.	.	5	9	18	27	20	
5	.	.	1	.	.	.	1	1	2	.	B.18b
	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	1	.	.	.	1	.	B.19
4	.	.	.	2	.	.	.	2	.	.	
10	.	.	.	1	.	.	2	.	2	5	B.20
4	.	.	.	.	.	.	.	1	2	1	
4	.	.	1	.	.	.	1	1	1	.	B.21
8	.	.	.	.	.	1	2	2	2	1	
77	.	.	.	.	.	.	1	12	28	36	B.22
70	.	.	.	.	1	2	1	10	26	30	
1	.	1	.	.	.	.	.	.	.	.	B.23
1	.	1	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.24
1	.	.	1	.	.	.	.	.	.	.	
10	.	.	.	.	.	.	3	1	4	2	B.25
4	.	.	.	.	.	.	1	1	1	1	
36	.	.	.	.	.	6	14	27	74	115	B.26
53	.	.	1	.	.	6	9	21	37	79	
45	.	.	.	.	.	.	1	1	19	24	B.27
39	.	1	.	.	.	2	.	6	9	21	
9	.	.	.	.	.	.	.	.	3	6	B.28
6	.	.	.	.	.	.	.	1	2	3	
5	.	.	.	.	.	.	.	.	4	1	B.29
10	.	.	.	.	.	3	1	1	5	.	
37	.	.	.	.	.	.	.	3	18	16	B.46a
16	.	.	.	.	.	.	3	1	8	4	
55	5	.	1	1	.	1	4	3	12	28	B.30
76	5	.	.	2	1	2	3	3	23	37	
30	10	2	.	.	1	.	1	1	6	9	B.31
37	5	4	2	1	1	.	2	2	9	11	
17	.	1	.	1	.	.	.	3	5	7	B.32
16	.	.	.	.	.	.	.	.	10	6	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
C

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertif Deaths
B.46b	Other respiratory diseases ...	M.	14	.	.	3	3	.
		F.		.	.	.	8	.
B.36a	Gastritis and duodenitis ...	M.	7	.	.	1	1	.
		F.		.	.	.	5	.
B.33	Ulcer of stomach and duodenum ...	M.	18	1	.	13	2	.
		F.		.	.	.	2	.
B.34	Appendicitis	M.	5	1	.	1	.	.
		F.		.	.	3	.	.
B.35	Intestinal obstruction and hernia ...	M.	8	1	.	3	1	.
		F.		1	.	1	1	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	3	.	.	.	1	.
		F.		.	.	.	2	1
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over ...	M.	4	.	.	.	2	.
		F.		.	.	.	2	1
B.37	Cirrhosis of liver	M.	4	.	.	.	1	.
		F.		.	.	1	2	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	2	.	.	2	.	.
		F.		.	.	.	.	.
B.46d	Other digestive diseases	M.	6	.	.	3	1	.
		F.		.	.	.	2	.
B.38	Nephritis and nephrosis	M.	30	1	.	4	13	1
		F.		.	.	1	11	2
B.39	Hyperplasia of prostate	M.	17	1	.	9	7	1
B.40a	Complications of pregnancy and childbirth	F.	4	1	.	1	2	.
B.40c	Other complications of the puerperium	F.	2	.	.	.	2	.
B.41	Congenital malformations	M.	20	.	.	1	11	2
		F.		.	.	.	8	1
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	10	.	.	4	3	2
		F.		.	.	2	1	.
B.43b	Pneumonia of newborn	M.	3	.	.	.	2	1
		F.		.	.	.	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	37	.	.	3	13	3
		F.		.	.	8	13	3
B.45a	Senility without mention of psychosis	M.	348	.	.	25	160	11
		F.		.	.	10	153	11
B.45b	Ill-defined and unknown causes ...	M.	99	.	.	4	56	41
		F.		.	.	1	38	23
B.46e	All other diseases	M.	96	1	1	5	36	14
		F.		1	1	7	44	13
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
BE.48	All other accidents	M.	40	.	.	5	11	.
		F.		2	1	12	9	.
BE.49	Suicide and self-inflicted injury ...	M.	3	.	.	.	1	.
		F.		.	.	.	2	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
D County Borough.

NEGAL.

All ges	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
6	1	1	.	.	.	.	1	.	1	2	B.46b
8	.	1	.	.	.	.	1	.	2	4	
2	.	.	.	.	.	.	.	.	.	2	B.36a
5	.	.	.	.	.	.	.	.	.	5	
16	.	.	.	.	.	3	3	4	2	4	B.33
2	.	.	.	.	.	.	.	.	1	1	
2	.	1	.	.	1	.	.	.	.	.	B.34
3	.	.	.	.	.	.	1	1	1	.	
5	.	1	1	.	.	.	1	.	2	.	B.35
3	1	.	.	.	.	.	.	.	1	1	
1	1	.	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	.	.	.	.	.	.	
2	.	.	1	.	.	.	.	1	.	.	B.36c
2	.	.	.	.	.	1	.	.	1	.	
1	.	.	.	.	.	.	.	1	.	.	B.37
3	.	.	.	.	.	.	1	.	1	1	
2	.	.	.	.	1	.	.	1	.	.	B.46c
.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	1	2	1	.	B.46d
2	1	.	.	.	.	.	.	.	.	1	
18	1	.	.	1	.	2	2	3	5	4	B.38
12	.	.	.	.	.	2	2	2	6	.	
17	.	.	.	.	.	.	.	2	4	11	B.39
4	.	.	.	.	.	4	.	.	.	.	B.40a
2	.	.	.	.	2	.	.	.	.	.	B.40c
12	10	1	.	.	.	.	.	.	.	1	B.41
8	5	1	2	.	.	.	.	.	.	.	
7	7	.	.	.	.	.	.	.	.	.	B.42
3	3	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	
16	16	.	.	.	.	.	.	.	.	.	B.44
21	21	.	.	.	.	.	.	.	.	.	
185	.	.	.	.	.	.	.	.	14	171	B.45a
163	.	.	.	.	.	.	.	.	19	144	
60	4	.	3	.	.	.	.	4	14	35	B.45b
39	3	1	.	.	1	.	2	2	12	18	
43	1	1	.	1	2	2	5	2	13	16	B.46e
53	1	1	.	.	3	3	4	5	13	23	
1	.	1	.	.	.	.	.	.	.	.	BE.47
1	.	1	.	.	.	.	.	.	.	.	
16	.	2	1	2	3	1	.	2	2	3	BE.48
24	1	1	.	.	1	2	.	3	5	11	
1	.	.	.	.	.	.	.	.	1	.	BE.49
2	.	.	.	.	1	.	.	.	1	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT
CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
	ALL CAUSES	M.	865	23	12	108	304	34
		F.		14	10	77	317	58
B.1	Tuberculosis of respiratory system ...	M.	22	2	1	1	4	.
		F.		7	3	1	3	.
B.2	Tuberculosis, other forms	M.	12	3	.	4	3	1
		F.		.	1	.	1	.
B.9	Whooping cough	M.	10	.	.	.	3	.
		F.		.	.	1	6	1
B.17d	All other diseases classified as infective and parasitic	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.18a	Malignant neoplasms	M.	73	6	.	9	16	.
		F.		2	.	4	36	4
B.18b	Neoplasms of lymphatic and haematopoietic tissues	M.	6	.	.	1	3	.
		F.		.	.	1	1	.
B.19	Benign and unspecified neoplasms ...	M.	4	1	.	.	.	.
		F.		.	.	1	2	.
B.20	Diabetes mellitus	M.	4	.	.	.	2	.
		F.		.	.	.	2	.
B.21	Anaemias	M.	4	.	.	1	.	.
		F.		.	.	2	1	.
B.22	Vascular lesions affecting central nervous system	M.	76	2	.	7	22	.
		F.		1	.	9	35	2
B.23	Nonmeningococcal meningitis ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.
B.24	Rheumatic fever	M.	6	.	.	1	2	.
		F.		.	.	.	3	.
B.25	Chronic rheumatic heart disease ...	M.	8	.	.	2	1	.
		F.		.	1	1	3	.
B.26	Arteriosclerotic and degenerative heart disease	M.	188	1	8	13	87	6
		F.		1	3	8	67	4
B.27	Other diseases of the heart ...	M.	32	.	.	.	17	2
		F.		.	.	1	14	6
B.28	Hypertension with heart disease ...	M.	5	.	.	2	3	.
		F.		.	.	.	.	.
B.29	Hypertension without mention of heart	M.	18	1	.	.	10	1
		F.		.	.	.	7	.
B.46a	Other circulatory diseases	M.	10	.	.	3	3	.
		F.		.	1	2	1	1
B.30	Influenza	M.	75	.	1	11	21	.
		F.		.	.	8	34	5
B.31	Pneumonia	M.	24	1	.	3	11	.
		F.		.	.	5	4	1
B.32	Bronchitis	M.	28	.	.	2	10	.
		F.		.	1	.	15	1
B.46b	Other respiratory diseases	M.	6	.	.	2	2	.
		F.		.	.	1	1	.
B.33	Ulcer of stomach and duodenum ...	M.	6	1	.	4	1	.
		F.		.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	2	.	.	1	.	.
		F.		.	.	1	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years	M.	4	.	.	1	2	.
		F.		.	.	.	1	.

B Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
A County Borough.

NAGHAN.

ll es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
47	**34**	**5**	**6**	**5**	**10**	**15**	**35**	**45**	**126**	**166**	
18	**26**	**5**	**3**	**6**	**5**	**15**	**24**	**56**	**103**	**175**	
8	.	.	.	.	1	1	2	3	.	1	B.1
14	.	.	.	3	3	1	2	2	2	1	
10	.	.	1	1	2	1	2	1	2	.	B.2
2	.	.	.	.	.	.	2	.	.	.	
3	3	.	.	.	.	.	.	.	.	.	B.9
7	3	4	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.17d
1	.	.	.	.	.	.	1	.	.	.	
31	.	.	.	.	.	1	5	4	14	7	B.18a
42	.	.	.	.	.	.	4	11	16	11	
4	.	1	.	.	1	.	.	2	.	.	B.18b
2	.	.	.	.	.	.	.	.	1	1	
1	.	.	1	.	.	.	.	.	.	.	B.19
3	.	.	.	.	.	1	.	.	1	1	
2	.	.	.	.	.	.	.	.	.	2	B.20
2	.	.	.	.	.	.	1	.	.	1	
1	.	.	.	.	.	.	.	.	1	.	B.21
3	.	.	.	.	.	.	1	.	1	1	
31	.	.	.	.	.	1	1	4	15	10	B.22
45	.	.	.	1	.	1	5	9	12	17	
1	.	.	1	.	.	.	.	.	.	.	B.23
	.	.	.	.	.	.	.	.	.	.	
3	.	.	.	.	1	1	.	.	1	.	B.24
3	.	.	1	.	1	1	.	.	.	.	
3	.	.	.	.	.	.	.	1	2	.	B.25
5	.	.	.	1	.	.	.	1	3	.	
09	.	.	.	.	1	2	10	15	38	43	B.26
79	.	.	.	.	1	.	2	15	27	34	
17	.	.	.	.	.	.	1	1	9	6	B.27
15	.	.	.	.	.	1	.	2	3	9	
5	.	.	.	.	.	.	1	.	2	2	B.28
	.	.	.	.	.	.	.	.	.	.	
11	.	.	.	.	.	.	2	1	3	5	B.29
7	.	.	.	.	.	.	1	1	1	4	
6	.	.	.	.	.	.	.	1	2	3	B.46a
4	.	.	.	.	.	.	1	.	1	2	
33	4	.	.	.	.	.	.	5	11	13	B.30
42	2	.	.	1	.	2	1	5	13	18	
15	5	1	.	.	.	1	1	1	3	3	B.31
9	1	1	.	.	.	.	.	.	4	3	
12	1	.	.	.	.	1	1	1	3	5	B.32
16	1	.	.	.	.	.	.	2	4	9	
4	.	.	.	.	.	.	1	1	1	1	B.46b
2	.	.	.	.	.	1	1	.	.	.	
6	.	.	.	1	.	1	.	.	2	2	B.33
	.	.	.	.	.	.	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.35
1	.	.	.	.	.	.	.	.	1	.	
3	3	.	.	.	.	.	.	.	.	.	B.36b
1	1	.	.	.	.	.	.	.	.	.	

TABLE 21 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
DEATHS FOR EACH COUNT

CO

Abbreviated List No.	CAUSES OF DEATH		TOTAL DEATHS	PLACE OF OCCURRENCE: General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	Uncertifi Deaths
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	1	.	.	.	.	.
		F.		.	.	1	.	.
B.46d	Other digestive diseases	M.	4	2	.	1	1	.
		F.		.	.	.	.	.
B.38	Nephritis and nephrosis	M.	7	.	.	1	3	.
		F.		.	.	1	2	1
B.39	Hyperplasia of prostate	M.	7	.	.	4	3	.
B.40a	Complications of pregnancy and child-birth	F.	3	.	.	1	2	.
B.41	Congenital malformations	M.	7	.	.	1	1	.
		F.		1	.	.	4	.
B.42	Birth injuries, postnatal asphyxia and atelectasis	M.	4	.	.	2	.	.
		F.		.	.	2	.	.
B.43b	Pneumonia of newborn	M.	2	.	.	2	.	.
		F.		.	.	.	.	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified	M.	20	.	.	7	2	.
		F.		1	.	9	1	.
B.45a	Senility without mention of psychosis	M.	81	.	.	11	27	15
		F.		.	.	5	38	20
B.45b	Ill-defined and unknown causes ...	M.	40	.	.	1	18	8
		F.		.	.	.	21	12
B.46e	All other diseases	M.	49	2	2	7	19	1
		F.		.	.	10	9	.
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	2	.	.	.	1	.
		F.		.	.	.	1	.
BE.48	All other accidents	M.	12	1	.	3	4	.
		F.		1	.	1	2	.
BE.50	Homicide and operations of war ...	M.	1	.	.	.	1	.
		F.		.	.	.	.	.

Sex and Showing (i) Age, (ii) Place of Occurrence, and (iii) the Number of Uncertified
County Borough.

NAGHAN.

l es	Age at Death: Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	Abbreviated List No.
1	.	.	.	.	.	.	.	.	.	.	B.46c
4	.	.	.	1	.	.	1	1	1	1	B.46d
4	.	.	.	.	1	1	1	.	1	.	B.38
3	.	.	.	.	.	.	.	1	1	1	
7	.	.	.	.	.	.	.	1	2	4	B.39
3	.	.	.	.	.	3	.	.	.	.	B.40a
2	1	.	1	.	.	.	.	.	.	.	B.41
5	4	.	1	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
9	9	.	.	.	.	.	.	.	.	.	B.44
1	11	.	.	.	.	.	.	.	.	.	
8	.	.	.	.	.	.	.	.	1	37	B.45a
3	.	.	.	.	.	.	.	.	3	40	
9	1	.	.	1	.	.	.	1	3	13	B.45b
1	.	.	.	.	.	.	.	2	2	17	
0	1	3	1	1	2	3	6	2	6	5	B.46c
9	.	.	.	.	.	4	2	4	5	4	
1	.	.	.	.	1	.	.	.	.	.	BE.47
1	.	.	1	.	.	.	.	.	.	.	
8	1	.	1	.	.	1	.	.	2	3	BE.48
4	1	.	.	.	.	.	.	.	2	1	
1	.	.	.	.	.	.	.	.	1	.	BE.50

TABLE 22.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED
DISTRICTS IN EACH PROVINCE, AND SHOWING THE NUMBERS OF DEATHS AT
AND THE

Abbreviated List No.	CAUSES OF DEATH		Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's. Leinster	Aggregate R.D's. Leinster	Aggregate U.D's. Munster	Aggregate R.D's. Munster
	ALL CAUSES	**M.**	**6,466**	**16,010**	**4,246**	**4,847**	**1,794**	**5,511**
		F.	**6,454**	**13,452**	**4,300**	**3,938**	**1,715**	**4,677**
B.1	Tuberculosis of respiratory system ...	M.	424	518	296	174	109	188
		F.	305	465	216	140	67	164
B.2	Tuberculosis, other forms	M.	88	160	44	53	36	53
		F.	86	116	51	48	23	38
B.3	Syphilis and its sequelae	M.	20	15	16	8	4	6
		F.	9	4	9	3	.	1
B.4	Typhoid fever	M.	.	1	.	1	.	.
		F.	1	1	.	.	.	.
B.5	Cholera	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.6	Dysentery, all forms	M.	.	.	.	.	.	.
		F.	1	.	1	.	.	.
B.7a	Scarlet fever	M.	.	5	.	1	.	1
		F.	2	3	.	.	1	.
B.7b	Streptococcal sore throat ...	M.	1	2	1	1	.	1
		F.	2	3	2	1	.	1
B.8	Diphtheria	M.	2	3	1	.	.	1
		F.	1	2	.	1	.	.
B.9	Whooping cough	M.	18	34	11	15	6	[illegible]
		F.	15	41	9	12	4	[illegible]
B.10	Meningococcal infections	M.	9	4	5	1	4	[illegible]
		F.	4	8	2	3	2	[illegible]
B.11	Plague	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.12	Acute poliomyelitis	M.	3	4	3	.	.	[illegible]
		F.	.	8	.	2	.	.
B.17a	Late effects of acute poliomyelitis ...	M.	.	.	.	.	.	.
		F.	.	2	.	.	.	.
B.17b	Acute infectious encephalitis ...	M.	.	3	.	.	.	.
		F.	3	5	3	3	.	.
B.17c	Late effects of acute infectious encephalitis.	M.	3	2	3	.	.	.
		F.	.	.	.	.	.	.
B.13	Smallpox	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.14	Measles	M.	13	6	11	2	1	.
		F.	6	7	4	4	.	.
B.15	Typhus and other rickettsial diseases.	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.16	Malaria	M.	2	2	1	2	1	.
		F.	.	.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic.	M.	17	36	11	10	4	[illegible]
		F.	16	30	11	10	4	[illegible]
B.18a	Malignant neoplasms	M.	769	1,527	519	517	199	5[illegible]
		F.	748	1,196	495	396	201	4[illegible]
B.18b	Neoplasms of lymphatic and haematopoietic tissues.	M.	51	78	40	26	8	[illegible]
		F.	20	35	14	12	5	[illegible]
B.19	Benign and unspecified neoplasms ...	M.	23	35	20	9	3	[illegible]
		F.	26	36	18	11	7	[illegible]
B.20	Diabetes mellitus	M.	23	91	11	23	8	[illegible]
		F.	44	90	26	20	14	[illegible]
B.21	Anaemias	M.	32	85	19	16	12	[illegible]
		F.	64	111	36	35	23	[illegible]

L T) AND BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL
A S UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS
P ULATION.

regate .D's. nacht	Aggregate R.D's. Connacht	Aggregate U.D's. Ulster (part of)	Aggregate R.D's. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbreviated List No.
294 **310**	**3,588** **3,054**	**132** **129**	**2,064** **1,783**	**46** **57**	**3,054** **3,144**	**270** **309**	**23** **26**	
16 16	99 94	3 6	57 67	3 7	222 153	10 10	3 1	B.1
5 9	34 22	3 3	20 8	1 1	27 34	2 2	. 2	B.2
. .	. .	. .	1 .	. .	14 8	1 1	. .	B.3
. 1	. 1	. .	. .	. .	. .	. .	. .	B.4
. .	. .	. .	. .	. .	. .	. .	. .	B.5
. .	. .	. .	. .	. .	. 1	. .	. .	B.6
. .	2 .	. 1	1 3	. .	. .	. .	. .	B.7a
. .	. .	. .	. 1	. .	. 1	1 1	. .	B.7b
1 1	. 1	. .	2 .	. .	. .	. .	. .	B.8
1 1	5 6	. 1	11 16	. 1	7 7	1 1	. .	B.9
. .	. 2	. .	. .	. .	5 2	. .	. .	B.10
. .	. .	. .	. .	. .	. .	. .	. .	B.11
. .	. 1	. .	2 1	. .	3 .	. .	. .	B.12
. .	. 1	. .	. .	. .	. .	. .	. .	B17a
. .	1 1	. .	. .	. .	. 3	. .	. .	B.17b
. .	. .	. .	2 .	. .	2 .	. .	. .	B.17c
. .	. .	. .	. .	. .	. .	. .	. .	B.13
. 1	2 2	1 1	1 .	. .	10 3	. .	. .	B.14
. .	. .	. .	. .	. .	. .	. .	. .	B.15
. .	. .	. .	. .	. .	. .	. .	. .	B.16
2 1	4 4	. .	4 4	. 1	8 9	1 .	. .	B.17d
39 39	338 236	12 13	167 156	7 6	392 351	29 42	5 5	B.18a
1 1	20 10	2 .	9 4	1 .	33 11	2 1	. .	B.18b
. .	8 5	. 1	4 12	. 1	15 14	2 1	1 .	B.19
3 2	20 30	1 2	13 10	. 1	7 18	. 5	. .	B.20
1 3	22 20	. 2	12 13	. .	13 28	1 3	. .	B.21

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND B
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List No.	CAUSES OF DEATH		Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's. Leinster	Aggregate R.D's. Leinster	Aggregate U.D's. Munster	Aggreg R.D's Munst
B.22	Vascular lesions affecting central nervous system.	M.	409	951	268	322	110	32
		F.	577	1,088	414	362	131	36
B.23	Nonmeningococcal meningitis ...	M.	19	36	13	10	5	1
		F.	13	24	7	9	6	
B.24	Rheumatic fever	M.	13	23	10	7	2	
		F.	23	22	20	6	3	
B.25	Chronic rheumatic heart disease ...	M.	52	137	38	43	12	5
		F.	90	128	73	54	15	3
B.26	Arteriosclerotic and degenerative heart disease.	M.	1,524	3,585	981	1,225	443	1,21
		F.	1,569	2,666	1,052	906	419	90
B.27	Other diseases of the heart	M.	193	504	124	144	63	19
		F.	239	430	158	121	69	16
B.28	Hypertension with heart disease ...	M.	120	131	98	39	17	3
		F.	130	121	99	52	24	3
B.29	Hypertension without mention of heart	M.	65	147	46	51	14	3
		F.	112	148	71	37	32	4
B.46a	Other circulatory diseases ...	M.	76	269	46	106	23	7
		F.	104	208	79	81	21	7
B.30	Influenza	M.	190	917	102	215	69	34
		F.	296	996	154	231	112	38
B.31	Pneumonia	M.	247	492	156	162	74	17
		F.	235	447	166	143	59	14
B.32	Bronchitis	M.	357	459	241	169	105	15
		F.	272	364	186	122	72	11
B.46b	Other respiratory diseases	M.	78	140	54	46	21	5
		F.	61	98	47	33	9	4
B.36a	Gastritis and duodenitis	M.	4	21	.	3	3	1
		F.	3	17	.	3	3	
B.33	Ulcer of stomach and duodenum ...	M.	61	150	43	47	16	5
		F.	23	45	17	14	5	1
B.34	Appendicitis	M.	13	28	7	10	5	1
		F.	3	21	2	6	1	
B.35	Intestinal obstruction and hernia ...	M.	41	87	36	28	3	3
		F.	43	55	27	19	13	2
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	29	59	18	23	11	2
		F.	15	49	4	23	9	1
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over	M.	12	15	6	5	4	
		F.	11	20	10	5	1	
B.36d	Chronic enteritis and ulcerative colitis	M.	9	8	6	1	2	
		F.	8	9	4	4	4	
B.37	Cirrhosis of liver	M.	18	22	13	8	3	
		F.	10	9	7	5	1	
B.46c	Other diseases of the liver, gallbladder and pancreas.	M.	19	24	10	10	7	1
		F.	33	41	23	15	8	2
B.46d	Other digestive diseases	M.	27	61	21	17	5	1
		F.	22	28	18	8	4	1
B.38	Nephritis and nephrosis	M.	98	262	59	87	31	9
		F.	95	197	62	62	29	7
B.39	Hyperplasia of prostate	M.	62	220	40	47	18	7
B.40a	Complications of pregnancy and childbirth.	F.	15	69	11	24	4	1
B.40b	Puerperal sepsis	F.	1	.	1	.	.	
B.40c	Other complications of the puerperium.	F.	3	15	2	4	1	
B.41	Congenital malformations	M.	85	152	60	57	22	5
		F.	72	134	49	53	14	4

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
ARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

gate D's. acht	Aggregate R.D's. Connacht	Aggregate U.D's. Ulster (part of)	Aggregate R.D's. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbreviated List No.
25	179	6	130	2	182	26	.	B.22
20	213	12	144	3	297	45	.	
.	10	1	3	.	6	1	.	B.23
.	6	.	2	.	6	.	.	
.	6	1	3	.	9	.	.	B.24
.	9	.	6	.	19	1	.	
1	23	1	16	1	25	5	1	B.25
2	29	.	11	.	58	6	.	
67	693	33	456	10	683	87	5	B.26
70	528	28	324	11	772	76	5	
5	91	1	73	4	85	6	2	B.27
6	82	6	63	8	115	6	.	
4	33	1	25	.	83	4	.	B.28
4	20	3	12	.	85	7	.	
4	33	1	24	.	34	2	.	B.29
7	34	2	28	.	56	5	.	
5	43	2	47	.	29	8	.	B.46a
1	30	3	27	2	48	14	1	
9	237	10	119	.	60	4	1	B.30
19	230	11	151	1	113	4	.	
9	101	8	56	.	126	6	.	B.31
7	104	3	54	.	137	7	1	
9	95	2	41	1	205	7	2	B.32
10	72	4	51	.	158	12	2	
2	20	1	17	.	38	3	.	B.46b
2	15	3	8	.	33	4	.	
1	4	.	2	.	.	.	.	B.36a
.	3	.	6	.	.	.	.	
2	26	.	25	.	35	1	.	B.33
1	5	.	8	.	13	2	.	
.	5	1	2	.	6	1	.	B.34
.	4	.	4	.	2	.	.	
2	18	.	10	1	26	5	.	B.35
1	9	2	6	.	22	1	.	
.	6	.	4	1	8	.	.	B.36b
2	6	.	3	.	2	.	.	
2	1	.	2	.	4	.	.	B.36c
.	2	.	4	1	7	.	.	
1	2	.	.	.	2	.	.	B.36d
.	1	.	.	.	3	1	.	
2	7	.	1	.	10	2	.	B.37
2	1	.	3	.	6	.	.	
2	1	.	3	.	7	.	.	B.46c
1	4	1	1	.	18	2	.	
1	15	.	10	.	15	1	.	B.46d
.	4	.	4	.	14	.	1	
3	55	5	28	2	46	3	.	B.38
4	42	.	21	.	42	6	.	
1	60	3	35	.	25	5	.	B.39
.	18	.	9	.	7	1	.	B.40a
.	.	.	.	.	1	.	.	B.40b
.	5	.	2	.	1	.	.	B.40c
1	30	2	13	.	39	6	.	B.41
8	23	1	13	.	40	1	.	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List No.	CAUSES OF DEATH		Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's. Leinster	Aggregate R.D's. Leinster	Aggregate U.D's. Munster	Aggre R.D Muns
B.42	Birth injuries, postnatal asphyxia and atelectasis.	M.	105	115	88	58	11	
		F.	69	79	55	34	10	
B.43a	Diarrhœa of newborn	M.	9	10	7	6	2	
		F.	6	3	4	2	2	
B.43b	Pneumonia of newborn	M.	29	25	21	7	8	
		F.	9	13	8	6	1	
B.43c	Other infections of newborn ...	M.	2	2	2	1	.	.
		F.	1	1	1	1	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified.	M.	200	354	135	140	54	1
		F.	151	240	102	84	40	
B.45a	Senility without mention of psychosis	M.	187	2,225	82	346	73	8
		F.	308	2,262	145	363	127	8
B.45b	Ill-defined and unknown causes ...	M.	146	522	99	123	41	1
		F.	104	363	72	74	24	1
B.46e	All other diseases	M.	263	821	158	247	80	2
		F.	271	618	179	194	66	2
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	51	84	41	48	7	
		F.	10	26	9	10	1	
BE.48	All other accidents	M.	133	290	93	110	26	
		F.	90	221	62	62	23	
BE.49	Suicide and self-inflicted injury ...	M.	14	47	9	19	5	
		F.	3	13	2	4	1	
BE.50	Homicide and operations of war ...	M.	8	4	3	1	4	
		F.	1	1	1	1	.	.
	AGES							
Under 1 year		M.	636	1,043	455	397	149	
		F.	458	739	325	291	98	
1 year and under 65 years		M.	2,619	4,105	1,782	1,371	672	1,
		F.	2,074	3,394	1,382	1,107	542	1,
65 years and over		M.	3,211	10,862	2,009	3,079	973	3,
		F.	3,922	9,319	2,593	2,540	1,075	3,
TOTAL		M.	6,466	16,010	4,246	4,847	1,794	5,
		F.	6,454	13,452	4,300	3,938	1,715	4,
Births		M.	11,553	20,750	7,971	7,576	2,828	6,
		F.	11,021	19,554	7,598	7,028	2,670	6,
Population according to the Census of Population 1951		M.	488,978	1,017,619	330,657	333,351	121,117	339,
		F.	551,757	902,239	375,061	297,507	136,173	302,

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
EARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

regate .D's. nacht	Aggregate R.D's. Connacht	Aggregate U.D's. Ulster (part of)	Aggregate R.D's. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbreviated List No.
6	12	.	12	2	68	4	.	B.42
4	7	.	5	.	48	3	.	
.	2	.	.	.	6	.	.	B.43a
.	.	.	.	.	3	.	.	
.	6	.	4	.	19	.	.	B.43b
.	2	.	1	.	7	1	.	
.	1	.	.	.	2	.	.	B.43c
.	.	.	.	.	1	.	.	
8	57	3	43	2	90	8	2	B.44
8	32	1	34	2	69	5	2	
20	773	12	294	2	29	3	1	B.45a
26	773	10	282	3	61	9	3	
5	132	1	107	1	73	6	.	B.45b
7	112	1	70	3	48	4	1	
16	179	9	109	2	111	12	.	B.46e
19	128	7	94	5	127	14	2	
2	9	1	6	2	29	.	.	BE.47
.	2	.	3	.	8	.	.	
9	61	5	32	1	73	4	.	BE.48
4	62	1	30	.	51	5	.	
.	7	.	5	.	6	.	.	BE.49
.	1	.	4	.	2	.	.	
1	.	.	1	.	2	.	.	BE.50
.	.	.	.	.	1	.	.	
								AGES.
23	167	9	123	6	323	26	3	Under 1 year.
30	107	5	85	5	243	16	4	
113	793	52	472	25	1,344	85	9	1 year and under 65 years.
103	675	47	447	15	1,037	75	8	
158	2,628	71	1,469	15	1,387	159	11	65 years and over.
177	2,272	77	1,251	37	1,864	218	14	
294	3,588	132	2,064	46	3,054	270	23	TOTAL.
310	3,054	129	1,783	57	3,144	309	26	
524	4,154	230	2,292	102	5,911	470	51	Births.
526	3,947	227	2,115	74	5,607	469	44	
26,656	222,299	10,548	122,721	3,752	244,006	20,843	1,905	Population according to the Census of Population 1951.
28,397	194,543	12,126	107,857	3,915	278,177	27,077	1,847	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH		Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Ceanannus Mór U.D.
	ALL CAUSES	**M.**	**25**	**77**	**47**	**116**	**130**	
		F.	**11**	**69**	**32**	**96**	**95**	
B.1	Tuberculosis of respiratory system ...	M.	1	4	4	6	13	
		F.	.	3	3	6	6	
B.2	Tuberculosis, other forms	M.	1	.	.	4	5	
		F.	1	1	1	1	2	
B.3	Syphilis and its sequelae	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.4	Typhoid fever	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.5	Cholera	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.6	Dysentery, all forms	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.7a	Scarlet fever	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.7b	Streptococcal sore throat	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.8	Diphtheria	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.9	Whooping cough	M.	1	1	.	.	.	
		F.	.	.	.	.	.	
B.10	Meningococcal infections	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.11	Plague	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.12	Acute poliomyelitis	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17a	Late effects of acute poliomyelitis ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17b	Acute infectious encephalitis ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17c	Late effects of acute infectious encephalitis.	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.13	Smallpox	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.14	Measles	M.	.	.	1	.	.	
		F.	.	.	.	.	.	
B.15	Typhus and other rickettsial diseases	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.16	Malaria	M.	.	.	1	.	.	
		F.	.	.	.	.	.	
B.17d	All other diseases classified as infective and parasitic.	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.18a	Malignant neoplasms	M.	1	9	4	9	16	
		F.	2	6	1	14	16	
B.18b	Neoplasms of lymphatic and haematopoietic tissues.	M.	.	.	.	1	.	
		F.	.	1	.	.	.	
B.19	Benign and unspecified neoplasms ...	M.	.	.	.	1	.	
		F.	.	1	.	.	.	
B.20	Diabetes mellitus	M.	.	.	.	1	1	
		F.	.	1	.	.	.	
B.21	Anaemias	M.	.	1	1	.	1	
		F.	.	1	.	.	.	
B.22	Vascular lesions affecting central nervous system.	M.	.	1	4	4	6	
		F.	1	3	2	6	14	

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND EARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

...th ...	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbreviated List No.
1 5	11 12	24 31	27 27	50 57	54 46	35 48	89 73	26 39	78 65	16 26	
	.	.	4	2	4	2	4	3	9	1	B.1
1	.	2	2	3	5	4	3	1	3	3	
	.	.	.	1	1	.	1	.	.	.	B.2
	.	1	1	2	1	.	.	.	1	.	
	.	.	.	.	.	.	1	.	.	.	B.3
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.4
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.5
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.6
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.7a
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.7b
	.	.	.	.	.	.	.	.	.	.	
	.	.	1	.	.	.	.	.	.	.	B.8
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	1	.	.	.	.	.	.	B.9
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.10
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.11
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.12
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.17a
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.17b
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.17c
	.	.	.	.	1	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.13
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.14
	.	.	.	.	.	.	.	1	.	.	
	.	.	.	.	.	.	.	.	.	.	B.15
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.16
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	1	1	.	.	.	B.17d
	.	.	.	.	1	.	.	.	.	.	
4 2	1 1	2 4	.	4 5	8 3	3 5	13 8	1 4	8 13	3 2	B.18a
	.	1	.	1	.	.	.	.	1	.	B.18b
	.	.	.	1	.	.	.	.	.	.	
	.	.	.	.	.	.	1	.	.	.	B.19
	.	.	.	.	.	.	.	1	.	.	
	.	.	.	.	1	.	1	.	.	.	B.20
	.	.	.	.	.	1	.	.	.	.	
	.	.	.	1	.	.	1	.	.	.	B.21
	.	.	.	3	.	.	1	.	.	.	
2 2	.	1 2	4	2 5	9 3	5 7	6 5	4 4	9 7	4 3	B.22

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS,

Abbreviated List No.	CAUSES OF DEATH		Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Ceanl M U.
B.23	Nonmeningococcal meningitis ...	M.	.	.	.	1	.	
		F.	.	.	.	.	1	
B.24	Rheumatic fever	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.25	Chronic rheumatic heart disease ...	M.	.	.	.	.	4	
		F.	.	2	.	.	2	
B.26	Arteriosclerotic and degenerative heart disease.	M.	7	16	7	31	29	
		F.	1	17	12	24	18	
B.27	Other diseases of the heart ...	M.	1	3	2	2	8	
		F.	.	3	2	2	2	
B.28	Hypertension with heart disease ...	M.	.	1	.	.	1	
		F.	.	1	.	.	1	
B.29	Hypertension without mention of heart	M.	.	1	1	.	.	
		F.	.	1	1	.	2	
B.46a	Other circulatory diseases	M.	.	1	.	.	.	
		F.	.	1	.	.	2	
B.30	Influenza	M.	.	2	2	6	4	
		F.	3	3	2	3	1	
B.31	Pneumonia	M.	2	1	2	2	2	
		F.	1	1	.	5	2	
B.32	Bronchitis	M.	1	3	2	4	2	
		F.	1	1	.	3	2	
B.46b	Other respiratory diseases	M.	.	.	.	4	1	
		F.	.	3	.	1	.	
B.36a	Gastritis and duodenitis	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.33	Ulcer of stomach and duodenum ...	M.	.	.	.	.	2	
		F.	.	.	.	.	.	
B.34	Appendicitis	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.35	Intestinal obstruction and hernia ...	M.	.	.	1	.	1	
		F.	.	.	.	.	.	
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	.	2	1	.	1	
		F.	.	1	.	.	.	
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over	M.	.	.	.	.	1	
		F.	.	.	.	1	.	
B.36d	Chronic enteritis and ulcerative colitis	M.	.	1	.	.	.	
		F.	.	.	.	.	.	
B.37	Cirrhosis of liver	M.	.	.	.	.	.	
		F.	.	.	.	1	.	
B.46c	Other diseases of the liver, gallbladder and pancreas.	M.	.	2	.	.	.	
		F.	.	.	1	.	1	
B.46d	Other digestive diseases	M.	.	.	.	2	2	
		F.	.	.	.	.	1	
B.38	Nephritis and nephrosis	M.	2	.	1	1	2	
		F.	.	1	2	1	1	
B.39	Hyperplasia of prostate	M.	.	1	1	1	2	
B.40a	Complications of pregnancy and childbirth.	F.	.	1	.	.	.	
B.40b	Puerperal sepsis	F.	.	.	.	.	.	
B.40c	Other complications of the puerperium	F.	.	.	.	.	.	
B.41	Congenital malformations	M.	.	5	4	1	2	
		F.	.	.	.	1	1	
B.42	Birth injuries, postnatal asphyxia and atelectasis.	M.	.	.	.	2	2	
		F.	.	2	.	.	.	

S, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
6 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

nh D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbreviated List No.
	.	1	.	1	1	.	1	1	.	.	B.23
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	1	.	.	.	.	.	.	B.24
	.	.	.	.	.	.	.	.	.	.	
	.	1	.	.	.	.	1	.	.	.	B.25
	.	.	.	2	.	1	1	.	.	1	
9	5	4	5	9	10	9	22	7	17	2	B.26
10	8	8	2	10	18	10	19	12	7	8	
2	.	1	1	.	1	.	2	1	1	1	B.27
1	1	1	2	1	1	3	7	.	3	.	
	2	.	1	.	1	1	2	.	.	2	B.28
	1	1	.	.	1	.	2	.	.	.	
1	.	2	.	1	1	.	1	.	1	1	B.29
	.	.	.	1	1	.	2	.	2	.	
	.	.	.	.	1	1	2	1	3	.	B.46a
	.	.	.	2	1	.	2	.	5	1	
	1	1	4	4	.	4	3	3	2	.	B.30
3	1	1	.	5	.	4	1	6	2	1	
	.	1	2	1	3	.	5	1	1	.	B.31
1	.	1	3	2	1	.	1	1	2	.	
1	2	1	.	1	2	1	1	1	4	.	B.32
	.	.	1	2	2	1	1	.	.	.	
	.	.	.	2	.	.	1	.	4	.	B.46b
	.	.	.	.	.	1	1	.	2	1	
	.	.	.	.	.	.	.	.	.	.	B.36a
	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	1	.	.	1	.	1	.	B.33
2	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.34
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	1	1	.	.	B.35
	.	.	2	.	1	.	.	.	1	.	
1	.	.	1	.	1	.	1	.	1	.	B.36b
	.	.	.	1	.	.	.	.	.	.	
	.	.	1	.	.	.	.	.	.	.	B.36c
	.	.	.	.	.	.	.	1	.	.	
	.	2	1	.	.	.	.	.	.	.	B.36d
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	1	.	.	.	.	B.37
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	1	.	.	B.46c
1	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	1	.	.	.	B.46d
	.	.	.	.	.	1	.	.	1	.	
	.	.	.	1	.	.	.	.	1	.	B.38
1	.	1	.	.	1	1	.	1	1	3	
	.	.	.	3	.	.	2	.	.	.	B.39
	.	.	.	1	.	.	.	1	.	.	B.40a
	.	.	.	.	.	.	.	.	.	.	B.40b
	.	.	.	.	.	1	.	.	.	.	B.40c
	.	.	.	.	.	.	.	.	1	2	B.41
	.	.	1	2	.	.	.	1	1	1	
3	.	.	.	1	1	.	2	1	1	.	B.42
	.	.	.	.	.	.	.	.	1	.	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List No.	CAUSES OF DEATH		Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Ceanann Mór U.D.
B.43a	Diarrhoea of newborn	M.	.	.	.	.	.	.
		F.	.	.	1	.	.	.
B.43b	Pneumonia of newborn	M.	.	1	.	.	.	.
		F.	.	.	.	.	.	.
B.43c	Other infections of newborn ...	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified.	M.	1	7	3	6	2	.
		F.	.	3	1	3	5	.
B.45a	Senility without mention of psychosis	M.	2	3	.	18	6	.
		F.	1	6	.	17	8	.
B.45b	Ill-defined and unknown causes ...	M.	.	1	1	5	3	.
		F.	.	1	2	2	3	.
B.46e	All other diseases	M.	2	4	3	1	7	
		F.	.	3	1	4	3	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	1	2	1	.	2	
		F.	.	.	.	.	.	
BE.48	All other accidents	M.	2	2	.	2	2	
		F.	.	1	.	1	1	
BE.49	Suicide and self-inflicted injury ...	M.	.	2	.	.	.	
		F.	.	.	.	.	.	
BE.50	Homicide and operations of war ...	M.	.	.	.	1	.	
		F.	.	.	.	.	.	
	AGES.							
Under 1 year		M.	1	17	9	13	10	3
		F.	.	8	3	11	6	1
1 year and under 65 years		M.	14	22	20	38	55	5
		F.	3	22	10	33	33	4
65 years and over		M.	10	38	18	65	65	9
		F.	8	39	19	52	56	7
	TOTAL	M.	25	77	47	116	130	17
		F.	11	69	32	96	95	12
Births		M.	39	136	43	202	220	29
		F.	35	142	32	215	203	24
Population according to the Census of Population 1951.		M.	1,881	5,183	1,921	8,223	9,816	36
		F.	1,850	5,389	1,924	8,556	9,862	59

S, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
6 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

1 nh).	Trim U.D.	Birr U.D.	Tulla-more U.D.	Athlone U.D.	Ennis-corthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbre-viated List No.
	.	1	.	.	.	.	.	.	.	.	B.43a
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	1	.	B.43b
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.43c
	.	.	.	.	.	.	.	.	.	.	
3	.	.	1	3	.	4	2	.	.	.	B.44
	.	.	1	.	.	3	3	2	1	2	
	.	3	1	5	1	2	4	.	2	.	B.45a
	.	8	5	4	2	2	9	.	6	.	
1	.	.	.	4	2	.	1	.	1	.	B.45b
1	.	.	.	1	1	1	1	2	1	.	
1	.	1	4	.	.	1	2	.	6	.	B.46e
	.	1	.	4	3	2	5	.	4	.	
1	.	.	.	.	1	.	.	.	2	.	BE.47
	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	3	.	2	.	1	.	BE.48
	.	.	.	.	.	.	1	1	1	.	
	.	.	.	.	1	.	.	.	.	.	BE.49
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	BE.50
	.	.	.	.	.	.	.	.	.	.	
											AGES.
7	.	1	1	7	5	4	12	1	4	2	Under 1 year.
	1	.	3	3	.	4	4	5	5	3	
8	5	9	13	15	22	13	27	12	37	4	1 year & under 65 years
9	.	4	10	20	22	17	23	13	18	6	
6	6	14	13	28	27	18	50	13	37	10	65 years and over.
6	11	27	14	34	24	27	46	21	42	17	
1	11	24	27	50	54	35	89	26	78	16	TOTAL.
5	12	31	27	57	46	48	73	39	65	26	
8	13	25	65	127	73	56	122	63	142	34	Births.
8	8	33	80	125	58	65	123	55	127	41	
1,9	650	1,553	3,012	4,531	2,919	2,211	5,807	2,416	5,603	1,480	Population according to the Census of population 1951.
2,2	659	1,732	3,153	4,484	3,029	2,692	6,172	2,787	6,450	1,846	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND B
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AN

Abbreviated List No.	CAUSES OF DEATH		Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermo U.D.
	ALL CAUSES	**M.**	**43**	**24**	**14**	**57**	**522**	**3**
		F.	**40**	**26**	**17**	**39**	**508**	**3**
B.1	Tuberculosis of respiratory system ...	M.	2	.	2	1	34	
		F.	4	1	1	1	12	
B.2	Tuberculosis, other forms	M.	1	.	1	.	4	
		F.	.	.	.	1	5	
B.3	Syphilis and its sequelae	M.	.	.	.	.	2	.
		F.	.	.	.	.	.	.
B.4	Typhoid fever	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.5	Cholera	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.6	Dysentery, all forms	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.7a	Scarlet fever	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.7b	Streptococcal sore throat	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.8	Diphtheria	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.9	Whooping cough	M.	.	.	.	1	.	.
		F.	.	.	.	.	.	.
B.10	Meningococcal infections	M.	.	.	.	.	4	.
		F.	.	.	.	.	.	.
B.11	Plague	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.12	Acute poliomyelitis	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.17a	Late effects of acute poliomyelitis ...	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.17b	Acute infectious encephalitis ...	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.17c	Late effects of acute infectious encephalitis.	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.13	Smallpox	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.14	Measles	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.15	Typhus and other rickettsial diseases	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.16	Malaria	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic.	M.	.	.	.	.	1	
		F.	.	.	.	.	3	
B.18a	Malignant neoplasms	M.	1	2	4	5	66	3
		F.	3	4	2	4	61	1
B.18b	Neoplasms of lymphatic and haematopoietic tissues.	M.	.	.	.	.	2	1
		F.	.	.	.	2	2	
B.19	Benign and unspecified neoplasms ...	M.	.	.	.	.	1	
		F.	.	.	.	.	4	
B.20	Diabetes mellitus	M.	.	.	.	.	.	
		F.	.	1	1	.	4	1
B.21	Anaemias	M.	.	.	.	.	3	1
		F.	.	.	.	1	3	1
B.22	Vascular lesions affecting central nervous system.	M.	1	.	.	5	30	2
		F.	2	1	.	5	46	

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
EARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

ale).	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbreviated List No.
13 25	26 10	30 35	17 31	18 20	35 33	30 39	25 16	82 75	308 328	46 34	
2 1	. 1	1 3	1 1	. .	3 1	4 1	3 1	3 4	21 17	4 .	B.1
	. .	1 2	. .	. .	. .	. .	. .	1 .	10 2	1 3	B.2
	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.3
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.4
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.5
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.6
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	B.7a
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.7b
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.8
	. .	. .	. .	. .	. .	. 1	. .	. .	2 1	. .	B.9
	. .	. 1	. .	. .	. .	. .	. .	. .	. 1	. .	B.10
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.11
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.12
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.17a
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.17b
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.17c
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.13
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.14
	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	B.15
	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	B.16
1	1 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	B.17d
2 3	6 .	. 2	3 5	1 3	5 4	. 8	3 .	5 9	34 40	5 1	B.18a
	. .	. .	. .	. .	. .	. .	. .	1 .	2 .	1 .	B.18b
	. .	1 1	. .	. .	. .	. .	. .	. .	1 1	. .	B.19
1	. .	. .	. .	. .	. .	1 .	1 .	2 1	1 4	. .	B.20
	. .	. .	. .	. .	. .	1 .	. .	. 1	1 7	. .	B.21
	2 2	3 1	1 2	2 2	2 3	1 4	. 2	4 6	15 16	4 6	B.22

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS,

Abbreviated List No.	CAUSES OF DEATH		Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Ferm U.I
B.23	Nonmeningococcal meningitis ...	M.	.	.	.	2	.	.
		F.	1	.	.	.	1	.
B.24	Rheumatic fever	M.	.	.	.	1	.	.
		F.	.	.	.	.	1	.
B.25	Chronic rheumatic heart disease ...	M.	.	.	1	.	8	.
		F.	1	.	.	.	11	.
B.26	Arteriosclerotic and degenerative heart disease.	M.	16	8	1	16	133	.
		F.	10	5	2	7	138	.
B.27	Other diseases of the heart ...	M.	3	.	.	4	15	.
		F.	2	1	.	4	25	.
B.28	Hypertension with heart disease ...	M.	.	.	.	1	5	.
		F.	.	1	.	.	6	.
B.29	Hypertension without mention of heart	M.	1	.	1	.	6	.
		F.	.	.	.	3	13	.
B.46a	Other circulatory diseases ...	M.	.	.	.	1	9	.
		F.	.	.	2	1	9	.
B.30	Influenza	M.	4	1	2	3	11	.
		F.	6	1	3	1	21	.
B.31	Pneumonia	M.	.	1	.	.	26	.
		F.	.	.	.	.	20	.
B.32	Bronchitis	M.	.	3	1	11	34	.
		F.	1	2	1	4	28	.
B.46b	Other respiratory diseases	M.	.	.	.	3	2	.
		F.	.	.	.	.	3	.
B.36a	Gastritis and duodenitis	M.	.	.	.	.	2	.
		F.	.	.	.	1	.	.
B.33	Ulcer of stomach and duodenum ...	M.	1	.	.	.	5	.
		F.	.	.	.	.	2	.
B.34	Appendicitis	M.	.	.	.	.	2	.
		F.	.	.	.	.	.	1
B.35	Intestinal obstruction and hernia ...	M.	.	.	.	.	1	.
		F.	1	.	.	.	2	.
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	.	.	.	.	2	.
		F.	1	.	.	.	3	.
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over	M.	.	1	.	.	.	.
		F.	.	.	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	.	.	.	.	2	.
		F.	.	.	.	.	2	.
B.37	Cirrhosis of liver	M.	.	.	.	.	2	.
		F.	.	.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas.	M.	.	.	.	1	3	.
		F.	1	.	.	.	1	.
B.46d	Other digestive diseases	M.	.	.	.	.	2	.
		F.	.	.	.	.	1	.
B.38	Nephritis and nephrosis	M.	1	3	.	1	7	1
		F.	.	1	1	.	4	.
B.39	Hyperplasia of prostate	M.	.	.	.	.	10	1
B.40a	Complications of pregnancy and childbirth.	F.	.	.	.	.	2	.
B.40b	Puerperal sepsis	F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium.	F.	.	.	.	.	.	.
B.41	Congenital malformations	M.	.	1	.	.	8	.
		F.	1	.	1	.	2	.
B.42	Birth injuries, postnatal asphyxia and atelectasis.	M.	.	.	.	.	6	1
		F.	.	1	.	.	5	.

ɛ, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

sale D.	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbreviated List No.
	.	.	.	.	.	.	.	1	2	.	B.23
	.	.	.	.	1	.	.	.	1	.	
	.	.	.	.	.	.	.	.	.	.	B.24
	.	.	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	.	1	.	B.25
	.	.	.	.	.	.	.	1	1	.	
2	6	8	7	2	11	9	3	20	59	8	B.26
6	1	7	12	7	9	4	5	14	88	4	
	.	.	.	2	.	1	1	4	17	2	B.27
	.	.	.	.	.	2	3	3	17	.	
	1	2	.	.	.	2	.	.	3	.	B.28
	.	1	1	1	.	.	1	2	6	.	
	.	.	.	.	.	.	.	.	1	1	B.29
	.	1	.	1	.	3	.	1	6	1	
	1	.	.	2	.	.	.	.	4	.	B.46a
	1	.	.	.	.	1	.	1	.	.	
	.	.	.	.	1	4	1	6	18	1	B.30
2	2	1	3	.	1	5	.	7	34	1	
	.	1	.	2	.	2	3	7	14	.	B.31
	.	.	1	1	.	1	1	5	13	2	
	.	5	.	.	1	.	.	2	26	1	B.32
	.	6	.	1	2	.	.	.	14	2	
	1	.	.	1	.	1	.	2	6	1	B.46b
	.	.	.	2	.	2	.	.	2	.	
	.	.	.	.	.	.	1	.	.	.	B.36a
	.	.	.	.	.	.	.	.	1	.	
	.	.	1	1	.	.	1	1	4	1	B.33
	.	1	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	.	1	.	B.34
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	1	1	.	B.35
	.	.	.	1	.	.	.	1	5	1	
	.	.	.	.	.	.	.	.	4	1	B.36b
	.	.	1	.	.	.	.	1	.	.	
	.	.	.	.	.	.	.	.	2	.	B.36c
	.	.	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	.	.	.	B.36d
	.	.	.	.	.	.	.	1	1	.	
	.	.	.	1	.	.	.	.	.	.	B.37
	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	.	.	.	.	B.46c
	.	.	.	.	.	.	.	.	2	.	
	.	.	.	.	.	1	.	.	2	.	B.46d
	.	.	1	.	.	.	.	.	1	.	
	2	.	.	.	.	1	.	1	5	2	B.38
2	1	.	2	1	1	1	.	1	5	.	
	2	.	.	.	.	.	1	1	3	.	B.39
	.	.	.	.	.	.	.	.	1	.	B.40a
	.	.	.	.	.	.	.	.	.	.	B.40b
	.	.	.	.	.	.	.	.	.	.	B.40c
	.	.	.	.	.	.	.	2	2	1	B.41
	.	.	.	.	.	1	.	1	3	.	
	.	.	.	.	.	2	.	.	1	.	B.42
	.	.	.	.	.	1	.	1	.	.	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS,

Abbreviated List No.	CAUSES OF DEATH		Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Ferry U.
B.43a	Diarrhoea of newborn	M.	1	.	.	.	.	
		F.	.	.	.	.	1	
B.43b	Pneumonia of newborn	M.	.	.	.	.	4	
		F.	.	.	.	.	1	
B.43c	Other infections of newborn ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.44	Other diseases peculiar to early infancy and immaturity unqualified	M.	2	.	.	1	11	3
		F.	1	.	.	.	6	1
B.45a	Senility without mention of psychosis	M.	1	2	1	.	17	5
		F.	1	5	2	1	25	12
B.45b	Ill-defined and unknown causes ...	M.	.	1	.	.	11	
		F.	.	2	.	1	6	2
B.46c	All other diseases	M.	6	1	.	.	20	1
		F.	2	.	1	2	18	2
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	1	.	.	.	4	.
		F.	.	.	.	.	.	.
BE.48	All other accidents	M.	1	.	.	.	6	.
		F.	1	.	.	.	11	.
BE.49	Suicide and self-inflicted injury ...	M.	.	.	.	.	.	.
		F.	1	.	.	.	.	.
BE.50	Homicide and operations of war ...	M.	.	.	.	.	1	.
		F.	.	.	.	.	.	.
	AGES							
Under 1 year		M.	3	2	.	3	43	5
		F.	3	1	1	1	21	1
1 year and under 65 years		M.	14	6	8	22	198	11
		F.	10	8	2	14	163	13
65 years and over		M.	26	16	6	32	281	16
		F.	27	17	14	24	324	23
	TOTAL	M.	43	24	14	57	522	32
		F.	40	26	17	39	508	37
Births		M.	75	26	11	64	866	39
		F.	54	27	21	66	783	57
Population according to the Census of Population 1951		M.	2,849	1,506	1,283	2,581	34,715	1,888
		F.	3,248	1,648	1,459	3,130	39,852	2,129

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND ARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

e	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbreviated List No.
	.	.	.	.	.	.	.	.	1	.	B.43a
	.	.	.	.	.	.	.	.	1	.	
	.	.	.	.	.	.	.	1	.	1	43b
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	B.43c
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	3	.	1	2	6	2	B.44
	.	1	.	.	2	2	.	1	5	1	
	2	3	.	.	6	.	.	6	6	2	B.45a
	.	3	.	.	8	.	2	8	13	5	
	.	2	2	.	1	.	2	1	10	2	B.45b
	.	3	1	.	.	.	.	.	2	2	
	1	3	2	3	2	.	2	7	12	3	B.46e
	2	1	1	.	1	2	.	4	11	3	
	.	.	.	.	.	.	.	.	1	.	BE.47
	.	.	.	.	.	.	1	.	.	.	
	1	.	.	.	.	.	1	.	5	1	BE.48
	.	.	.	.	.	.	.	1	2	1	
	.	.	.	.	.	.	1	.	2	.	BE.49
	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	1	.	1	BE.50
	.	.	.	.	.	.	.	.	.	.	
											AGES.
	.	.	.	.	3	3	2	8	23	4	Under 1 year
	.	1	1	.	2	4	.	7	16	2	
	4	11	9	5	13	9	10	30	130	19	1 year and under 65 years
	3	11	12	3	9	10	6	20	116	10	
	22	19	8	13	19	18	13	44	155	23	65 years and over.
	7	23	18	17	22	25	10	48	196	22	
	26	30	17	18	35	30	25	82	308	46	TOTAL
	10	35	31	20	33	39	16	75	328	34	
	20	58	26	17	53	41	18	112	562	41	Births.
	21	49	30	16	47	49	25	99	530	48	
8	1,054	2,693	1,331	1,054	2,196	3,088	1,478	5,260	24,103	2,136	Population according to the Census of Population 1951.
1	1,223	2,890	1,497	1,287	2,556	3,210	1,671	5,785	26,717	2,284	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS

Abbreviated List No.	CAUSES OF DEATH		Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Th
	ALL CAUSES	**M.**	**15**	**34**	**44**	**24**	**51**	
		F.	**5**	**31**	**36**	**25**	**50**	
B.1	Tuberculosis of respiratory system ...	M.	1	1	1	2	2	
		F.	.	3	1	.	2	
B.2	Tuberculosis, other forms	M.	.	1	2	2	1	
		F.	.	.	1	.	1	
B.3	Syphilis and its sequelae	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.4	Typhoid fever	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.5	Cholera	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.6	Dysentery, all forms	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.7a	Scarlet fever	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.7b	Streptococcal sore throat	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.8	Diphtheria	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.9	Whooping cough	M.	.	.	2	.	.	
		F.	.	.	.	.	.	
B.10	Meningococcal infections	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.11	Plague	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.12	Acute poliomyelitis	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17a	Late effects of acute poliomyelitis ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17b	Acute infectious encephalitis ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17c	Late effects of acute infectious encephalitis.	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.13	Smallpox	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.14	Measles	M.	.	1	.	.	.	
		F.	.	.	.	.	.	
B.15	Typhus and other rickettsial diseases	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.16	Malaria	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.17d.	All other diseases classified as infective and parasitic.	M.	.	.	.	.	.	
		F.	.	.	1	.	.	
B.18a	Malignant neoplasms	M.	7	1	3	1	7	
		F.	.	3	3	7	3	
B.18b	Neoplasms of lymphatic and haematopoietic tissues.	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.19	Benign and unspecified neoplasms ...	M.	.	.	.	.	1	
		F.	.	.	.	.	.	
B.20	Diabetes mellitus	M.	.	.	.	.	1	
		F.	1	.	.	.	.	
B.21	Anaemias	M.	.	1	1	.	.	
		F.	1	1	.	1	.	
B.22	Vascular lesions affecting central nervous system.	M.	1	3	2	4	7	
		F.	.	1	3	.	8	

FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
EARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

un-van .D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbreviated List No.
44	**228**	**30**	**94**	**38**	**30**	**25**	**77**	**18**	
40	**177**	**13**	**129**	**30**	**32**	**17**	**89**	**27**	
2	16	1	2	5	2	2	4	.	B.1
.	9	2	5	4	.	1	4	2	
.	7	1	1	2	.	.	1	1	B.2.
.	6	.	4	1	.	.	4	2	
.	1	.	.	.	.	.	.	.	B.3
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.4.
.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.5.
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.6
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.7b
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.8
.	.	.	.	.	.	.	1	.	
.	1	.	1	.	.	.	1	.	B.9
1	.	.	1	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	B.10
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.11
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.17a
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.17b
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.17c
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.13
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	B.14
.	.	.	.	.	.	.	1	1	
.	.	.	.	.	.	.	.	.	B.15
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.16
.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	B.17d
.	.	.	1	.	.	.	.	.	
2	30	4	15	3	2	6	9	2	B.18a
5	25	.	18	5	3	5	8	1	
.	1	.	1	.	.	.	.	1	B.18b
.	1	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B.19
.	.	.	.	.	.	.	.	1	
.	1	.	1	.	1	.	1	.	B.20
.	.	.	.	.	.	1	1	.	
2	1	.	.	.	.	.	1	.	B.21
3	3	.	1	1	.	.	1	.	
2	17	1	9	3	2	1	9	1	B.22
3	15	.	8	3	.	.	9	1	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AN
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS

Abbreviated List No.	CAUSES OF DEATH		Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Ti
B.23	Nonmeningococcal meningitis ...	M.	.	.	.	.	.	.
		F.	.	.	.	1	1	.
B.24	Rheumatic fever	M.	.	.	.	.	.	.
		F.	.	.	1	.	.	.
B.25	Chronic rheumatic heart disease ...	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.26	Arteriosclerotic and degenerative heart disease.	M.	4	11	8	7	10	.
		F.	1	7	10	8	12	.
B.27	Other diseases of the heart	M.	.	5	.	.	1	.
		F.	.	2	1	.	1	.
B.28	Hypertension with heart disease ...	M.	.	1	.	.	.	.
		F.	.	1	.	.	.	.
B.29	Hypertension without mention of heart	M.	.	.	1	.	.	.
		F.	.	.	.	.	.	.
B.46a	Other circulatory diseases	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.30	Influenza	M.	.	1	2	.	2	.
		F.	.	2	1	1	2	.
B.31	Pneumonia	M.	.	2	4	.	2	.
		F.	.	1	2	.	3	.
B.32	Bronchitis	M.	2	.	2	1	5	.
		F.	1	1	1	1	3	.
B.46b	Other respiratory diseases	M.	.	.	.	.	1	.
		F.	.	.	.	.	.	.
B.36a	Gastritis and duodenitis	M.	.	.	.	.	.	.
		F.	.	1	.	.	.	.
B.33	Ulcer of stomach and duodenum ...	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.34	Appendicitis	M.	.	.	.	.	1	.
		F.	.	.	.	.	.	.
B.35	Intestinal obstruction and hernia ...	M.	.	.	.	.	.	.
		F.	.	1	.	.	.	.
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	.	.	.	.	1	.
		F.	.	.	1	.	1	.
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over ...	M.	.	.	.	1	.	.
		F.	.	.	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.37	Cirrhosis of liver	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.46c	Other diseases of the liver, gallbladder and pancreas	M.	.	.	.	1	1	.
		F.	.	2	.	.	.	.
B.46d	Other digestive diseases	M.	.	.	.	.	.	.
		F.	.	.	.	.	.	.
B.38	Nephritis and nephrosis	M.	.	.	.	.	.	.
		F.	.	.	.	2	1	.
B.39	Hyperplasia of prostate	M.	.	.	.	.	.	.
B.40a	Complications of pregnancy and childbirth.	F.	.	.	.	.	1	.
B.40b	Puerperal sepsis	F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium	F.	.	1	.	.	.	.
B.41	Congenital malformations	M.	.	.	1	.	.	.
		F.	.	.	.	.	.	.
B.42	Birth injuries, postnatal asphyxia and atelectasis.	M.	.	.	.	.	.	.
		F.	.	.	.	.	1	.

S. FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
6 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

un-rvan .D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbreviated List No.
.	.	.	.	.	.	.	.	.	B.23
.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	B.24
.	.	.	.	.	.	.	.	.	
.	2	.	.	.	1	.	.	.	B.25
.	1	.	.	.	.	.	2	.	
15	68	14	23	6	6	5	13	5	B.26
5	43	1	35	2	8	4	20	5	
1	4	1	1	.	.	.	3	.	B.27
.	3	.	3	.	.	.	3	2	
.	1	.	2	.	.	.	2	.	B.28
.	4	.	1	1	.	.	2	.	
.	.	.	1	1	.	.	2	1	B.29
.	2	.	6	.	1	.	.	.	
2	3	.	4	.	.	.	1	.	B.46a
.	6	.	1	.	.	.	.	1	
2	6	.	3	4	2	.	.	1	B.30
3	7	1	8	1	3	1	5	4	
2	8	.	2	.	2	4	1	1	B.31
3	5	.	3	2	.	.	2	.	
1	8	1	4	2	1	.	1	.	B.32
.	4	2	7	.	1	.	.	.	
.	1	.	.	.	.	.	2	.	B.46b
.	.	.	1	.	.	.	1	.	
.	.	.	1	.	.	.	.	.	B.36a
.	.	.	.	.	.	.	.	.	
.	1	.	1	.	.	1	.	.	B.33
.	.	.	1	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	B.34
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	.	B.35
.	1	.	1	.	.	.	.	1	
.	3	.	.	.	.	.	.	.	B.36b
.	.	.	2	.	.	.	.	.	
.	.	.	2	.	.	.	.	.	B.36c
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	B.36d
.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	1	.	B.37
.	.	.	1	.	1	.	.	.	
.	.	1	1	.	.	.	.	.	B.46c
.	2	.	.	1	.	.	.	1	
.	.	.	1	.	.	.	.	.	B.46d
.	1	.	.	.	.	.	.	.	
.	7	.	1	.	1	.	1	.	B.38
1	5	.	1	.	1	.	2	.	
.	.	.	.	.	.	1	.	1	B.39
.	.	.	.	.	.	.	.	.	B.40a
.	.	.	.	.	.	.	.	.	B.40b
.	.	.	.	.	.	.	.	.	B.40c
2	3	.	1	.	.	.	.	.	B.41
1	3	2	3	1	1	.	1	.	
1	.	.	2	.	.	.	4	.	B.42
.	1	1	2	.	.	1	.	.	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List No.	CAUSES OF DEATH		Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipp U.
B.43a	Diarrhoea of newborn	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.43c	Other infections of newborn ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.43b	Pneumonia of newborn	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
B.44	Other diseases peculiar to early infancy and immaturity unqualified ...	M.	.	1	6	2	4	
		F.	.	.	4	1	3	
B.45a	Senility without mention of psychosis	M.	.	2	4	1	1	
		F.	1	2	3	.	4	
B.45b	Ill-defined and unknown causes ...	M.	.	1	2	.	2	
		F.	.	1	.	1	1	
B.46e	All other diseases	M.	.	2	2	1	2	
		F.	.	1	3	1	.	
	EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
BE.48	All other accidents	M.	.	.	1	.	.	
		F.	.	.	.	1	1	
BE.49	Suicide and self-inflicted injury	M.	.	.	.	1	.	
		F.	.	.	.	.	.	
BE.50	Homicide and operations of war ...	M.	.	.	.	.	.	
		F.	.	.	.	.	.	
	AGES.							
Under 1 year		M.	.	3	7	2	9	
		F.	.	1	6	2	6	
1 year and under 65 years		M.	5	11	13	5	17	
		F.	1	14	13	6	13	
65 years and over		M.	10	20	24	17	25	
		F.	4	16	17	17	31	
TOTAL		M.	15	34	44	24	51	
		F.	5	31	36	25	50	
Births		M.	21	83	70	19	148	
		F.	19	66	59	32	130	
Population according to the Census of Population, 1951.		M.	888	3,013	2,223	1,290	5,076	
		F.	1,076	3,263	2,534	1,539	5,395	

OR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND
ARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

. in .	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbreviated List No.
	. .	. .	. .	. .	. .	. .	. .	. .	B.43a
	. .	. .	. .	. .	. .	. .	. .	. .	B.43c
1	1 .	. .	. .	. .	. .	. .	. .	. .	B.43b
3 3	5 5	. 1	. 2	3 .	. 2	1 .	4 3	. .	B.44
4 10	8 14	1 1	5 7	7 5	2 5	2 2	3 6	1 2	B.45a
	3 2	. .	2 1	. 1	1 2	. 1	2 2	. 1	B.45b
2	10 8	2 1	4 3	1 2	4 3	1 1	4 9	1 1	B.46e
	1 .	. .	1 .	. .	. .	. .	1 .	1 .	BE.47
2	6 1	3 1	. .	. .	3 1	. .	3 2	. .	BE.48
	1 .	. .	. .	. .	. .	. .	. .	. .	BE.49
	1 .	. .	. .	. .	. .	. .	1 .	. .	BE.50
									AGES.
6 6	20 11	2 4	6 13	3 2	2 4	1 1	9 6	. 1	Under 1 year.
21 8	87 55	13 4	33 41	14 16	14 8	11 6	28 28	11 12	1 year and under 65 years.
17 26	121 111	15 5	55 75	21 12	14 20	13 10	40 55	7 14	65 years and over.
44 40	228 177	30 13	94 129	38 30	30 32	25 17	77 89	18 27	TOTAL.
54 61	316 309	39 26	222 212	64 73	43 49	20 15	136 151	36 47	Births.
,668 ,755	13,485 15,206	2,988 2,608	10,374 10,942	3,000 3,220	2,508 2,780	1,426 1,678	6,360 7,169	1,675 1,880	Population according to the Census of Population 1951

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List No.	CAUSES OF DEATH		Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Abbr iate List
	ALL CAUSES	M.	18	14	11	18	15	25	13	
		F.	14	11	16	12	15	15	19	
B.1	Tuberculosis of respiratory system	M.	.	.	.	.	1	1	.	B.
		F.	1	.	.	.	2	.	2	
B.2	Tuberculosis, other forms	M.	1	.	.	.	.	1	.	B.
		F.	1	.	.	.	.	.	.	
B.3	Syphilis and its sequelae ...	M.	.	.	.	.	.	.	.	B.
		F.	.	.	.	.	.	.	.	
B.4	Typhoid fever	M.	.	.	.	.	.	.	.	B.
		F.	.	.	.	.	.	.	.	
B.5	Cholera	M.	.	.	.	.	.	.	.	B.
		F.	.	.	.	.	.	.	.	
B.6	Dysentery, all forms	M.	.	.	.	.	.	.	.	B.
		F.	.	.	.	.	.	.	.	
B.7a	Scarlet fever	M.	.	.	.	.	.	.	.	B
		F.	1	.	.	.	.	.	.	
B.7b	Streptococcal sore throat	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.8	Diphtheria	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.9	Whooping cough	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.10	Meningococcal infections ...	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.11	Plague	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.12	Acute poliomyelitis	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.17a	Late effects of acute poliomyelitis	M.	.	.	.	.	.	.	.	B
		F.	.	.	.	.	.	.	.	
B.17b	Acute infectious encephalitis ...	M.	.	.	.	.	.	.	.	7
		F.	.	.	.	.	.	.	.	
B.17c	Late effects of acute infectious encephalitis.	M.	.	.	.	.	.	.	.	2
		F.	.	.	.	.	.	.	.	
B.13	Smallpox	M.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	
B.14	Measles	M.	.	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	
B.15	Typhus and other rickettsial diseases.	M.	.	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	

EX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND 5 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Abbreviated List No.	CAUSES OF DEATH		Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.16	Malaria	M.	.	.	.	.	.	.	.	B.16
		F.	.	.	.	.	.	.	.	
B.17d	All other diseases classified as infective and parasitic.	M.	.	.	.	.	.	.	.	B.17d
		F.	.	.	.	.	.	.	.	
B.18a	Malignant neoplasms	M.	2	1	2	1	2	1	1	B.18a
		F.	2	1	3	3	1	.	2	
B.18b	Neoplasms of lymphatic and haematopoietic tissues.	M.	.	.	.	1	.	.	.	B.18b
		F.	.	.	.	.	.	.	.	
B.19	Benign and unspecified neoplasms	M.	.	.	.	.	.	.	.	B.19
		F.	.	.	.	.	.	.	.	
B.20	Diabetes mellitus	M.	.	.	.	.	.	1	.	B.20
		F.	1	.	.	.	.	1	.	
B.21	Anaemias	M.	.	.	.	.	.	.	.	B.21
		F.	.	1	.	.	.	.	1	
B.22	Vascular lesions affecting central nervous system.	M.	.	1	.	.	3	1	.	B.22
		F.	3	1	1	1	3	.	2	
B.23	Nonmeningococcal meningitis ...	M.	.	.	.	1	.	.	.	B.23
		F.	.	.	.	.	.	.	.	
B.24	Rheumatic fever	M.	.	.	.	.	.	.	1	B.24
		F.	.	.	.	.	.	.	.	
B.25	Chronic rheumatic heart disease ...	M.	.	1	.	.	.	.	.	B.25
		F.	.	.	.	.	.	.	.	
B.26	Arteriosclerotic and degenerative heart disease.	M.	3	5	.	9	2	5	4	B.26
		F.	4	3	2	2	.	7	5	
B.27	Other diseases of the heart ...	M.	.	1	.	.	.	.	.	B.27
		F.	.	.	1	1	1	.	1	
B.28	Hypertension with heart disease ...	M.	1	.	.	.	.	.	.	B.28
		F.	.	3	.	.	.	.	.	
B.29	Hypertension without mention of heart.	M.	.	.	.	.	.	.	.	B.29
		F.	.	.	.	1	1	.	.	
B.46a	Other circulatory diseases ...	M.	.	.	.	.	2	.	.	B.46a
		F.	.	.	.	1	1	.	.	
B.30	Influenza	M.	.	2	4	2	1	.	.	B.30
		F.	.	.	4	.	3	.	.	
B.31	Pneumonia	M.	.	.	2	1	.	3	1	B.31
		F.	1	.	.	1	.	1	.	
B.32	Bronchitis	M.	.	1	1	.	.	.	.	B.32
		F.	.	.	.	1	.	1	2	
B.46b	Other respiratory diseases ...	M.	.	.	.	.	.	.	1	B.46b
		F.	.	2	.	.	.	.	1	

TABLE 22 (*Con.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH		Bundrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.36a	Gastritis and duodenitis ...	M.	.	.	.	.	.	.	.	B.36a
		F.	.	.	.	.	.	.	.	
B.33	Ulcer of stomach and duodenum	M.	.	.	.	.	.	.	.	B.33
		F.	.	.	.	.	.	.	.	
B.34	Appendicitis	M.	.	1	.	.	.	.	.	B.34
		F.	.	.	.	.	.	.	.	
B.35	Intestinal obstruction and hernia	M.	.	.	.	.	.	.	.	B.35
		F.	.	.	.	.	1	.	.	
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years	M.	.	.	.	.	.	.	.	B.36b
		F.	.	.	.	.	.	.	.	
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over	M.	.	.	.	.	.	.	.	B.36c
		F.	.	.	.	.	.	.	.	
B.36d	Chronic enteritis and ulcerative colitis.	M.	.	.	.	.	.	.	.	B.36d
		F.	.	.	.	.	.	.	.	
B.37	Cirrhosis of liver	M.	.	.	.	.	.	.	.	B.37
		F.	.	.	.	.	.	.	.	
B.46c	Other diseases of the liver, gall-bladder and pancreas.	M.	.	.	.	.	.	.	.	B.46c
		F.	.	.	.	.	.	.	.	
B.46d	Other digestive diseases ...	M.	.	.	.	.	.	.	.	B.46d
		F.	.	.	.	.	.	.	.	
B.38	Nephritis and nephrosis ...	M.	.	.	.	.	1	.	1	B.38
		F.	2	.	.	.	.	1	.	
B.39	Hyperplasia of prostate ...	M.	.	.	.	1	.	1	.	B.39
B.40a	Complications of pregnancy and childbirth.	F.	.	.	.	.	.	.	.	B.40a
B.40b	Puerperal sepsis	F.	.	.	.	.	.	.	.	B.40b
B.40c	Other complications of the puerperium.	F.	.	.	.	.	.	.	.	B.40c
B.41	Congenital malformations ...	M.	.	.	.	.	.	.	.	B.41
		F.	1	.	1	.	.	.	1	
B.42	Birth injuries, postnatal asphyxia and atelectasis.	M.	.	.	.	.	.	.	.	B.42
		F.	.	.	.	.	.	.	.	
B.43a	Diarrhoea of newborn ...	M.	.	.	.	.	.	.	.	B.43a
		F.	.	.	.	.	.	.	.	
B.43b	Pneumonia of newborn ...	M.	.	.	.	.	.	.	.	B.43b
		F.	.	.	.	.	.	.	.	
B.43c	Other infections of newborn	M.	.	.	.	.	.	.	.	B.43c
		F.	.	.	.	.	.	.	.	
B.44	Other diseases peculiar to early infancy and immaturity unqualified.	M.	.	.	.	.	1	.	.	B.44
		F.	1	.	1	.	1	.	.	

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Abbreviated List No.	CAUSES OF DEATH		Bunerana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.45a	Senility without mention of psychosis.	M.	3	.	.	1	1	4	2	B.45a
		F.	.	.	4	.	.	4	.	
B.45b	Ill-defined and unknown causes	M.	1	.	.	.	.	.	.	B.45b
		F.	.	.	.	.	.	.	.	
B.46e	All other diseases	M.	.	1	.	1		4	2	B.46e
		F.	1	.	.	1	1	1	2	
	EXTERNAL CAUSES									
BE.47	Motor vehicle accidents ...	M.	.	.	.	.	.	.	.	BE.47
		F.	.	.	.	.	.	.	.	
BE.48	All other accidents	M.	2	.	.	.	1	2	.	BE.48
		F.	.	.	1	.	.	.	.	
BE.49	Suicide and self-inflicted injury	M.	.	.	.	.	.	.	.	BE.49
		F.	.	.	.	.	.	.	.	
BE.50	Homicide and operations of war ...	M.	.	.	.	.	.	.	.	BE.50
		F.	.	.	.	.	.	.	.	
	AGES									AGES.
Under 1 year		M.	2	.	3	1	1	1	1	Under 1 year.
		F.	1	.	1	.	2	.	.	
1 year and under 65 years ...		M.	7	5	1	7	5	9	7	1 year and under 65 years.
		F.	5	3	5	6	2	5	9	
65 years and over		M.	9	9	7	10	9	15	5	65 years and over.
		F.	8	8	10	6	11	10	10	
	TOTAL	M.	18	14	11	18	15	25	13	TOTAL.
		F.	14	11	16	12	15	15	19	
Births		M.	37	21	37	19	28	29	23	Births.
		F.	39	18	29	22	20	28	24	
Population according to the Census of Population 1951		M.	1,428	764	1,472	894	1,044	1,240	2,031	Population according to the Census of Population 1951.
		F.	1,611	916	1,532	1,151	1,129	1,215	2,692	

TABLE 23.—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE IN

Detailed International List No.	Causes of Death		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days: 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	Total under 7 days
	Total Deaths (All Causes)	**M.**	**1,679**	**53**	**219**	**272**	**109**	**98**	**55**	**56**	**39**	**20**	**649**
		F.	**1,197**	**50**	**139**	**189**	**84**	**67**	**45**	**30**	**24**	**10**	**449**
001–138	**I. Infective and Parasitic Diseases** ...	**M.**	**77**	.	.	.	.	**1**	.	.	.	.	**1**
		F.	**74**	.	**1**	**1**	.	.	.	.	.	.	**1**
002	Pulmonary tuberculosis	M.	2	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.
003	Pleural tuberculosis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
008	Tuberculosis unspecified site	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
010	Tuberculosis of meninges and central nervous system.	M.	17	.	.	.	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.	.	.	.
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M.	2	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.
012	Tuberculosis of bones and joints, active or unspecified.	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
014	Tuberculosis of skin and subcutaneous cellular tissue.	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
015	Tuberculosis of lymphatic system ...	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
019	Disseminated tuberculosis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.
020	Congenital syphilis	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	3	.	1	1	.	.	.	.	.	.	1
050	Scarlet fever	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
051	Streptococcal sore throat	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
053	Septicaemia and pyaemia	M.	2	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M.	39	.	.	.	.	.	.	.	.	.	.
		F.	30	.	.	.	.	.	.	.	.	.	.
057	Meningococcal infections	M.	4	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.
061	Tetanus	M.	1	.	.	.	.	1	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.
082	Acute infectious encephalitis	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
085	Measles	M.	3	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.
092	Infectious hepatitis	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
130	Infestation with worms of other, mixed, and unspecified type.	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
134	Other fungus infections	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.
140–239	**II. Neoplasms**	**M.**	**2**	.	.	.	.	.	**1**	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia	M.	1	.	.	.	.	.	1	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
228	Haemangioma and lymphangioma ...	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
240–289	**III. Allergic, Endocrine System, Metabolic, and Nutritional Diseases.**	**M.**	**11**	.	.	.	.	.	.	.	.	.	.
		F.	**5**	.	.	.	.	.	.	.	.	.	.
241	Asthma	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.

51, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

13	14–20	21–27	Total under 4 weeks	Months: 4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	Detailed International List No.
21	**86**	**66**	**922**	**201**	**135**	**116**	**67**	**50**	**48**	**36**	**30**	**33**	**19**	**22**	
05	**45**	**47**	**646**	**125**	**91**	**77**	**68**	**35**	**42**	**29**	**23**	**13**	**24**	**24**	
2	.	**1**	**4**	**7**	**11**	**8**	**5**	**3**	**4**	**9**	**6**	**11**	**6**	**3**	**001–**
.	**1**	**1**	**3**	**6**	**5**	**8**	**7**	**6**	**12**	**4**	**7**	**4**	**5**	**7**	**138**
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	002
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	003
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	2	.	1	.	2	3	2	3	2	1	010
.	.	.	.	.	.	3	.	.	4	.	1	.	2	1	
.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	011
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	012
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	014
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	015
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	019
.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	020
.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	050
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	051
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	053
.	.	.	.	1	1	.	.	.	1	1	.	.	.	.	
.	.	1	1	4	7	6	1	3	1	4	3	7	2	.	056
.	.	.	.	2	3	3	3	6	3	3	2	2	1	2	
.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	057
.	1	.	1	.	.	.	.	.	1	.	1	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	061
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	082
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	085
.	.	.	.	.	.	.	.	.	.	.	2	1	.	3	
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	092
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	134
.	.	1	1	2	.	.	1	.	.	.	.	.	.	.	
1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	**140–**
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	**239**
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	204
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	228
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	**3**	**1**	**1**	**3**	**1**	.	.	.	.	**2**	**240–**
.	.	.	.	.	**2**	.	.	.	**1**	**2**	.	.	.	.	**289**
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	241
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	

TABLE 23 (*con.*)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF

Detailed International List No.	CAUSES OF DEATH		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7
250	Simple goitre	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
273	Diseases of thymus gland	M.	6	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.
283	Active rickets	M.	3	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
290–299	**IV. Diseases of the Blood and blood-forming organs.**	**M.**	**4**	.	.	.	.	.	.	.	.	.
		F.	**7**	.	.	.	.	.	.	.	.	.
291	Iron deficiency anaemias (hypochromic anaemias).	M.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.
293	Anaemia of unspecified type	M.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.
296	Purpura and other haemorrhagic conditions.	M.	4	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.
299	Other diseases of blood and blood-forming organs.	M.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
300–326	**V. Mental, Psychoneurotic, and Personality Disorders.**	**M.**	**5**	.	.	.	.	.	1	.	1	.
		F.	**1**	.	.	.	1	.	.	.	.	.
325	Mental deficiency	M.	5	.	.	.	.	.	1	.	1	.
		F.	1	.	.	.	1	.	.	.	.	.
330–398	**VI. Diseases of the nervous system and sense organs.**	**M.**	**35**	.	.	.	.	.	.	.	.	.
		F.	**12**	.	.	.	1	.	.	.	.	.
331	Cerebral haemorrhage	M.	5	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
334	Other and ill-defined vascular lesions affecting central nervous system.	M.	2	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
340	Meningitis, except meningococcal and tuberculous.	M.	19	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	1	.	.	.	.	.
342	Intracranial and intraspinal abscess ...	M.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
344	Late effects of intracranial abscess or pyogenic infection.	M.	4	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis ...	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
365	Erythroedema polyneuritica	M.	1	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis.	M.	2	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
393	Mastoiditis without mention of otitis media	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
400–468	**VII. Diseases of the circulatory system**	**M.**	**4**	.	.	.	.	.	.	.	.	.
		F.	**3**	.	.	.	.	.	.	.	.	.
410	Diseases of mitral valve	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
422	Other myocardial degeneration ...	M.	1	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
434	Other and unspecified diseases of the heart	M.	2	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.
470–527	**VIII. Diseases of the respiratory system** ...	**M.**	**272**	1	.	1	.	3	1	3	.	1
		F.	**195**	.	.	.	.	2	.	.	1	.
470	Acute nasopharyngitis (common cold) ...	M.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
471	Acute sinusitis*	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
472	Acute pharyngitis	M.	3	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.

1951, Classified by Sex, Age and Cause (Detailed International List).

-13	14–20	21–27	Total under 4 weeks	Months: 4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	Detailed International List No.
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	250
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	.	1	2	1	.	.	.	.	.	273
.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	283
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	1	.	1	.	1	.	.	1	1	.	.	.	.	.	290–299
.	1	.	1	1	2	1	1	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	291
.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	293
.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	
.	1	.	1	.	1	.	.	1	1	.	.	.	.	.	296
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	299
.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	3	1	.	.	.	.	.	.	.	.	.	1	300–326
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	3	1	.	.	.	.	.	.	.	.	.	1	325
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	3	5	2	3	4	3	4	3	2	2	1	3	330–398
.	1	1	3	.	2	.	2	1	1	.	1	.	2	.	
.	.	.	.	2	1	.	1	.	.	.	.	1	.	.	331
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	334
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	2	2	1	1	3	1	3	2	1	.	.	3	340
.	1	1	3	.	1	.	.	.	.	.	1	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	342
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	344
.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	351
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	365
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	391
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	393
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	400–468
.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	410
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	422
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	434
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
1	2	4	15	54	43	54	24	9	21	14	14	11	7	6	470
1	3	4	12	36	25	30	19	15	14	12	9	2	11	10	527
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	470
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	471
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	1	1	.	1	.	.	.	.	.	.	.	.	472
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 23 (*con.*)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF A

Detailed International List No.	CAUSES OF DEATH		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	To un 7 da
474	Acute laryngitis and tracheitis ...	M.	2	.	.	.	.	1	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
475	Acute upper respiratory infection of multiple or unspecified sites.	M.	7	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	1	.	.	.	.	.
480	Influenza with pneumonia	M.	12	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	1	.	.	1	.	.
481	Influenza with other respiratory manifestations, and influenza unqualified	M.	11	.	.	.	.	.	.	2	.	.	.
		F.	15	.	.	.	.	.	.	.	.	.	.
490	Lobar pneumonia	M.	22	.	.	.	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.	.	.	.
491	Bronchopneumonia	M.	128	.	.	.	.	.	.	.	.	.	.
		F.	104	.	.	.	.	.	.	.	.	.	.
492	Primary atypical pneumonia	M.	2	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.
493	Pneumonia, other and unspecified ...	M.	47	.	.	.	.	.	.	.	.	.	.
		F.	26	.	.	.	.	.	.	.	.	.	.
500	Acute bronchitis	M.	13	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.
501	Bronchitis unqualified	M.	13	.	.	.	.	2	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.
502	Chronic bronchitis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
513	Chronic sinusitis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
517	Other diseases of upper respiratory tract	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
518	Empyema	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
519	Pleurisy	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
522	Pulmonary congestion and hypostasis ...	M.	6	.	.	.	.	.	.	1	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.
527	Other diseases of lung and pleural cavity	M.	3	1	.	1	.	.	1	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	1	.
530–587	**IX. Diseases of the digestive system** ...	**M.**	**114**	.	**1**	**1**	.	.	.	.	**1**	.	.
		F.	**80**	.	**1**	**1**	.	.	.	.	.	.	.
533	Disorders of occlusion eruption, and tooth development.	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
536	Stomatitis	M.	6	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.
539	Diseases of oesophagus	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
543	Gastritis and duodenitis	M.	10	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.
544	Disorders of function of stomach ...	M.	3	.	.	.	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.	.	.	.
552	Other appendicitis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
560	Hernia of abdominal cavity, without mention of obstruction.	M.	1	.	1	1	.	.	.	.	.	.	.
		F.	1	.	1	1	.	.	.	.	.	.	.
561	Hernia of abdominal cavity with obstruction.	M.	2	.	.	.	.	.	.	.	1	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
570	Intestinal obstruction, without mention of hernia.	M.	5	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.	.	.	.

51, Classified by Sex, Age and Cause (Detailed International List).

14–20	21–27	Total under 4 weeks	Months: 4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	Detailed International List No.
.	.	1	.	.	.	.	.	.	.	.	.	.	1	474
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	3	.	2	.	.	1	.	.	.	.	.	475
.	.	1	2	3	2	.	.	.	.	.	.	.	.	
.	.	.	1	1	2	2	.	1	.	2	2	.	1	480
1	1	4	1	.	1	.	.	.	1	.	.	.	1	
.	1	3	2	2	1	1	.	1	.	1	.	.	.	481
.	3	3	4	2	1	1	.	.	.	1	1	1	1	
.	.	.	6	5	6	1	.	2	.	.	1	1	.	490
.	.	.	.	1	4	1	.	2	1	.	.	1	1	
.	.	.	25	20	26	16	2	11	10	5	6	5	2	491
.	.	.	24	13	16	7	11	9	7	8	.	4	5	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	492
.	.	.	.	.	.	2	1	.	.	.	.	.	.	
.	.	.	8	11	12	2	2	2	3	4	2	.	1	493
.	.	.	4	4	2	5	2	2	3	.	.	4	.	
.	.	.	2	2	2	.	3	1	1	2	.	.	.	500
1	.	1	.	.	1	.	.	.	.	.	.	.	1	
1	2	5	2	.	1	2	.	1	.	.	.	1	1	501
.	.	.	.	.	2	1	1	1	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	502
.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	513
.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	517
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	518
1	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	519
.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	2	.	1	.	1	.	.	.	.	.	.	522
.	.	2	1	1	.	1	.	.	.	.	1	.	.	
.	.	2	.	.	.	.	.	1	.	.	.	.	.	527
.	.	1	.	1	.	.	.	.	.	.	.	.	.	
5	3	12	31	23	7	10	7	10	6	3	1	3	1	530–587
2	1	5	21	14	8	10	2	4	6	2	3	1	4	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	533
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	1	4	1	.	.	.	.	.	.	.	1	.	.	536
.	.	.	.	2	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	539
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	.	2	2	3	.	.	.	1	1	.	.	.	1	543
.	.	.	2	.	1	.	.	.	.	.	.	.	.	
1	.	1	1	1	.	.	.	.	.	.	.	.	.	544
1	.	2	1	.	1	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	552
.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	560
.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	.	.	.	.	.	.	.	.	.	.	.	561
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	.	.	.	.	1	.	2	.	.	1	.	570
1	.	1	.	1	2	1	.	1	.	.	1	1	.	

TABLE 23 (*con.*)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR O

Detailed International List No.	CAUSES OF DEATH		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and und 7	Tot und 7 day
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.	M.	82	.	.	.	.	.	.	.	.	.	.
		F.	57	.	.	.	.	.	.	.	.	.	.
576	Peritonitis	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum.	M.	3	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
583	Other diseases of liver	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
590–637	**X. Diseases of the genito-urinary system**	**M.**	**1**	.	.	.	.	.	.	.	.	.	.
		F.	**5**	.	.	.	.	.	.	.	.	.	.
593	Nephritis not specified as acute or chronic	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.
600	Infections of kidney	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female).	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
690–716	**XII. Diseases of the skin and cellular tissue**	**M.**	**4**	.	.	.	.	.	.	.	.	.	.
		F.	**2**	.	.	.	.	.	.	.	.	.	.
690	Boil and carbuncle	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
692	Other cellulitis and abscess, without mention of lymphangitis.	M.	2	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
698	Other local infections of skin and subcutaneous tissue.	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
701	Eczema	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
707	Lichen planus	M.	1	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.
720–749	**XIII. Diseases of the bones and organs of movement.**	**M.**	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
744	Other diseases of muscle, tendon and fascia.	M.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.
750–759	**XIV. Congenital Malformations** ...	**M.**	**192**	**7**	**20**	**27**	**9**	**15**	**12**	**10**	**4**		
		F.	**176**	**8**	**19**	**27**	**4**	**15**	**7**	**3**	**6**		
750	Monstrosity	M.	5	3	1	4	.	.	.	1	.		
		F.	13	4	8	12	.	.	.	.	1		
751	Spina bifida and meningocele ...	M.	45	2	5	7	.	3	3	2	2		
		F.	50	2	4	6	1	2	4	.	1		
752	Congenital hydrocephalus	M.	8	.	.	.	2	1	2	.	1		
		F.	17	1	2	3	1	4	.	.	.		
753	Other congenital malformations of nervous system and sense organs.	M.	2	.	.	.	.	.	.	.	.		
		F.	1	.	1	1	.	.	.	.	.		
754	Congenital malformations of circulatory system.	M.	70	.	7	7	5	6	6	3	.		
		F.	62	.	3	3	1	7	2	1	2		
755	Cleft palate and harelip	M.	3	.	.	.	.	.	.	.	.		
		F.	4	.	.	.	.	.	.	.	.		
756	Congenital malformations of digestive system.	M.	41	.	1	1	2	2	1	4	1		
		F.	17	.	.	.	.	2	.	2	.		
757	Congenital malformations of genito-urinary system.	M.	3	.	1	1	.	.	.	.	.		
		F.	1	.	.	.	.	.	.	.	.		
758	Congenital malformations of bone and joint.	M.	1	.	.	.	.	.	.	.	.		
		F.	.	.	.	.	.	.	.	.	.		
759	Other and unspecified congenital malformations, not elsewhere specified.	M.	14	2	5	7	.	3	.	.	.		
		F.	11	1	1	2	1	.	1	.	2		

1, Classified by Sex, Age and Cause (Detailed International List).

			Total under 4 weeks	Months											Detailed International List No.
	14–20	21–27		4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
	.	.	.	26	19	7	9	6	8	3	3	.	1	.	571
	.	.	.	18	10	4	8	2	2	6	1	2	.	4	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	576
	.	1	1	.	.	.	.	.	.	.	.	.	.	.	
	.	1	1	1	.	.	.	.	1	.	.	.	.	.	578
	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	583
	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	**590–637**
	.	.	.	1	1	1	.	.	.	2	.	1	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	593
	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	600
	.	.	.	.	1	1	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	626
	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
	1	.	1	1	.	.	1	.	.	.	.	.	.	1	**690–716**
	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	690
	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	1	.	1	1	.	.	.	.	.	.	.	.	.	.	692
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	698
	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	.	.	.	.	.	.	1	.	.	.	.	.	.	.	701
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	1	707
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	**720–749**
	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	744
	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
23	14	10	125	31	10	12	4	3	2	1	2	.	.	2	**750–759**
21	10	13	106	21	12	8	10	4	7	1	2	2	2	1	
	.	.	5	.	.	.	.	.	.	.	.	.	.	.	750
	.	.	13	.	.	.	.	.	.	.	.	.	.	.	
0	6	.	33	6	1	2	1	1	1	.	.	.	.	.	751
8	3	2	27	7	5	.	5	2	1	1	.	.	1	1	
	.	.	7	.	.	1	.	.	.	.	.	.	.	.	752
	1	2	11	1	1	.	.	1	1	.	1	1	.	.	
	.	1	1	.	.	.	.	.	.	.	.	.	.	1	753
	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
6	6	4	43	8	5	6	2	1	1	1	2	.	.	1	754
0	5	2	33	9	5	5	4	1	4	.	.	1	.	.	
1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	755
1	.	1	2	.	.	1	.	.	.	.	.	.	1	.	
4	1	3	19	13	4	3	1	1	.	.	.	.	.	.	756
1	1	4	10	4	.	2	.	.	.	.	1	.	.	.	
	.	2	3	.	.	.	.	.	.	.	.	.	.	.	757
	.	1	1	.	.	.	.	.	.	.	.	.	.	.	
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	758
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	.	12	2	.	.	.	.	.	.	.	.	.	.	759
1	.	1	8	.	1	.	1	.	1	.	.	.	.	.	

TABLE 23 (*con.*)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF

Detailed International List No.	CAUSES OF DEATH		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7
760–776	XV. Certain diseases of early infancy	M.	851	37	193	230	96	75	37	42	33	18
		F.	572	35	116	151	76	49	37	27	17	9
	Intracranial and spinal injury at birth											
760·0	without mention of immaturity.	M.	75	3	15	18	14	13	5	9	4	4
		F.	37	3	9	12	6	1	3	2	2	2
760·5	with mention of immaturity	M.	19	.	9	9	1	2	.	.	1	.
		F.	8	1	2	3	.	1	1	.	.	.
	Other birth injury											
761·0	without mention of immaturity	M.	15	5	4	9	1	3	.	.	1	1
		F.	12	5	4	9	1	.	1	1	.	.
761·5	with mention of immaturity	M.	5	1	2	3	1	.	1	.	.	.
		F.	4	.	2	2	1	.	.	.	.	.
	Postnatal asphyxia and atelectasis											
762·0	without mention of immaturity	M.	75	7	22	29	12	5	2	3	1	.
		F.	50	6	10	16	7	4	4	5	1	1
762·5	with mention of immaturity	M.	31	.	13	13	7	2	2	2	1	.
		F.	37	1	20	21	9	2	1	1	.	.
	Pneumonia of newborn											
763·0	without mention of immaturity	M.	45	.	1	1	3	1	1	3	2	2
		F.	17	.	2	2	2	2	.	.	1	.
763·5	with mention of immaturity	M.	9	.	2	2	1	.	1	.	.	1
		F.	5	.	.	.	1	.	.	.	1	.
	Diarrhoea of newborn											
764·0	without mention of immaturity	M.	18	.	.	.	1	.	.	.	.	.
		F.	9	.	.	.	.	.	.	1	.	.
764·5	with mention of immaturity	M.	1	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
767·0	Umbilical sepsis	M.	1	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.
768	Other sepsis of newborn	M.	3	.	.	.	.	.	.	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.
	Neonatal disorders arising from maternal toxaemia											
769·0	without mention of immaturity	M.	3	1	.	1	.	1	.	.	.	.
		F.	2	.	.	.	1	1	.	.	.	.
769·5	with mention of immaturity	M.	3	1	.	1	1	1	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.
	Haemolytic disease of newborn (erythroblastosis)											
770·0	without mention of immaturity	M.	33	.	6	6	1	5	8	5	3	.
		F.	27	2	8	10	2	1	1	4	.	1
770·5	with mention of immaturity	M.	4	.	1	1	.	1	.	1	.	.
		F.	3	.	1	1	.	1	.	.	1	.
	Haemorrhagic disease of newborn											
771·0	without mention of immaturity	M.	9	.	1	1	1	1	1	1	.	.
		F.	8	.	.	.	.	1	3	2	.	.
771·5	with mention of immaturity	M.	3	.	1	1	.	.	.	.	.	.
		F.	1	.	1	1	.	.	.	.	.	.
	Nutritional maladjustment											
772·0	without mention of immaturity	M.	7	.	.	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.	.	.
772·5	with immaturity	M.	2	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.

951, Classified by Sex, Age and Cause (Detailed International List).

14–20	21–27	Total under 4 weeks	Months: 4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	Detailed International List No.
55	42	715	56	27	17	11	12	5	.	2	4	2	.	760–776
23	24	488	28	24	13	8	4	1	1	1	1	1	2	
1	.	73	.	1	.	.	.	1	.	.	.	.	.	760·0
.	.	33	1	1	1	1	.	.	.	.	.	.	.	
2	.	19	.	.	.	.	.	.	.	.	.	.	.	760·5
.	1	8	.	.	.	.	.	.	.	.	.	.	.	
.	.	15	.	.	.	.	.	.	.	.	.	.	.	761·0
.	.	12	.	.	.	.	.	.	.	.	.	.	.	
.	.	5	.	.	.	.	.	.	.	.	.	.	.	761·5
.	.	4	.	.	.	.	.	.	.	.	.	.	.	
1	3	62	4	1	.	2	2	1	.	1	1	1	.	762·0
1	.	44	1	3	.	1	1	.	.	.	.	.	.	
.	.	29	1	1	.	.	.	.	.	.	.	.	.	762·5
.	.	35	1	1	.	.	.	.	.	.	.	.	.	
11	9	45	.	.	.	.	.	.	.	.	.	.	.	763·0
3	3	17	.	.	.	.	.	.	.	.	.	.	.	
.	1	9	.	.	.	.	.	.	.	.	.	.	.	763·5
.	1	5	.	.	.	.	.	.	.	.	.	.	.	
9	5	18	.	.	.	.	.	.	.	.	.	.	.	764·0
2	4	9	.	.	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	.	.	.	.	.	.	.	.	.	764·5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	767·0
.	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	.	3	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	3	.	.	.	.	.	.	.	.	.	.	.	769·0
.	.	2	.	.	.	.	.	.	.	.	.	.	.	
.	.	3	.	.	.	.	.	.	.	.	.	.	.	769·5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	32	.	.	1	.	.	.	.	.	.	.	.	770·0
.	1	25	.	2	.	.	.	.	.	.	.	.	.	
.	.	4	.	.	.	.	.	.	.	.	.	.	.	770·5
.	.	3	.	.	.	.	.	.	.	.	.	.	.	
1	1	8	1	.	.	.	.	.	.	.	.	.	.	771·0
.	.	8	.	.	.	.	.	.	.	.	.	.	.	
.	.	3	.	.	.	.	.	.	.	.	.	.	.	771·5
.	.	1	.	.	.	.	.	.	.	.	.	.	.	
1	1	2	2	1	1	.	.	1	.	.	.	.	.	772·0
1	.	1	2	2	3	1	.	.	.	.	.	.	.	
.	.	.	2	.	.	.	.	.	.	.	.	.	.	772·5
.	.	1	.	.	.	.	.	.	.	.	.	.	.	

TABLE 23 (*con.*)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF A

Detailed International List No.	CAUSES OF DEATH		Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS 1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	Total under 7 days
	Ill-defined diseases peculiar to early infancy												
773·0	without mention of immaturity ...	M.	141	1	9	10	5	6	1	2	2	.	8
		F.	91	2	7	9	4	6	3	.	1	1	5
773·5	with mention of immaturity ...	M.	107	1	38	39	9	8	3	4	5	3	5
		F.	65	1	10	11	12	8	6	2	5	1	5
774	Immaturity, with mention of any other subsidiary condition.	M.	24	.	6	6	4	5	.	1	.	.	3
		F.	18	1	4	5	5	.	1	1	2	.	4
775	Immaturity subsidiary to some other cause.	M.	.	.	.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	
776	Immaturity unqualified	M.	218	17	63	80	34	21	12	11	13	4	5
		F.	166	13	36	49	25	21	13	8	3	3	2
780–795	**XVI. Symtoms, Senility and Ill-defined Conditions.**	M.	72	1	2	3	2	3	2	1	.	1	2
		F.	41	3	1	4	1	1	1	.	.	.	7
780	Certain symptoms referable to nervous system and special senses.	M.	54	1	2	3	1	3	2	1	.	1	1
		F.	25	2	1	3	.	.	.	.	.	.	3
782	Symptoms referable to cardiovascular and lymphatic system.	M.	2	.	.	.	.	.	.	.	.	.	
		F.	5	.	.	.	.	.	.	.	.	.	
783	Symptoms referable to respiratory system	M.	1	.	.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	
784	Symptoms referable to upper gastro-intestinal tract.	M.	3	.	.	.	1	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	
785	Symptoms referable to abdomen and lower gastro-intestinal system.	M.	3	.	.	.	.	.	.	.	.	.	1
		F.	2	.	.	.	.	1	.	.	.	.	
788	Other general symptoms	M.	1	.	.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	
795	Ill-defined and unknown causes of morbidity and mortality.	M.	8	.	.	.	.	.	.	.	.	.	3
		F.	9	1	.	1	1	.	1	.	.	.	
E.800–E.999	**E. XVII. Alternative classification of accidents, poisonings and violence (external cause).**	M.	35	7	3	10	2	1	1	.	.	.	4
		F.	23	4	1	5	1	.	.	.	.	.	6
E.904	Unspecified falls	M.	.	.	.	.	.	.	.	.	.	.	
		F.	1	.	.	.	.	.	.	.	.	.	
E.916	Accident caused by fire and explosion of combustible material.	M.	.	.	.	.	.	.	.	.	.	.	
		F.	1	.	.	.	.	.	.	.	.	.	
E.917	Accident caused by hot substance, corrosive liquid and steam.	M.	1	.	.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	
E.921	Inhalation and ingestion of food causing obstruction or suffocation.	M.	7	.	.	.	.	.	.	.	.	.	
		F.	4	.	.	.	.	.	.	.	.	.	
E.922	Inhalation and ingestion of other object causing obstruction or suffocation.	M.	2	.	1	1	.	1	.	.	.	.	2
		F.	2	.	.	.	.	.	.	.	.	.	
E.923	Foreign body entering eye and adnexa ...	M.	1	.	.	.	.	.	.	.	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	
E.924	Accidental mechanical suffocation in bed and cradle.	M.	11	.	.	.	1	.	.	.	.	.	1
		F.	8	.	.	.	.	.	.	.	.	.	
E.925	Accidental mechanical suffocation in other and unspecified circumstances.	M.	2	1	.	1	.	.	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	
E.926	Lack of care of infants under 1 year of age	M.	8	5	2	7	.	.	.	.	.	.	7
		F.	6	4	1	5	1	.	.	.	.	.	6
E.933	Hunger, thirst and exposure	M.	1	.	.	.	1	.	.	.	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.	
E.983	Assault by other means	M.	2	1	.	1	.	.	1	.	.	.	2
		F.	.	.	.	.	.	.	.	.	.	.	

1951, Classified by Sex, Age and Cause (Detailed International List).

3	14–20	21–27	Total under 4 weeks	Months: 4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	Detailed International List No.
5	9	13	63	29	14	14	9	5	2	.	1	3	1	.	773·0
9	2	8	43	19	12	4	4	2	1	1	1	1	1	2	
1	6	4	92	6	5	1	.	3	.	.	.	.	.	.	773·5
9	5	1	60	2	2	1	.	.	.	.	.	.	.	.	
3	.	1	20	3	.	.	.	1	.	.	.	.	.	.	774
1	.	.	15	.	1	1	1	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	775
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	11	4	206	7	4	.	.	1	.	.	.	.	.	.	776
5	9	5	161	2	.	2	.	1	.	.	.	.	.	.	
3	7	4	26	13	11	9	2	5	.	2	1	1	.	2	780–795
4	1	2	14	7	4	5	5	1	1	1	.	1	2	.	
3	5	2	21	11	8	4	1	5	.	2	.	.	.	2	780
3	1	2	9	5	2	2	4	1	1	1	.	.	.	.	
	.	.	.	.	1	.	.	.	.	.	1	.	.	.	782
	.	.	.	1	1	1	.	.	.	.	.	1	1	.	
	.	.	.	.	.	1	.	.	.	.	.	.	.	.	783
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	1	2	.	.	1	.	.	.	.	.	.	.	.	784
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	1	.	1	2	.	.	.	.	.	.	.	.	.	.	785
	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	1	.	.	.	.	.	.	.	.	.	788
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	1	1	2	.	1	3	1	.	.	.	.	1	.	.	795
	.	.	3	1	1	2	1	.	.	.	.	.	1	.	
	.	1	15	2	4	5	5	2	.	.	.	1	.	1	E.800–E.999
	3	1	13	3	.	2	3	.	1	.	1	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E.904
	.	1	1	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E.916
	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	1	E.917
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	1	1	1	3	1	.	.	.	.	.	.	E.921
	1	.	1	.	.	.	2	.	1	.	.	.	.	.	
	.	.	2	.	.	.	.	.	.	.	.	.	.	.	E.922
	.	.	1	1	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E.923
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	1	2	.	2	4	2	.	.	.	.	1	.	.	E.924
	2	.	4	1	.	2	1	.	.	.	.	.	.	.	
	.	.	1	1	.	.	.	.	.	.	.	.	.	.	E.925
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	7	.	1	.	.	.	.	.	.	.	.	.	E.926
	.	.	6	.	.	.	.	.	.	.	.	.	.	.	
	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E.933
	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
	.	.	2	.	.	.	.	.	.	.	.	.	.	.	E.983
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 24.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

International List No.	Causes of Death.		Total		Dublin County Borough and Dún Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Distr
			under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks
010	Tuberculosis of meninges and central nervous system.	M.	.	17	.	3	.	1	.	.	.	1	.
		F.	.	11	.	2	.	.	.	1	.	2	.
001–009, 011–019	Tuberculosis, other forms	M.	.	6	.	.	.	.	.	.	.	1	.
		F.	.	11	.	2	.	.	.	2	.	1	.
020–029	Syphilis and its sequelae	M.	.	1	.	1	.	.	.	.	.	.	.
		F.	1	2	1	2	.	.	.	.	.	.	.
056	Whooping cough ...	M.	1	38	.	7	.	1	.	2	.	3	1
		F.	.	30	.	7	.	1	.	1	.	3	.
030–055, 057–138	Other infective and parasitic diseases.	M.	3	11	.	5	.	3	.	.	.	.	3
		F.	2	17	.	6	.	.	.	.	.	2	2
340	Meningitis, except meningococcal and tuberculous	M.	2	17	1	2	.	.	.	2	.	2	1
		F.	3	3	.	1	.	1	1	.	.	.	2
330–334, 341–398	Diseases of nervous system and sense organs.	M.	1	15	1	3	.	.	.	.	.	.	.
		F.	.	6	.	.	.	.	.	1	.	1	.
480–483	Influenza	M.	3	20	.	.	.	.	.	2	.	.	3
		F.	7	16	.	.	.	.	.	1	1	2	6
490–493	Pneumonia	M.	.	199	.	43	.	12	.	11	.	10	.
		F.	.	144	.	33	.	8	.	4	.	5	.
500–502	Bronchitis	M.	5	21	.	3	.	2	.	1	.	1	5
		F.	1	9	.	2	.	.	.	.	.	.	1
470–475, 510–527	Other diseases of the respiratory system.	M.	7	17	1	9	.	1	.	.	.	1	6
		F.	4	14	.	9	.	.	.	2	.	.	4
571	Gastro-enteritis and colitis, except diarrhoea of newborn.	M.	.	82	.	6	.	9	.	6	.	5	.
		F.	.	57	.	2	.	3	.	4	.	5	.
530–570, 573–587	Other diseases of the digestive system.	M.	12	20	2	1	1	1	1	1	.	1	8
		F.	5	18	3	1	.	1	.	1	.	2	2
750–759	Congenital malformations	M.	125	67	23	14	11	2	10	2	9	2	72
		F.	106	70	25	10	2	3	3	4	5	8	71
760–761	Birth injuries	M.	112	2	37	1	3	.	6	.	7	.	59
		F.	57	4	21	1	1	.	3	.	2	.	30
762	Postnatal asphyxia and atelectasis.	M.	91	15	31	3	3	1	5	2	5	1	47
		F.	79	8	28	1	4	1	4	.	3	.	40
763	Pneumonia of newborn ...	M.	54	.	19	.	5	.	3	.	2	.	25
		F.	22	.	8	.	1	.	.	.	.	.	13
764	Diarrhoea of newborn ...	M.	19	.	6	.	1	.	.	.	2	.	10
		F.	9	.	3	.	2	.	.	.	1	.	3
765–768	Other infections of the newborn.	M.	3	1	2	.	.	.	.	.	.	.	1
		F.	1	1	.	1	.	.	.	.	.	.	1
	Other and ill-defined diseases of early infancy.												
769·0–773·0	Without mention of immaturity.	M.	108	85	14	10	2	3	3	5	8	7	81
		F.	79	58	8	11	3	2	6	.	9	3	53
769·5–773·5	With mention of immaturity.	M.	102	17	26	3	3	1	3	1	14	2	56
		F.	65	5	16	.	5	1	3	.	6	1	35
774	Immaturity with mention of any other subsidiary condition.	M.	20	4	5	.	.	1	.	.	2	.	13
		F.	15	3	6	.	.	.	1	.	1	.	7
776	Immaturity unqualified ...	M.	206	12	40	.	12	.	14	1	19	1	121
		F.	161	5	32	1	4	1	13	.	17	1	95
Residue	Other causes	M.	48	90	8	19	4	3	3	4	3	4	30
		F.	29	59	6	10	2	2	2	9	2	2	17
	All Causes	**M.**	**922**	**757**	**216**	**133**	**45**	**41**	**48**	**40**	**71**	**42**	**542**
		F.	**646**	**551**	**157**	**102**	**24**	**24**	**36**	**30**	**47**	**38**	**382**

LE 25.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN UNDER 1 YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE IN 1951.

er-onal st o.	Causes of Death.		Total under 1 year	Total under 1 day	Days: 1 and under 7	Days: Total under 7 days	Days: 7 and under 28	Total under 4 weeks	Months: 4 wks. and under 3 mths.	Months: 3 and under 6 mths.	Months: 6 and under 12 mths.
0	Tuberculosis of meninges and central nervous system.	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
0, 0.	Tuberculosis, other forms	M.	1	.	.	.	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.	.
0	Syphilis and its sequelae	M.	1	.	.	.	.	.	1	.	.
		F.	2	.	.	.	.	.	.	2	.
6	Whooping cough	M.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	1	.
5, 3.	Other infective and parasitic diseases	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
0	Meningitis, except meningococcal and tuberculous.	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
4, 3.	Diseases of the nervous system and sense organs.	M.	1	.	.	.	.	.	1	.	.
		F.	.	.	.	.	.	.	.	.	.
3	Influenza	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
3	Pneumonia	M.	8	.	.	.	.	.	2	5	1
		F.	8	.	.	.	.	.	.	4	4
2	Bronchitis	M.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	2	.
5,	Other diseases of the respiratory system	M.	2	.	.	.	1	1	1	.	.
		F.	.	.	.	.	.	.	.	.	.
2	Enteritis and colitis, except diarrhoea of the newborn.	M.	1	.	.	.	.	.	.	.	1
		F.	5	.	.	.	.	.	2	1	2
1,	Other diseases of the digestive system	M.	4	.	.	.	1	1	.	1	2
		F.	3	.	.	.	.	.	2	.	1
	Congenital malformations	M.	6	2	1	3	1	4	1	1	.
		F.	3	.	1	1	2	3	.	.	.
	Birth injuries	M.	4	2	2	4	.	4	.	.	.
		F.	1	1	.	1	.	1	.	.	.
	Postnatal asphyxia and atelectasis	M.	5	1	2	3	1	4	1	.	.
		F.	5	2	3	5	.	5	.	.	.
	Pneumonia of newborn	M.	1	.	.	.	1	1	.	.	.
		F.	1	.	.	.	1	1	.	.	.
	Diarrhoea of newborn	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
	Other infections of the newborn ...	M.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	1	1	.	.	.
	Other and Ill-defined Diseases of Early Infancy:										
73·0	Without mention of immaturity ...	M.	22	.	.	.	2	2	8	11	1
		F.	13	1	.	1	3	4	8	.	1
73·5	With mention of immaturity ...	M.	9	1	1	2	3	5	4	.	.
		F.	1	.	1	1	.	1	.	.	.
	Immaturity with mention of any other subsidiary condition.	M.	1	.	.	.	.	.	.	1	.
		F.	.	.	.	.	.	.	.	.	.
	Immaturity unqualified	M.	6	2	1	3	3	6	.	.	.
		F.	8	.	4	4	4	8	.	.	.
99	Accidental deaths	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
	Other causes	M.	13	7	2	9	1	10	1	2	.
		F.	6	3	.	3	1	4	.	1	1
	All Causes	**M.**	**85**	**15**	**9**	**24**	**14**	**38**	**20**	**22**	**5**
		F.	**60**	**7**	**9**	**16**	**12**	**28**	**12**	**11**	**9**

TABLE 26.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEE
AND COUN

Detailed International List No.	CAUSES OF DEATH.		Total		Leinster		Munster		Connacht		Ulst (part)
			under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks
010 ...	Tuberculosis of meninges and central nervous system.	M.	.	17	.	7	.	6	.	3	.
		F.	.	11	.	4	.	3	.	3	.
001–009, 011–019	Tuberculosis, other forms ...	M.	.	6	.	2	.	3	.	.	.
		F.	.	11	.	5	.	3	.	2	.
020–029 ...	Syphilis and its sequelae ...	M.	.	1	.	1	.	.	.	.	.
		F.	1	2	1	2	.	.	.	.	.
056 ...	Whooping cough	M.	1	38	1	19	.	5	.	5	.
		F.	.	30	.	14	.	5	.	3	.
030–055, 057–138	Other infective and parasitic diseases.	M.	3	11	3	6	.	4	.	1	.
		F.	2	17	1	12	1	4	.	.	.
340 ...	Meningitis, except meningococcal and tuberculous.	M.	2	17	1	7	1	8	.	1	.
		F.	3	3	2	1	1	2	.	.	.
330–334, 341–398	Diseases of the nervous system and sense organs.	M.	1	15	1	7	.	6	.	2	.
		F.	.	6	.	3	.	2	.	1	.
480–483 ...	Influenza	M.	3	20	.	3	2	4	.	4	1
		F.	7	16	2	4	3	3	.	4	2
490–493 ...	Pneumonia	M.	.	199	.	91	.	63	.	27	.
		F.	.	144	.	87	.	37	.	13	.
500–502 ...	Bronchitis	M.	5	21	2	9	2	10	.	2	1
		F.	1	9	1	5	.	1	.	2	.
470–475, 510–527	Other diseases of the respiratory system.	M.	7	17	1	15	3	2	1	.	2
		F.	4	14	2	13	1	.	1	1	.
571 ...	Gastro-enteritis and colitis, except diarrhoea of the newborn.	M.	.	82	.	37	.	37	.	4	.
		F.	.	57	.	22	.	25	.	7	.
530–570, 573–587	Other diseases of the digestive system.	M.	12	20	7	3	4	11	1	5	.
		F.	5	18	3	7	1	6	.	3	1
750–759 ...	Congenital malformations ...	M.	125	67	72	27	37	21	12	11	4
		F.	106	70	57	33	31	18	14	13	4
760–761 ...	Birth injuries ...	M.	112	2	73	1	23	.	9	1	7
		F.	57	4	37	4	12	.	7	.	1
762 ...	Postnatal asphyxia and atelectasis	M.	91	15	63	9	17	4	7	1	4
		F.	79	8	45	3	26	5	4	.	4
763 ...	Pneumonia of newborn ...	M.	54	.	28	.	16	.	6	.	4
		F.	22	.	14	.	5	.	2	.	1
764 ...	Diarrhoea of newborn	M.	19	.	13	.	4	.	2	.	.
		F.	9	.	6	.	3	.	.	.	.
765–768 ...	Other infections of the newborn	M.	3	1	3	.	.	.	.	1	.
		F.	1	1	1	1	.	.	.	.	.
	Other and ill-defined diseases of early infancy :—										
769·0–773·0	Without mention of immaturity	M.	108	85	48	39	35	25	19	11	6
		F.	79	58	30	24	32	21	13	7	4
769·5–773·5	With mention of immaturity ...	M.	102	17	58	9	31	6	4	1	9
		F.	65	5	36	2	22	3	4	.	3
774 ...	Immaturity with mention of any other subsidiary condition.	M.	20	4	7	2	8	1	5	1	.
		F.	15	3	11	1	3	1	1	1	.
776 ...	Immaturity unqualified ...	M.	206	12	105	7	58	4	23	1	20
		F.	161	5	80	2	46	2	13	1	22
Residue ...	Other causes	M.	48	90	18	47	20	24	7	12	3
		F.	29	59	12	26	10	16	4	13	3
	All Causes	**M.**	**922**	**757**	**504**	**348**	**261**	**244**	**96**	**94**	**61**
		F.	**646**	**551**	**341**	**275**	**197**	**157**	**63**	**74**	**45**

ND UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY
OROUGH.

ARLOW OUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (Rem. of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Detailed International List No.
er ks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
.	.	.	3	.	.	.	.	.	.	.	1	.	1	010
.	.	.	2	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	1	001–009,
.	1	.	1	.	1	.	.	.	1	.	1	.	.	011–019
.	.	.	1	.	.	.	.	.	.	.	.	.	.	020–029
.	.	1	2	.	.	.	.	.	.	.	.	.	.	
.	1	.	6	.	1	.	.	.	3	.	2	.	.	056
.	1	.	6	.	1	.	4	.	1	.	.	.	.	
1	.	.	5	.	.	1	.	.	1	1	.	.	.	030–055,
.	2	.	6	.	.	1	3	.	.	.	.	.	.	057–138
.	.	1	1	.	1	.	2	.	.	.	.	.	.	340
.	.	.	1	.	.	1	.	.	.	.	.	1	.	
.	.	1	2	.	1	.	3	.	.	.	.	.	.	330–334,
.	.	.	.	.	.	.	.	.	.	.	1	.	.	341–398
.	.	.	.	.	.	.	.	.	.	.	.	.	.	480–483
.	.	.	.	.	.	.	.	.	2	.	.	2	.	
.	3	.	42	.	1	.	8	.	3	.	3	.	2	490–493
.	2	.	33	.	.	.	12	.	5	.	7	.	1	
.	.	.	3	.	.	.	1	.	3	.	2	.	.	500–502
.	.	.	2	.	.	.	1	.	2	.	.	1	.	
.	.	1	9	.	.	.	3	.	.	.	.	.	.	470–475,
.	.	.	8	.	1	2	1	.	.	.	1	.	.	510–527
.	2	.	6	.	.	.	5	.	2	.	2	.	5	571
.	.	.	2	.	.	.	5	.	3	.	5	.	.	
.	.	1	1	1	.	2	1	.	.	.	.	1	.	530–570,
.	.	3	1	.	.	.	.	.	.	.	.	.	.	573–587
3	.	19	14	4	.	5	1	2	.	7	.	8	1	750–759
2	.	24	10	1	.	4	4	5	2	3	1	1	3	
2	.	35	1	2	.	7	.	2	.	3	.	3	.	760–761
1	.	19	1	2	.	3	1	2	.	3	.	.	.	
1	.	29	3	2	.	4	3	3	1	1	.	3	.	762
1	.	27	1	1	.	8	.	.	.	2	1	.	.	
.	.	19	.	.	.	2	.	2	.	2	.	.	.	763
1	.	7	.	1	.	3	.	1	.	.	.	.	.	
.	.	6	.	.	.	2	.	1	.	.	.	.	.	764
.	.	3	.	.	.	.	.	.	.	1	.	.	.	
.	.	2	.	.	.	.	.	.	.	.	.	.	.	765–768
.	.	.	1	.	.	.	.	.	.	1	.	.	.	
1	.	11	7	3	3	7	3	4	6	3	5	1	2	769·0–
1	1	8	9	.	2	4	2	3	1	1	1	1	1	773·0
1	.	24	3	2	.	7	3	3	1	4	.	2	1	769·5–
.	.	15	.	1	.	4	.	1	1	1	1	3	.	773·5
1	.	5	.	.	.	1	1	.	.	.	.	.	.	774
.	.	6	.	.	.	2	.	.	.	1	.	.	1	
3	.	40	.	.	.	9	.	4	.	15	.	.	1	776
3	.	30	1	2	.	6	.	3	1	10	.	1	.	
2	1	7	15	1	4	2	10	.	2	1	2	.	1	Residue
1	1	6	7	.	3	1	.	2	.	.	2	.	.	
15	7	201	122	15	11	49	44	21	23	37	17	18	15	
10	8	149	94	8	8	39	33	17	20	23	21	10	6	

TABLE 26 (*con.*)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS A

Detailed International List No.	CAUSES OF DEATH.		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTM COU
			under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks
010 ...	Tuberculosis of meninges and central nervous system.	M.	.	.	.	1	.	.	.	.	.
		F.	.	.	.	.	.	.	.	1	.
001–009, 011–019	Tuberculosis, other forms ...	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
020–029 ...	Syphilis and its sequelae ...	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
056 ...	Whooping cough	M.	1	1	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
030–055, 057–138	Other infective and parasitic diseases.	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	1	.	.	.	.	.
340 ...	Meningitis, except meningococcal and tuberculous.	M.	.	.	.	1	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
330–334, 341–398	Diseases of the nervous system and sense organs.	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	1	.	1	.	.	.
480–483 ...	Influenza	M.	.	.	.	1	.	.	.	.	.
		F.	.	.	.	1	.	1	.	.	.
490–493 ...	Pneumonia	M.	.	3	.	2	.	5	.	2	.
		F.	.	1	.	2	.	4	.	7	.
500–502 ...	Bronchitis	M.	.	.	1	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
470–475, 510–527	Other diseases of the respiratory system.	M.	.	.	.	.	.	1	.	.	.
		F.	.	.	.	.	.	2	.	.	.
571 ...	Gastro-enteritis and colitis, except diarrhoea of the newborn.	M.	.	2	.	1	.	1	.	1	.
		F.	.	1	.	.	.	1	.	2	.
530–570, 573–587	Other diseases of the digestive system.	M.	.	.	.	.	.	.	1	1	.
		F.	.	1	.	.	.	.	.	1	.
750–759 ...	Congenital malformations ...	M.	5	3	8	1	3	2	1	1	2
		F.	1	1	1	5	5	.	1	1	1
760–761 ...	Birth injuries	M.	2	.	3	.	3	.	3	.	2
		F.	1	1	1	1	1	.	1	.	1
762 ...	Postnatal asphyxia and atelectasis	M.	1	.	2	1	4	.	2	.	6
		F.	.	.	2	.	1	.	1	.	1
763 ...	Pneumonia of newborn ...	M.	.	.	.	.	.	.	1	.	.
		F.	.	.	.	.	.	.	.	.	.
764 ...	Diarrhoea of newborn	M.	1	.	.	.	.	.	1	.	1
		F.	1	.	.	.	.	.	.	.	.
765–768 ...	Other infections of the newborn	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy :—										
769·0–773·0	Without mention of immaturity	M.	1	1	2	.	2	5	3	1	1
		F.	.	.	2	.	1	1	1	2	.
769·5–773·5	With mention of immaturity ...	M.	.	.	.	1	2	.	6	.	1
		F.	.	.	.	.	.	.	6	.	2
774 ...	Immaturity with mention of any other subsidiary condition.	M.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	1	.	.	.	.
776 ...	Immaturity unqualified ...	M.	6	1	9	1	7	1	.	.	2
		F.	1	.	11	.	3	.	.	.	1
Residue ...	Other causes	M.	2	.	1	2	1	1	1	1	.
		F.	1	1	.	4	.	2	.	1	1
	All Causes	**M.**	**19**	**11**	**26**	**12**	**22**	**16**	**19**	**7**	**15**
		F.	**5**	**6**	**17**	**15**	**12**	**12**	**10**	**15**	**7**

NDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List No.
ler 4 eks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
.	1	.	.	.	.	.	1	.	2	.	2	.	.	010
.	.	.	.	.	1	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	001–009,
.	.	.	.	.	.	.	.	.	1	.	1	.	.	011–019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020–029
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	4	.	.	.	.	.	.	.	2	.	.	.	.	056
.	1	.	.	.	.	.	.	.	2	.	.	.	1	
.	.	.	.	.	.	.	3	.	1	.	.	.	.	030–055,
.	.	.	.	.	.	.	.	.	2	.	.	.	.	057–138
.	1	.	.	.	2	.	.	1	2	.	2	.	.	340
.	.	.	.	.	.	.	.	.	1	.	.	.	1	
.	.	.	.	.	1	.	.	.	1	.	2	.	.	330–334,
.	.	.	.	.	.	.	.	.	.	.	1	.	.	341–398
.	1	.	.	.	.	.	.	1	2	.	1	.	.	480–483
.	.	.	.	1	.	.	.	2	.	.	1	.	.	
.	9	.	2	.	6	.	4	.	15	.	8	.	4	490–493
.	3	.	8	.	.	.	4	.	9	.	9	.	2	
1	.	.	.	.	.	.	1	.	2	.	1	.	1	500–502
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	2	.	.	.	.	.	470–475,
.	.	.	.	.	.	.	.	.	.	1	.	.	.	510–527
.	5	.	4	.	5	.	2	.	1	.	5	.	4	571
.	1	.	1	.	2	.	3	.	4	.	2	.	.	
1	.	.	.	.	.	1	1	2	2	.	4	.	.	530–570,
.	1	.	2	.	.	.	.	.	3	1	2	.	1	573–587
3	.	2	4	1	5	8	.	8	3	6	6	2	.	750–759
2	.	6	3	.	1	.	1	11	5	8	3	2	1	
1	.	5	.	1	.	3	.	8	.	4	.	.	.	760–761
.	.	2	.	.	.	1	.	.	.	5	.	.	.	
2	1	3	.	.	.	2	1	5	2	4	.	1	.	762
1	.	.	.	2	.	4	.	14	2	2	.	.	.	
.	.	2	.	1	.	4	.	2	.	2	.	.	.	763
.	.	1	.	1	.	1	.	1	.	2	.	.	.	
.	.	1	.	1	.	.	.	.	.	.	.	1	.	764
.	.	1	.	.	.	1	.	1	.	.	.	1	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	765–768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	3	4	1	1	3	1	1	16	2	2	6	1	1	769·0–
3	1	5	1	2	.	1	.	13	3	5	6	.	2	773·0
6	.	.	.	.	.	1	.	9	2	3	.	.	.	769·5–
2	.	1	.	.	.	1	1	4	.	1	.	1	.	773·5
.	1	.	.	.	.	.	.	5	.	1	.	.	1	774
.	.	1	.	.	.	.	.	1	.	2	1	.	.	
5	3	5	.	1	1	8	.	12	1	13	1	3	.	776
3	.	6	.	.	.	3	.	14	.	8	.	1	1	
.	1	.	5	2	3	1	.	5	10	4	4	2	2	Residue
.	2	.	3	.	.	.	.	.	4	.	4	.	2	
24	**30**	**23**	**17**	**9**	**26**	**29**	**14**	**76**	**51**	**39**	**43**	**10**	**13**	
11	**9**	**23**	**18**	**6**	**4**	**12**	**9**	**61**	**36**	**35**	**31**	**5**	**11**	

TABLE 26 (*con.*)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AN

Detailed International List No.	CAUSES OF DEATH.		Limerick County		Tipperary (North Riding)		Tipperary (South Riding)		Waterford County Borough		Waterfo County
			under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks
010 ...	Tuberculosis of meninges and central nervous system.	M.	·	1	·	·	·	·	·	·	·
		F.	·	·	·	1	·	·	·	·	·
001–009, 011–019	Tuberculosis, other forms ...	M.	·	1	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·	·
020–029 ...	Syphilis and its sequelae ...	M.	·	·	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·	·
056 ...	Whooping cough	M.	·	·	·	1	·	1	·	1	·
		F.	·	·	·	·	·	1	·	·	·
030–055, 057–138	Other infective and parasitic diseases.	M.	·	·	·	·	·	·	·	·	·
		F.	·	·	·	1	1	1	·	·	·
340 ...	Meningitis, except meningococcal and tuberculous.	M.	·	1	·	1	·	·	·	·	·
		F.	·	·	·	·	1	·	·	·	·
330–334, 341–398	Diseases of the nervous system and sense organs.	M.	·	1	·	·	·	1	·	·	·
		F.	·	·	·	·	·	·	·	·	·
480–483 ...	Influenza	M.	1	·	·	1	·	·	·	·	·
		F.	·	1	·	1	·	·	·	·	·
490–493 ...	Pneumonia	M.	·	12	·	3	·	3	·	4	·
		F.	·	5	·	2	·	3	·	2	·
500–502 ...	Bronchitis	M.	·	1	2	4	·	·	·	·	·
		F.	·	1	·	·	·	·	·	·	·
470–475, 510–527	Other diseases of the respiratory system.	M.	·	·	·	·	·	1	·	1	·
		F.	·	·	·	·	·	·	·	·	·
571 ...	Gastro-enteritis and colitis, except diarrhoea of the newborn.	M.	·	10	·	2	·	4	·	3	·
		F.	·	10	·	·	·	4	·	·	·
530–570, 573–587	Other diseases of the digestive system.	M.	1	·	·	2	·	1	·	·	·
		F.	·	·	·	·	·	·	·	·	·
750–759 ...	Congenital malformations ...	M.	5	1	1	1	3	1	1	2	2
		F.	3	4	2	·	2	2	·	1	3
760–761 ...	Birth injuries	M.	2	·	3	·	1	·	·	·	1
		F.	2	·	1	·	3	·	·	·	·
762 ...	Postnatal asphyxia and atelectasis	M.	1	·	·	1	1	·	·	·	3
		F.	·	·	2	·	1	1	·	1	1
763 ...	Pneumonia of newborn ...	M.	2	·	1	·	1	·	1	·	2
		F.	·	·	·	·	·	·	·	·	·
764 ...	Diarrhoea of newborn	M.	1	·	·	·	1	·	·	·	·
		F.	·	·	·	·	·	·	·	·	·
765–768 ...	Other infections of the newborn	M.	·	·	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·	·
	Other and ill-defined diseases of early infancy :—										
769·0–773·0	Without mention of immaturity	M.	1	5	2	2	5	1	·	1	6
		F.	2	4	1	2	2	4	2	·	4
769·5–773·5	With mention of immaturity ...	M.	2	·	3	1	8	2	2	1	3
		F.	3	1	·	·	8	1	3	·	1
774 ...	Immaturity with mention of any other subsidiary condition.	M.	2	·	·	·	·	·	·	·	·
		F.	·	·	·	·	·	·	·	·	·
776 ...	Immaturity unqualified ...	M.	6	1	6	·	7	·	1	·	1
		F.	4	·	5	1	6	·	·	·	5
Residue ...	Other causes	M.	1	2	1	1	1	1	1	1	2
		F.	1	4	2	1	3	·	2	·	2
	All Causes	**M.**	**25**	**36**	**19**	**20**	**28**	**16**	**6**	**14**	**20**
		F.	**15**	**30**	**13**	**9**	**27**	**17**	**7**	**4**	**16**

DER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

LWAY UNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List No.
r	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	010
	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	001–009,
	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	011–019
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020–029
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	5	.	.	.	.	.	.	.	.	.	4	.	2	.	3	056
	2	.	.	.	1	.	.	.	.	.	4	.	1	.	3	
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	030–055,
	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	057–138
	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	340
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	330–334,
	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	341–398
	2	.	.	.	1	.	.	.	1	.	1	1	4	.	4	480–483
	.	.	.	.	3	.	.	.	1	.	.	1	4	1	1	
	11	.	1	.	9	.	4	.	2	.	3	.	10	.	5	490–493
	8	.	.	.	4	.	.	.	1	.	1	.	5	.	1	
	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	500–502
	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	470–475,
	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	510–527
	1	.	.	.	2	.	1	.	.	.	.	.	1	.	3	571
	3	.	1	.	.	.	3	.	.	.	.	.	2	.	1	
	2	.	1	.	2	.	.	.	.	.	.	.	.	.	1	530–570,
	1	.	.	.	.	.	1	.	1	.	1	1	1	.	.	573–587
	2	1	.	5	5	2	2	.	2	1	.	2	8	1	.	750–759
	6	.	.	5	3	3	1	2	3	1	.	2	3	1	3	
	.	.	.	3	.	.	1	2	.	3	.	2	.	2	.	760–761
	.	.	.	3	.	1	.	.	.	.	.	1	.	.	.	
	1	.	.	1	.	1	.	3	.	.	.	4	1	.	.	762
	.	.	.	1	.	.	.	.	.	.	.	2	.	2	.	
	.	.	.	4	.	.	.	.	.	.	.	2	.	2	.	763
	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	
	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	764
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765–768
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	4	2	1	3	3	1	.	4	3	1	3	2	5	3	2	769·0–
	2	1	.	5	1	.	2	2	2	1	.	1	6	2	.	773·0
	.	2	.	1	.	1	.	.	1	3	1	4	.	2	.	769·5–
	.	.	.	1	.	1	.	1	.	.	.	1	.	2	.	773·5
	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	774
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	2	.	6	.	9	1	4	.	13	.	5	.	2	.	776
	.	1	.	6	1	1	.	2	.	2	.	13	.	7	.	
	6	.	.	.	3	1	1	2	2	.	1	3	3	.	3	Residue
	8	.	1	1	4	.	.	3	.	.	1	2	3	1	.	
	39	7	3	25	27	17	11	15	14	22	15	26	35	13	21	
	37	2	2	24	18	6	8	10	9	4	8	25	27	16	10	

TABLE 27.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respe of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A. Acute Anterior Poliomyelitis. B. Cerebro-spinal F r. C. Encephalitis Lethargica. D. Diarrhoea and Enteritis. E. Paratyphoid A. F. Paratyphoid B. G. Trachoma. H. Erysi s. J. Ophthalmia Neonatorum. K. Pemphigus Neonatorum. L. Undulant Fever. M. Continued Fever. N. Dysentery (Bacil). O. Dysentery (Amoebic). P. Malaria. Q. Membranous Croup. R. Puerperal Pyrexia. S. Influenzal pneumonia. T. Puer al Sepsis. U. Scabies. V. Infective Hepatitis. W. Streptococcal Sore Throat. X. Tinea Capitis. Y. Rubella. Z(1). Infective M o-nucleosis. Z(2). Salmonella Infection. Z(3). Weil's Disease.

COUNTY BOROUGHS.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	Other Diseases
Cork	·	·	6	32	35	252	B.2. D.134. G.2. H.14. N.2. R.1. S.3. .8. V.1. W.3. X.2. Y.1.
Dublin	·	·	5	695	2,618	1,405	A.15. B.32. C.3. D.930. G.5. H.129. 11. L.1. N.14. S.76. T.3. U.398. V.56. W. 31. X.30. Y.57. Z(1).66. Z(2).11.
Limerick	·	·	4	15	12	52	B.3. D.2. H.2. L.1. S.2. W.2. X.3.
Waterford ...	·	·	·	6	4	92	D.39. H.4. N.5. R.1. S.2. U.18.
Total ...	·	·	15	748	2,669	1,801	A.15. B.37. C.3. D.1,105. G.7. H.149. 1. L.2. N.21. R.2. S.83. T.3. U.424. 67. W.4,036. X.35. Y.58. Z(1).66. Z(2).1

URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	Other Diseases
Carlow ...	Carlow	·	·	·	16	1	6	R.1.
Cavan ...	Cavan	·	·	·	21	70	4	H.2. S.4. U.4. V.2. W.77. Y
Clare	Ennis	·	·	2	8	1	·	A.2. H.2. W.2. X.1.
	Kilrush	·	·	·	·	·	1	
Cork	Clonakilty	·	·	·	·	·	·	
	Cobh	·	·	·	·	·	2	
	Fermoy	·	·	·	·	·	1	S.2.
	Kinsale	·	·	·	1	·	·	H.1.
	Macroom	·	·	·	·	·	1	
	Mallow	·	·	·	·	·	·	B.2.
	Midleton	·	·	·	4	8	·	D.4. U.3.
	Skibbereen ...	·	·	·	2	21	·	
	Youghal	·	·	·	10	1	7	
Donegal ...	Buncrana	·	·	2	5	·	·	
	Bundoran	·	·	·	·	·	·	A.1.
	Letterkenny ...	·	·	1	32	1	·	Y.1.
Dublin ...	Dun Laoghaire ...	·	1	1	90	51	127	A.5. D.55. F.4. H.9. S.4. 5. V.3. W.173. X.2. Y.2. Z 4.
Galway ...	Ballinasloe	·	2	2	9	1	·	D.3. H.2. S.3. U.15.
	Galway	·	·	2	9	15	49	B.2. D.13. H.3. T.1. V.1. L
Kerry ...	Killarney	·	1	·	3	1	34	B.1. F.1. H.1. S.26. W
	Listowel	·	1	·	2	·	·	S.2.
	Tralee	·	1	·	1	·	·	B.1. S.1. T.1.
Kildare ...	Athy	·	·	·	·	1	·	
	Nas-na-Riogh ...	·	·	·	1	27	4	H.1. J.1. U.4. W.4.
Kilkenny ...	Kilkenny	·	·	·	9	17	3	F.1. H.2. W.1.
Longford ...	Longford	·	·	1	2	44	4	D.5. U.1. W.5.
Louth ...	Drogheda	·	·	·	3	6	10	D.3. F.1. N.1. U.1. Z(1)
	Dundalk	·	1	3	19	50	·	H.1. L.1. S.4.
Mayo ...	Ballina	·	·	·	3	·	·	
	Castlebar	·	·	·	1	1	3	W.2.
	Westport	·	·	·	·	·	·	

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

URBAN DISTRICTS—contd.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Me ...	An Uaimh	.	.	.	4	4	.	U.2. W.1. Z(1).1.
	Ceanannus Mór ...	.	.	.	.	.	.	
	Trim	.	.	.	.	2	.	
Mo han ...	Carrickmacross ...	.	.	.	.	1	4	B.3. S.2.
	Castleblayney ...	.	.	.	2	6	3	
	Clones	.	.	.	.	.	.	S.5.
	Monaghan	.	.	.	13	5	.	
Off ...	Birr	.	.	.	6	.	.	B.1. D.1. U.1. V.9. X.1.
	Tullamore	.	.	1	3	21	33	B.1. D.1. U.2. V.1. W.25.
Sli	Sligo	.	.	12	4	330	36	D.2. H.1. S.10. W.3. Y.2.
Tip rary, N.R.	Nenagh	.	.	.	8	2	3	S.4. W.1. Y.1. Z(1).1.
	Templemore ...	.	.	.	.	1	.	S.2.
	Thurles	.	.	.	5	7	2	B.1.
Tip rary, S.R.	Carrick-on-Suir ...	.	.	.	1	1	4	B.2. Y.1.
	Cashel	.	.	.	3	.	1	
	Clonmel	.	.	.	31	5	3	H.1. W.9.
	Tipperary	.	.	.	18	.	.	B.1. U.1. W.1.
Wa ford ...	Dungarvan ...	.	.	1	.	12	80	D.11. H.1. U.3. V.4.
We eath ...	Athlone	.	.	.	8	.	.	S.3. U.1.
We rd ...	Enniscorthy ...	.	.	.	5	.	.	
	New Ross	.	.	.	1	1	2	B.1. D.1. H.2. R.1. S.2. U.2. W.4.
	Wexford	.	.	.	6	10	14	W.1.
Wi ow ...	Arklow	.	.	.	1	.	.	X.2.
	Bray	.	.	.	20	60	9	D.11. H.2. S.55. R.1. U.24. W.19. Y.1.
	Wicklow	.	.	.	3	46	5	H.3. W.38. X.1.
	TOTAL	.	7	28	393	831	455	A.8. B.16. D.110. F.7. H.34. J.1. L.1. N.1. R.3. S.129. T.2. U.79. V.20. W.371. X.7. Y.9. Z(1).7.

RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
ar ...	Carlow	.	.	.	27	4	62	C.1. F.1. H.1. S.2. V.1. W.3. Y.2.
	Carlow No. 2 ...	.	.	.	2	.	11	
	Idrone	.	.	.	.	.	.	
av ...	Bailieboro'	.	.	.	.	13	.	A.1. B.1. S.6.
	Bawnboy	.	1	.	3	69	4	S.4.
	Belturbet	.	.	.	.	.	.	
	Castlerahan ...	.	.	.	7	3	11	B.1.
	Cavan	.	3	.	7	27	47	B.2. H.2. S.25. T.1. W.34.
	Cootehill	.	.	.	.	.	.	
	Enniskillen No. 2 ...	.	2	.	.	7	.	H.1.
	Mullaghoran ...	.	.	.	.	1	15	
la	Ballyvaughan ...	.	.	.	.	.	.	
	Corrofin	.	.	.	1	.	.	
	Ennis	.	1	.	16	2	4	H.2. W.3. Y.2.
	Ennistymon ...	.	.	.	.	.	1	A.1.
	Kildysert	.	.	.	1	.	.	A.2. D.1. W.1.
	Kilrush	.	.	.	2	1	.	
	Meelick	.	.	.	.	.	.	
	Scarriff	.	.	.	2	.	1	
	Tulla	.	.	.	1	.	.	
or	Bandon	.	.	.	3	1	3	D.8. F.1. N.1.
	Bantry	.	.	.	.	3	.	B.1. W.1.
	Castletown ...	.	1	.	.	.	.	D.1. S.4.
	Clonakilty	.	.	.	.	9	4	B.1. S.1.
	Cork	.	.	2	17	14	178	B.3. D.48. H.7. N.1. S.8. W.7. Z(3).1.
	Dunmanway ...	.	.	.	2	.	.	D.1. Z(3).1.
	Fermoy	.	.	.	2	.	.	S.7.
	Kanturk	.	.	.	62	6	2	A.1. B.2. H.1. W.3.
	Kinsale	.	.	.	16	1	7	D.1. S.4.

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

RURAL DISTRICTS—contd.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
	Macroom	.	.	.	4	3	.	D.1. H.1. Z(3).2.
	Mallow	.	1	.	1	.	4	A.1. S.1.
	Midleton	.	.	.	22	1	4	D.5. H.1.
	Millstreet	.	.	.	.	.	.	
	Mitchelstown No. 1 ...	.	.	.	.	.	.	
	Rathluire	.	.	.	.	.	.	D.1.
	Skibbereen	.	1	.	.	6	.	Z(3).1.
	Schull	.	.	.	.	.	.	H.2.
	Youghal No. 1 ...	.	.	.	1	.	5	
Donegal ...	Ballyshannon ...	.	.	.	7	.	.	
	Donegal	.	.	.	29	.	.	A.1.
	Dunfanaghy ...	.	.	.	48	4	2	D.5. S.5. Y.1.
	Glenties	.	.	.	36	4	58	A.1. D.1. H.7. S.6.
	Inishowen	.	.	2	12	6	14	H.2. T.1. S.23. W.1.
	Letterkenny ...	.	.	1	85	.	3	H.1. V.5. W.3.
	Milford	.	1	3	55	.	.	A.2. B.2. Z(3).2.
	Stranorlar	.	1	1	103	.	94	A.1. B.1. S.23. V.2 W.19.
Dublin ...	Balrothery	.	.	.	39	150	41	A.3. D.3. H.1. S.3. T.2. V. Z(1).1.
	Cill Droichid No 2 ...	.	.	.	7	14	15	D.3. L.1. W.19. X.1. Z(1).1.
	Dublin Nth. ...	.	.	.	23	104	33	A.1. B.2. D.20. H.1. N.1. V.4. W.103.
	Dublin Sth. ...	.	.	3	65	229	160	B.2. D.103. H.10. N.11. S.6. W.267. X.9. Y.4. Z(1).
	Rathdown No. 1 ...	.	.	1	49	72	27	A.5. D.6. F.1. H.2. L.1. S.5. W.57. X.1. Y.3.
Galway ...	Ballinasloe	.	.	1	4	.	.	D.1. H.2.
	Clifden	.	.	.	4	.	38	H.1. W.1.
	Galway	.	2	1	.	.	19	A.1. D.5. H.2. V.4. W.1.
	Glenamaddy ...	.	.	.	18	1	.	A.1. H.1. T.1.
	Gort	.	.	.	5	.	5	D.1. H.1.
	Loughrea	.	.	.	2	6	8	B.1. D.1. H.3. T.1. V.15.
	Mountbellew ...	.	1	.	.	.	.	B.1. D.1. H.1.
	Oughterard ...	.	.	1	9	1	5	D.3. H.2. T.1. W.2.
	Portumna	.	.	.	.	53	2	D.2.
	Tuam	.	.	.	6	1	1	B.1. D.7.
Kerry ...	Cahirciveen ...	.	.	.	.	2	8	H.1. V.2. W.8.
	Dingle	.	.	.	.	.	.	D.2. S.14. W.5.
	Kenmare	.	.	.	.	12	.	A.1. S.1.
	Killarney	.	.	.	1	3	5	B.1. D.2. H.4. S.27. V.3.
	Listowel	.	.	.	13	4	13	A.1. L.1. R.1. S.72. Z(3).
	Tralee	.	4	.	.	.	.	B.1. R.1. S.2.
Kildare ...	Athy No. 1 ...	.	.	.	1	.	6	W.2.
	Cill Droichid No. 1 ...	.	.	.	5	3	1	W.1.
	Edenderry No. 2 ...	.	.	.	2	13	5	S.2.
	Nás Na Riogh No. 1	.	.	.	2	10	5	D.1. H.2. W.1.
Kilkenny ...	Callan	.	1	.	2	.	.	A.1. S.1. W.2.
	Carrick-on-Suir No. 3	.	.	.	.	.	.	
	Castlecomer ...	.	.	.	7	67	.	A.1.
	Ida	.	.	.	1	.	.	W.2.
	Kilkenny	.	.	.	9	4	9	W.2.
	Thomastown ...	.	1	.	7	1	3	W.2.
	Urlingford No. 1 ...	.	.	1	24	50	2	S.4.
	Waterford No. 2 ...	.	.	.	.	.	5	J.1.
Laoighis ...	Abbeyleix	.	.	.	2	4	.	
	Athy No. 2 ...	.	.	.	.	.	8	
	Mountmellick ...	.	.	.	1	30	4	B.1. S.22. W.6. Y.69.
	Roscrea No. 3 ...	.	1	.	.	.	1	
	Slievemargy ...	.	.	.	3	.	.	
Leitrim ...	Ballinamore ...	.	.	.	.	.	.	
	Carrick-on-Shannon No. 1	.	.	.	1	1	.	
	Kinlough	.	.	.	2	.	.	
	Manorhamilton ...	.	.	.	10	.	25	W.1.
	Mohill	.	.	.	1	59	.	W.1.
Limerick ...	Croom	.	.	.	4	10	3	D.2. H.1. L.1. S.7.
	Glin	.	.	.	.	.	4	D.1. H.1. S.24.
	Kilmallock	.	.	.	4	79	6	D.2. H.1. S.5.
	Limerick No. 1 ...	.	.	1	.	.	2	D.1.
	Mitchelstown No. 2 ...	.	.	.	1	.	9	B.1. H.1. S.1.
	Newcastle	.	1	.	1	19	3	D.5. H.1. L.1. S.34. Z(3)
	Rathkeale	.	.	.	3	.	.	D.2. H.1. S.5.
	Tipperary No. 2 ...	.	.	.	4	11	9	S.1.
Longford ...	Ballymahon ...	.	.	.	4	.	.	W.8.
	Granard No. 1 ...	.	.	.	.	90	5	D.5. H.1. S.5. T.1. W.4.
	Longford	.	1	.	.	9	2	D.12. S.7. W.9.

27 (contd.).—Summary of Cases of Infectious Diseases Notified to the Department of Health During the Year 1951.

RURAL DISTRICTS—contd.

ounty	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	Other Diseases
u ...	Ardee No. 1 ...	.	.	.	.	.	3	B.1.
	Dundalk	.	.	.	4	9	7	N.1. S.2.
	Louth	.	.	.	6	17	6	D.3.
y ...	Ballina	.	.	.	2	.	.	B.1. V.3. W.2.
	Ballinrobe	.	.	.	.	.	.	A.1.
	Belmullet	.	2	.	.	.	.	X.1.
	Castlebar	.	.	.	1	.	.	D.2. S.2. W.2.
	Claremorris ...	.	.	.	3	11	2	
	Swinford	.	.	.	8	21	5	B.2. C.1. H.1. S.12.
	Westport	.	1	.	28	3	2	R.1. X.1.
a ...	An Uaimh	.	2	1	14	7	8	D.2. H.1. W.2.
	Ardee No. 2 ...	.	.	.	1	1	1	D.1. H.2. N.1.
	Ceanannus Mór ...	.	.	.	.	4	18	D.3. W.4. X.1.
	Dunshaughlin ...	.	.	.	7	34	5	H.3. R.1.
	Meath	.	.	.	2	3	4	D.1. W.2.
	Oldcastle	.	.	.	1	12	6	S.1.
	Trim	.	1	.	7	125	9	W.2.
han ...	Carrickmacross ...	.	.	1	1	.	50	A.2. D.1. T.1. S.35.
	Castleblayney ...	.	.	.	.	7	3	S.1. W.1.
	Clones No. 1 ...	.	2	.	.	.	.	H.1. S.14.
	Monaghan	.	.	.	.	3	6	A.1. S.1. Z(3).3.
...	Birr	.	.	.	2	10	.	B.1. D.4. F.2. H.1. V.4. W.5.
	Edenderry No. 1 ...	.	.	.	1	127	33	D.1. H.1. L.1. N.1. S.7. W.1. Y.1.
	Roscrea No. 2 ...	.	.	1	4	.	.	N.1.
	Tullamore	.	1	.	7	36	14	D.3. H.2. L.1. N.1. S.7. W.7.
s mon ...	Athlone No. 2 ...	.	1	.	2	2	2	B.1. D.1. H.1. S.8.
	Boyle No. 1 ...	.	2	2	23	40	5	F.1. S.2.
	Carrick-on-Shannon No. 2	.	.	.	11	14	.	S.1. W.1.
	Castlerea	.	.	.	9	1	.	H.1. S.3. W.1. Z(2).1.
	Roscommon ...	.	.	1	89	6	4	A.1. D.2. H.3. S.12. W.4. Y.1.
g ...	Coolavin	.	.	.	1	2	.	R.1. S.10.
	Dromore West ...	.	.	.	.	1	.	A.1.
	Sligo	.	.	1	4	27	4	S.3. W.3.
	Tubbercurry ...	.	.	.	.	19	.	T.1.
p ary N.R.	Borrisokane ...	.	.	.	3	7	.	R.1. S.1. W.5. X.1.
	Nenagh	.	.	.	15	10	81	B.1. H.2. S.8. V.2. W.5. Y.4. Z(3).1.
	Roscrea No. 1 ...	.	.	1	2	11	1	D.1. R.1. S.3.
	Thurles	.	.	.	2	83	22	C.1. S.4.
p ary S.R.	Carrick-on-Suir No. 1	.	.	.	1	.	2	Y.1.
	Cashel	.	.	.	.	21	2	B.1. H.4. W.4.
	Clogheen	.	.	.	1	2	.	A.1. W.1.
	Clonmel No. 1 ...	.	.	.	1	.	1	W.3.
	Slievardagh ...	.	.	.	3	136	66	D.9. H.1. X.4. Y.7.
	Tipperary No. 1 ...	.	2	.	9	19	6	A.1. D.1.
a ford ...	Carrick-on-Suir No. 2	.	.	.	2	1	15	H.1. S.2.
	Clonmel No. 2 ...	.	.	.	.	.	4	S.1. W.1.
	Dungarvan ...	.	.	.	.	52	13	S.1. V.1.
	Kilmacthomas ...	.	.	.	4	.	17	D.3. H.2. S.5. V.15. W.21. X.2.
	Lismore	.	.	.	18	6	22	S.2. W.1.
	Waterford No. 1 ...	.	.	.	.	1	17	D.4.
	Youghal No. 2 ...	.	.	.	1	1	.	S.4. W.1.
e eath ...	Athlone No. 1 ...	.	.	.	.	3	3	H.1.
	Ballymore	.	.	.	.	.	.	
	Coole	.	.	.	1	.	.	H.1.
	Delvin	.	.	.	.	91	.	B.1.
	Mullingar	.	.	4	12	125	4	A.1. B.1. D.1. F.1. H.2. R.1. S.10.
rd ...	Enniscorthy ...	.	1	.	37	7	26	A.2.
	Gorey	.	.	.	8	259	86	D.1. H.1. S.3.
	New Ross	.	.	1	.	1	4	A.1. H.1.
	Wexford	.	.	.	3	36	43	A.2. C.1. W.1.
i ow ...	Baltinglass ...	.	.	.	5	1	.	F.1. S.4.
	Rathdown No. 2 ...	.	.	.	2	37	.	D.1. W.1.
	Rathdrum ...	.	.	3	16	64	63	D.1. H.4. V.1. W.56.
	Shillelagh	.	.	.	.	28	.	C.1. X.1.
	Total	.	39	34	1,304	2,841	1,726	A.40. B.35. C.5. D.310. F.8. H.106. J.1. L.7. N.20. R.8. S.537. T.10. V.71. W.755. X.22. Y.96. Z(1).6. Z(2).1. Z(3).13.

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

SUMMARY 1951.

	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
COUNTY BOROUGHS ...	.	.	15	748	2,669	1,801	A.15. B.37. C.3. D.1,105, G.7. H.149. J.11. L.2. N.21. R.2. S.83. T.3. U.424. V.57. W.4,036. X.35. Y.58. Z(1).66. Z(2).11.
URBAN DISTRICTS ...	.	7	28	393	831	455	A.8. B.16. D.110. F.7. H.34. J.1. L.1. N.1. R.3. S.129. T.2. U.79. V.20. W.371. X.7. Y.9. Z(1).7.
RURAL DISTRICTS ...	.	39	34	1,304	2,841	1,726	A.40. B.35. C.5. D.310. F.8. H.106. J.1. L.7. N.20. R.8. S.537. T.10. V.71. W.755. X.22. Y.96. Z(1).6. Z(2).1. Z(3).13.
TOTAL	.	46	77	2,445	6,341	3,982	A.63. B.88. C.8. D.1,525. F.15. G.7. H.289. J.13. L.10. N.42. R.13. S.749. T.15. U.503. V.148. W.5,162. X.64. Y.163. Z(1).79. Z(2).12. Z(3).13.

The returns of Streptococcal Sore Throat represent the cases notified to the Department before 1st December, 1951. Since that date the disease is not a notifiable disease.